



Fiammastore

Superior Quality Products  
for Motorhomes, Caravans  
and Camper Vans



Carry-Bike

QMP









*Fiamma wish you happy holidays*





# INDEX

## FIAMMASTORE

### Fiammastore features



### Winch awnings for wall installation



### Winch awnings for roof installation



### Manual awnings



### Complete awnings with enclosure



### Enclosures for winch awnings



### Enclosures for manual awnings



### Front and side panels for winch awnings



### Front and side panels for manual awnings



### Accessories



### Installation brackets





## CARRY-BIKE

### Carry-Bike features



72-77

### Carry-Bike Motorhome



78-85

### Carry-Bike Caravan



86-89

### Carry-Bike Van



90-99

### Carry-Bike Garage / Moto



100-103

### Accessories



104-113

## QUALITY MOTORHOME PRODUCTS

### Rooflights



116-123

### LED



124-131

### Pumps



132-133

### Tanks



134-136

### Level



138-145

### Organizer



146-149

### Security systems



150-155

### Garage



156-159

### Ladders



160-162

### Luggage carriers



163-165

### Sanitary



166-169

### Miscellaneous



170-175





**Fiamma is known worldwide as a pioneer and leading company in manufacturing technical accessories for the recreational vehicle market.**

Fiamma has more than 100 patents registered in Europe, USA, Japan and China. The headquarters in Cardano al Campo focuses on product design and worldwide distribution. In addition there are eight manufacturing facilities where product improvements, technology innovation and new production processes are constantly implemented.

The Fiamma catalogue is translated into 11 languages including Chinese, Japanese and Russian.

#### 1945

Fiamma was founded by Norma and Arnaldo Pozzi. The name Fiamma, which in Italian means "flame" comes from the company's first product: an aluminium gas stove for camping.

#### 1973

Fiamma is the first company in Europe to introduce a complete range of superior quality products for Motorhomes and Trailers.

#### 1980

Fiamma starts its operation in the American market and becomes a leader in the production of awnings for Class B Motorhomes.

#### 1984

Fiamma creates the International Motorhome Club to strengthen the relationship between the company and its end-users. Fiamma becomes the first company in this market to get the TUV-GS (German Quality Control) for its awnings.

#### 1987

Fiamma expands into the Japanese market to become the leading manufacturer of accessories for recreational vehicles.

#### 1996

Fiamma receives the ISO 9002 certification.

#### 2002

Fiamma receives the ISO 9001 certification for its new and state-of-the art factory located in Cardano al Campo.

#### 2003

Fiamma opens new departments equipped with high tech machinery, thereby increasing its production capacity by 40%.

#### 2005

Inauguration of Fiamma Service, the completely automated distribution center of spare parts.

#### 2012

John-David Pozzi and Charles Pozzi are collaborating in the function of Managing Directors of Fiamma Spa.



Since  
1996



Since  
2002



**Production  
monitored  
and safety  
tested**



**Fiamma :  
certified in  
environmental  
and climate  
protection**



**ISO 9001**  
CERTIFIED QUALITY



INDEPENDENT  
FAMILY-OWNED  
COMPANY







### FIAMMA.COM

On the Fiamma web site you can find all the updates and information of our products. In the section "points of sale" you can also find the list of the best Fiamma dealers.



### COME AND VISIT US

The Fiamma stand is the meeting point for many motorhome fans in 35 international exhibitions of the RV industry. You can find the original Fiamma products in a selected network of motorhome specialists with extensive experience in the industry guaranteeing customer satisfaction.



### RELIABLE QUALITY

Spare parts for Fiamma awnings, Carry-Bike and other quality motorhome products are available on demand. At [www.fiamma.com](http://www.fiamma.com) you can find all the spare parts you need. our technical assistance team guarantees you a prompt delivery of more than 10,000 spare parts. If you want to get the best quality and an excellent after-sales service, choose Fiamma products.



### INNOVATION

Fiamma grants you a range of superior quality accessories that remain innovative. Fiamma has dedicated Research and Development departments where avant-garde technologies join Italian design and environmental responsibility.



# FIAMMA VW T5 PROGRAM



**Fiamma is specialized in VWT5 products: our complete range of products will ensure a more comfortable vacation**



*F45 S awning for VWT5.  
2.60m. length. See pp. 20*



*Privacy specially studied for VW T5.  
See pp. 40-41*



*Carry-Bike VWT5 for single or double  
rear door. See pp. 90-91*



*Ideal for the dinettes of VWT5  
transformed into Van. See page 53*



*Rear Door Cover VWT5 the new  
awning for the rear door. See page 53*



*Pack Organizer S, practical folding  
container with a lot of pockets  
See pp. 148-149*



# FIAMMA DUCATO PROGRAM



**Many interesting accessories for your Ducato Van ... and holidays are more comfortable**



*Range of F65 S for Ducato, from 3,20m to 4.00m. See pp. 22-23 / Brackets pp. 68-71*



*Privacy specially designed for Ducato. Additional panels for the various models. See pp. 40-41*



*Carry Bike DJ for Ducato double rear door. See pp. 94-95*



*Rear Door Cover Ducato. See page 53*



*Roof Rail, luggage carrier specially designed for Ducato, easy installation without drilling the roof. See page 164*



*New Thermoglas XXL to cover completely the engine compartment. See pag. 175*



# FIAMMASTORE

## The favourite awning with it's Italian Design

The Fiamma awnings are manufactured in our factory in Cardano al Campo, in Italy, using the latest technology. You can trust Fiamma, the inventors of case awnings for RV's!

With a Fiamma awning you can double the living space of your vehicle in less than one minute and enjoy a cool and covered open space.

Ideal also in case of light rain with a rafter tube allowing to open windows and air circulation in your vehicle. Wet gear can be taken off before entering the vehicle, leaving you with less to clean up.

Our awnings combine state of the art technology with original Italian Design for an elegant, durable and affordable awning.







FIAMMASTORE







### ① AUTO-LOCK® & DUAL SECURITY®

Fiamma manufactures the only awning with a silent opening thanks to the German TÜV certified Auto-Lock® self-locking winch safety system: with its exclusive long life Aluminium mechanical parts it offers you a quality product vastly superior to other comparable noisy hook release mechanisms on the market.

The security of Fiamma awnings is also guaranteed by the Dual Security® system. The device indicates the correct closure of the front bar by two small plastic flags inside the side end caps.



### ② PRESTO FIX®

The Fiamma Awning is the only awning with a new patented adjusting system that enables you to gauge the closing of the front bar. If over a period of time, one side should stop closing perfectly due to fabric and arm movements, you can use Presto Fix to realign the closing of the front bar.



### ③ ONE WAY ROLL

Has it ever happened to you that you roll up the awning on the contrary, get to the end and then you are not able to close it? Perhaps even damaging it? Never with a Fiamma awning! The One Way Roll is an ingenious patented mechanism that prevents the fabric from wrapping on the roller tube on the contrary. You can't go wrong!





# The exclusive features by Fiamma



## ④ DUAL SHOCK-ABSORBER®

Only Fiamma has the Dual Shock-Absorber® which protects both your vehicle and your awning. The arms are fixed with the certified double bolts system "Double Block" which grants more stability and ease of regulation.



## ⑤ EXTRA-STRONG ARMS

Highly resistant reinforced articulated arms with a strong 3,5 mm cable wire. They are proof tested to more than 10.000 cycles of opening and closing and can maintain a steady fabric tension of up to 32 Kg.



## ⑥ DOUBLE GUIDE

All Fiamma awnings are equipped with a double guide on the lead bar allowing the installation of two front panels, for example: Privacy Room and Sun View XL, Blocker Pro and Sun View XL, Blocker and Tie Down S, Sun View XL and Awning Hangers.




## ⑦ SECURE LOCK®

The telescopic system of the legs with manual locking allows the regulation of the lead bar height. This system allows you to regulate the height of the awning according to your needs. The Fiamma Awnings have a dual fixing possibility for its incorporated legs: to the wall and to the ground.





**Exclusive Italian Design anti-scratch canopies printed on whole length in 6 vibrant colours, without seams and high resistance to UV rays**



Our classic multi-coloured canopies are made without seams. The Fiamma canopy fabric guarantees higher resistance to UV rays. It does not fade in the sun and the absence of seams allows high resistance to water and tearing. It is flame-retardant, can be rewound when damp, is light-resistant, rot- and waterproof.



Anti-scratch coat  
Printed vinyl  
Adhesive  
Polyester fabrics high strength  
Adhesive  
Printed vinyl  
Anti-scratch coat

*All the Fiamma canopies are sealed for a perfect resistance to water*

European Design Model 762026



All canopies are printed on both sides. The outer layer is highly protected to allow complete and easy cleaning and care.



**The right awning for your vehicle**

The original wall and roof Fiamma Awnings are available in different finishings (Polar White, Titanium and Deep Black) and colours to match the design of your motorhome, caravan and van. Additional versions on special orders. Contact your dealer for information about pricing and availability.





# FIAMMASTORE The First Choice for your Motorhome, Caravan and Camper Van

Fiamma awnings are produced at our factory in Cardano al Campo, in Italy, using the latest technology.

		Awnings									Awnings & Enclosure	
		Winch opening						Manual operation			Winch	Manual
		F45 S	F45 L	F45 Eagle	F65 S	F65 L	F65 Eagle	Caravan-store	F35 Pro	Sunstore	Fiamma ZIP	Caravan-store ZIP
Vehicles	Motorhomes and Motorcaravans	●	●	●	●	●	●				●	
	Caravan	●	●		●	●		●	●	●	●	●
	Vans, 4x4 and cars	●			●				●			
Characteristics	Max. length cm	450	550	450	400	490	400	440	300	340	450	440
	Max. extension cm	250	250	250	250	250	250	225	225	225	250	225
	Min weight kg	13	38,8	33	25	36	37,5	6,1	8,5	6,6	27,5	9,1
	Max weight kg	30	46,2	39,5	32	44	37,5	13	14	8,5	39	13,1
	Wall installation	●	●	●				●	●	●	●	●
	Roof installation				●	●	●					
	Installation kit	●	●	●							●	
	Winch opening	●	●		●	●					●	
	Manual opening							●	●	●		●
	Motorized opening			●		●						
	Joint arms	●	●	●	●	●	●				●	
	Aluminium end caps	●	●	●	●	●	●				●	
	Support legs (to the ground)	●	●		●	●		●	●	●	●	●
	Support legs (wall fixing)	●	●		●	●		●	●		●	●
	Auto-Lock	●	●		●	●					●	
	Dual Security	●	●	●							●	
	One Way Roll	●	●	●	●	●	●				●	
	Dual Shock-Absorber	●	●	●	●	●	●				●	
	Presto Fix	●	●	●		●	●				●	
	Double Guide	●	●	●	●	●	●	●	●		●	●
Case box	Alluminium box in Polar White	●	●	●	●	●	●				●	
	Alluminium box in Titanium	●	●		●	●	●		●			
	Alluminium box in Deep Black	●			●				●			
	Grey PVC, soft box							●				●
Canopy	Deluxe Grey T	●	●	●	●	●	●	●	●		●	●
	Blue Ocean N	●	●		●	●		●	●		●	●
	Sahara S	●	●									
	Evergreen E	●	●									
	Bordeaux D	●	●									
	Pearl Grey P	●	●	Pearl Grey P						●		
Enclosures	Enclosure (Privacy Room)	●	●		●	●		●	●		●	●
	Blocker Pro	●	●		●	●		●	●	●		
	Blocker	●	●		●	●		●	●	●	●	●
	Sun View XL	●	●		●	●		●	●		●	●
	Side W							●	●			
	Side W Pro	●	●		●	●		●	●			
	Sun View Side	●	●		●	●						
Motor	Standard Motor (+ 13 cm)	●	●	●	●	●	●					
	Integrated Motor (+ 0 cm)				●							

● Standard    ● Optional

## Choosing guide



### Vehicle

Perfect for any vehicle from large motorhomes to vans.



### Operation

Winch automated.  
Opening and closing operation by handle.  
Electric motor optional (see p. 50).



### Position

Studied for Wall installation. Delivered with standard installation brackets. For special adapters see pp. 62-68.



### Awning enclosure

Optional Privacy Room (pp. 40-41), Privacy-Room Light (pp. 42-43), Blocker and Side (pp. 46-47).



### Colours & Materials

Case: in extra strong extruded aluminium. Very light yet highly resistant with external Polar White, Titanium or Deep Black coating.  
Cool and cheerful vinyl canopy. UV resistant, waterproof and washable, with bright colours on both sides.  
Colours: Blue Ocean, Deluxe Grey, Sahara, Evergreen, Bordeaux.



### Technical Features



For more technical information see pages 12-15.

## Innovations



*Drip moulding*



*Arms preset for LED*



*Canopy always tight thanks to the roller support*



*Reinforced leg knuckle*

## Accessories



Full range of accessories available, from LED lighting (pp. 124-129) to everything else. See pp. 50-61.



## Patents & Certificates

German Utility Models: 20 2004 010 437.7 -  
20 2004 010 436.9 - 20 2006 00326.3 -  
20 2008 002026.3 - 20 2009 005 066.1 -  
20 2010 008 353.2 - 20 2010 008 023.1  
Italian Patent: 1274295  
Several other patents pending











### The innovative and compact awning of Italian design

The easy-to-use awning which joins today's best technologies, service and quality! Constantly renewed, the F45 S awning is compact, functional, and of superior quality, assuring it to be the best choice for your holidays!



Description	POLAR WHITE	TITANIUM	DEEP BLACK	Awning length A	Canopy length B	Extension C	Shade surface	Weight
F45 S 190*	06280M01T			185 cm	169 cm	104 cm	1,7 m <sup>2</sup>	13 kg
F45 S 230	 06280P01T			231 cm	214 cm	150 cm	3,2 m <sup>2</sup>	16 kg
F45 S 260	06280H01(X)	06290H01(X)	 06759H01T	263 cm	247 cm	200 cm	4,9 m <sup>2</sup>	19,5 kg
F45 S 300	06280A01(X)	06290A01(X)		308 cm	292 cm	250 cm	7,3 m <sup>2</sup>	23 kg
F45 S 350	06280B01(X)	06290B01(X)		348 cm	331 cm	250 cm	8,3 m <sup>2</sup>	25 kg
F45 S 400**	06280C01(X)	06290C01(X)		398 cm	381 cm	250 cm	9,5 m <sup>2</sup>	27 kg
F45 S 450**	06280G01(X)	06290G01(X)		448 cm	431 cm	250 cm	10,8 m <sup>2</sup>	30 kg

\* Awning for the main door, comes without vertical support legs. \*\* 1 Tension Rafter made of anodized aluminium included. Specify the fabric colour you want in your order by replacing (X) with:

**N=Blue Ocean, T=Deluxe Grey, S=Sahara, E=Evergreen, D=Bordeaux and P=Pearl Grey.**

Left version with winch installed on the left side, case in Polar White and canopy in Deluxe Grey available on request.

## Choosing guide



### Vehicle

Perfect for motorhomes, and autocaravans.



### Operation

Winch automated. Opening and closing operation by handle. Electric motor optional (see page 50).



### Position

Studied for Wall installation. Delivered with standard installation brackets. For special adapters see pp. 62-68.



### Awning enclosure

Optional Privacy Room (pp. 40-41), Privacy Room Light (pp. 42-43), Blocker e Side (pp. 46-47).

Polar White



Titanium



### Colours & Materials

Case: in extra strong extruded aluminium. Very light yet highly resistant with external Polar White or Titanium coating. Cool and cheerful vinyl canopy. UV resistant, waterproof and washable, with bright colours on both sides. Colours: Blue Ocean, Deluxe Grey, Sahara, Evergreen, Bordeaux.

### Technical Features



For more technical information see pages 12-15.

## Innovations



Drip moulding



Arms preset for LED



Canopy always tight thanks to the roller support



Reinforced leg knuckle

## Accessories



Full range of accessories available, from LED lighting (pp. 124-129) to everything else. See pp. 50-61.



## Patents & Certificates

German Utility Models: 20 2004 010 437.7 - 20 2004 010 436.9 - 20 2006 00326.3 - 20 2008 002026.3 - 20 2009 005 066.1 - 20 2010 008 353.2 - 20 2010 008 023.1  
Italian Patent: 1274295  
Several other patents pending









### A big shaded area for all your family

A larger sized awning with extra large roller tube, perfect for bigger motorhomes.

With its renewed and modern design, the new technical improvements make this awning more advanced and more functional: the best choice for your holidays!




Description	POLAR WHITE	TITANIUM	Awning length A	Canopy length B	Extension C	Shade surface	Weight
F45 L 450*	06530-01(X)	06532-01(X)	452 cm	435 cm	250 cm	10,9 m <sup>2</sup>	38,8 kg
F45 L 500*	06530A01(X)	06532A01(X)	502 cm	485 cm	250 cm	12 m <sup>2</sup>	42,5 kg
F45 L 550*	06530B01(X)	06532B01(X)	552 cm	535 cm	250 cm	13,3 m <sup>2</sup>	46,2 kg


\*1 Tension Rafter included, made of anodized aluminium.

Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean**, **T=Deluxe Grey**, **S=Sahara**, **E=Evergreen**, **D=Bordeaux** and **P=Pearl Grey**.



# FIAMMA F45S VW T5



Standard included only in  
F45 S 260 - 06290D01(X)



Standard included only in  
F45 S 260 - 06290E01(X)  
KIT VW T5 - California



Description	TITANIUM	Awning length A	Canopy length B	Extension C	Shade surface	Weight
F45 S 260 VW T5 Multivan-Transporter (*)	06290D01(X)	263 cm	247 cm	200 cm	4,94 m <sup>2</sup>	19,5 kg
F45 S 260 VW T5 California	06290E01(X)	263 cm	247 cm	200 cm	4,94 m <sup>2</sup>	19,5 kg
F45 S 260 VW T5 Transporter UK (**)	06291D01T	263 cm	247 cm	200 cm	4,94 m <sup>2</sup>	19,5 kg
F45 S 300 VW T5 Multivan-Transporter long wheel base (*)	06290R01(X)	308 cm	292 cm	200 cm	5,84 m <sup>2</sup>	22 kg
F45 S 300 VW T5 Multivan-Transporter UK long wheel base (**)	06291R01T	308 cm	292 cm	200 cm	5,84 m <sup>2</sup>	22 kg

The F45 S Titanium 260 VW T5 Multivan, Transporter and California are standard delivered with installation kit, consisting of 2 brackets. No drilling of the vehicle required. The awning is installed onto the roof rail which is standard on the Multivan but is optional on the Transporter (\*): contact your nearest Volkswagen dealer for inquiries about the optional Transporter rail.


(\*\*) Special version with winch on the left side for UK market.

Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean** and **T=Deluxe Grey**.





Wind-Detective System:  
wind sensor



## Automatic extra-strong legless awning studied for wall installation

In order to grant maximum comfort and complete safety the 12Vcc electric awning can be easily opened by a switch inserted in the wall of the vehicle.

Standard delivered with Wind Detective System: wind sensor that automatically activates the 12Vcc motor and closes the awning in case of strong wind, avoiding possible damages.

The motor kit also allows manual closing in case of emergency.

The self-supporting arms are reinforced thanks to the innovative and sturdy duralumin Double Block® that doesn't require the use of support legs.

The angle of inclination of the arms is prefixed at 10 degrees, but can be changed according to the height of motorhome from 5 to 17 degrees, enabling the correct flow of the water.


Sturdy knuckle adjustable inclination from 5° to 17°




12V motor kit with manual emergency closing




Control System for Motor Kit with wall control




Awning



Motor




Standard delivered with all length bracket, screws with spacers and internal counterbrackets for a safe and solid installation on the vehicle



Description	POLAR WHITE	Awning length A	Canopy length B	Extension C	Shade surface	Net weight
F45 Eagle 350 Deluxe Grey	06472-01T	366 cm	335 cm	250 cm	8,3 m²	33 kg
F45 Eagle 400 Deluxe Grey	06472A01T	416 cm	385 cm	250 cm	9,6 m²	36,5 kg
F45 Eagle 450 Deluxe Grey	06472B01T	466 cm	435 cm	250 cm	11 m²	39,5 kg

**Important:** verify with your trusted dealer if your camper or motorhome is suitable for the installation of the F45 Eagle with the sturdy all length aluminium bracket. The vehicle must be robust enough to support the weight and the tension of the open awning. Fiamma refuses all responsibility for damages to the walls or for water seepages due to an incorrect installation or due to installations on weak walls.

## Choosing guide



### Vehicle

Perfect for Motorhomes, Caravans and Camper Vans.



### Operation

Winch automated.  
Opening and closing operation by handle.  
Electric motor optional (see page 50).



### Position

Studied for roof installation.  
Adapter see pp. 68-70.




### Awning enclosure

Optional Privacy Room (pp. 40-41), front and side panels  
Blocker & Side (pp. 46-47).

Polar White

Titanium

Deep Black



### Colours & Materials

Case: in extra strong extruded aluminium. Very light yet highly resistant with external Polar White, Titanium or Deep Black coating.  
Cool and cheerful vinyl canopy. UV resistant, waterproof and washable, with bright colours on both sides.  
Colours: Blue Ocean and Deluxe Grey.

### Technical Features



For more technical information see pages 12-15.

## F65 S on Fiat Ducato



Ideal for installation on the Ducato Minivan.

### Before 06/2006:

- F65 290 (medium wheel base 3200 mm) and
- F65 340 (long wheel base 3700 mm).

### After 06/2006, high roof:

- Vehicle length 5416mm (wheel base: 3450mm) = F65 S 320
- Vehicle length 5998mm (wheel base: 4035 mm) = F65 S 370
- Vehicle length 6363mm (wheel base: 4035 mm) = F65 S 400

Installation without drilling, using the optional Fiat Ducato Adapter composed of two brackets.

For the installation of the F65 S 400 (vehicle length 6363mm) it is necessary to use the Kit Ducato 98655-904, suggested also for the F65 S 370 (vehicle length 5998mm).



## Innovations



Also the F65 S awning now is equipped with a double guide on the lead bar allowing the installation of two front panels, for example Privacy Room and Sun View XL, Blocker Pro and Sun View and many other options.

## Accessories



Full range of accessories available, from LED lighting (pp. 124-129) to everything else. See pp. 50-61.

## Patents & Certificates

German Patent : 197 31 898  
European Patent: 0 752 507  
German Utility Models: 20 2006 00326.3 - 20 2008 002026.3  
German Design Patents: M98 06 241.7 - M98 06 240.9  
European Design Patent 1063978









**The roof awning with compact dimensions: strong structure, low weight!**

The roof awning with compact dimensions: strong structure, low weight! It perfectly fits onto the vehicle without overhanging. Solid end covers in aluminium.

The lead bar is now provided with tow guides for extra accessories like Blocker, Sun View etc.

Optional: Integrated 12V Motor Kit to be installed inside the roller, without extending the total length of your awning or standard Motor Kit (outside installation) with manual security system.




Description	POLAR WHITE	TITANIUM	DEEP BLACK	Awning length A	Canopy length B	Extension C	Shade surface	Weight
F65 S 290	05810A01(X)			290 cm	278 cm	200 cm	5,6 m <sup>2</sup>	25 kg
F65 S 320	05810B01(X)	05812B01(X)	05811B01(X)	320 cm	308 cm	250 cm	7,7 m <sup>2</sup>	26,5 kg
F65 S 340	05810C01(X)	05812C01(X)		340 cm	328 cm	250 cm	8,2 m <sup>2</sup>	28 kg
F65 S 370	05810D01(X)	05812D01(X)	05811D01(X)	370 cm	358 cm	250 cm	9 m <sup>2</sup>	30 kg
F65 S 400*	05810E01(X)	05812E01(X)	05811E01(X)	400 cm	388 cm	250 cm	9,7 m <sup>2</sup>	32 kg

\*1 Rafter included.

Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean, T=Deluxe Grey.**

## Choosing guide



### Vehicle

Perfect for Motorhomes, Autocaravans and Caravans.



### Operation

Winch automated.  
Opening and closing operation by handle.  
Electric motor optional (see page 50).



### Position

Studied for roof installation.  
Adapter see pp. 68-70.



### Awning enclosure

Optional Privacy Room (pp. 40-41), front and side panels Blocker & Side (pp. 46-47).

Polar White



Titanium



### Colours & Materials

Case: in extra strong extruded aluminium. Very light yet highly resistant with external Polar White or Titanium coating.  
Cool and cheerful vinyl canopy. UV resistant, waterproof and washable, with bright colours on both sides.  
Colours: Blue Ocean and Deluxe Grey.

### Technical Features



For more technical information see pages 12-15.

## Innovations



Innovative new design for Fiamma F65 awning, renewed lead bar, new end caps and new leg knuckles.

Also the F65 awning now has a double guide on the lead bar allowing the installation of two front panels, for example Privacy Room and Sun View XL, Blocker Pro and Sun View and many more options.

## Accessories



Full range of accessories available, from LED lighting (page 124-129) to everything else, see pp. 50-61.



## Patents & Certificates

German Patent : 197 31 898  
European Patent: 0 752 507  
German Utility Models: 20 2006 00326.3 -  
20 2008 002026.3  
German Design Patents: M98 06 241.7 - M98 06 240.9









## The roof awning with bigger and strong case box, perfect for large motorhomes

It perfectly integrates with the vehicle design without overhanging.  
The increased and curved dimensions make it stronger and resistant.  
The lead bar is now provided with two guides for extra accessories like Blocker, Sun View, etc.



Description	POLAR WHITE	TITANIUM	Awning length A	Canopy length B	Extension C	Shade surface	Weight
F65 L 400*	06858C01(X)	06860C01(X)	400 cm	380 cm	250 cm	9,5 m <sup>2</sup>	36 kg
F65 L 450*	06858D01(X)	06860D01(X)	450 cm	430 cm	250 cm	10,8 m <sup>2</sup>	40 kg
F65 L 490*	06858E01(X)	06860E01(X)	490 cm	470 cm	250 cm	11,8 m <sup>2</sup>	44 kg

1 Rafter included.

Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean, T= Deluxe Grey.**







## New automatic extra-strong legless awning, studied for roof installation

In order to grant maximum comfort and complete safety the new 12Vcc electric awning can be easily opened by a switch inserted in the wall of the vehicle.



Standard delivered with Wind Detecting System: wind sensor that automatically activates the 12Vcc motor and closes the awning in case of strong wind, avoiding possible damages.

The motor kit also allows manual closing in case of emergency.


The self-supporting arms are reinforced thanks to the innovative and sturdy duralumin Double Block that doesn't require the use of support legs.

The angle of inclination of the arms is prefixed at 10 degrees, but can be changed according to the height of motorhome from 5 to 17 degrees, enabling the correct flow of the water.

The installation brackets are optional available, see page 70 for choosing.



Wind-Detective System:  
wind sensor



Sturdy knuckle adjustable  
inclination from  
5° to 17°



12V motor kit  
with manual  
emergency  
closing




Control System  
for Motor Kit with  
wall control



Description	POLAR WHITE	TITANIUM	Awning length A	Canopy length B	Extension C	Shade surface	Weight
F65 Eagle 400 Deluxe Grey	06705C01T		420 cm	380 cm	250 cm	9,5 m²	37,5 kg
F65 Eagle 400 Deluxe Grey		06693C01T	420 cm	380 cm	250 cm	9,5 m²	37,5 kg

**Important: verify with your trusted dealer if your motorhome or motorcaravan is suitable for the installation of the F65 Eagle. The vehicle must be robust enough to support the weight and the tension of the open awning. Fiamma refuses all responsibility for damages to the roofs or for water seepages due to an incorrect installation or due to installations on weak roofs.**

## Choosing guide



### Vehicle

Specially designed for caravans.



### Operation

Manual opening and closing.



### Position

Slides easily into the existing awning rail otherwise rail supplied upon request.




### Awning enclosure

Optional Privacy Room CS Light (pp. 44-45), front and side panels Blocker & Side (pp. 48-49).



### Colours & Materials

Housed in a soft bag with handy self-lubricating zipper. Multi-layer canopy, water proof and UV resistant, colours: Blue Ocean or Deluxe Grey.



### Technical Features



LEGS IN



SOFT BOX



DOUBLE GUIDE


For more technical information see pages 12-15.

## Innovations



- Second guide on the lead bar for the additional Blocker Pro or Sun View
- Reinforced bag with anti-scratch tape
- Rubber wall fixing kit to prevent damaging of the caravan wall

## Easy installation



## Accessories



Full range of accessories available, from LED lightning to everything else. See pages 50-61.

## Patents & Certificates

German Utility Models:  
203 07 352.5  
20 2010 008210.2





IMPROVED



CARAVANS<sup>TORE</sup>® FIAMMA®

FIAMMASTORE



**The easy to use, sturdy and lightweight bag awning with manual operation. The only awning for caravans and minivans with tubular rewind for wrinkle-free fabric**

The Fiamma Caravanstore is easy to use and install: it takes only seconds to roll it out completely. The legs are inside the rollertube, easy to take out and install as it is hinged and telescopic, so they cannot fall down or be lost. The roller can be rolled-up in both ways. Thanks to its patented wide roller the Caravanstore is easy to unroll and roll up and above all the fabric is wrinkle-free!




Description	Item No.	Awning length A	Canopy length B	Extension C	Shade surface	Weight
Caravanstore 190	06760-01(X)	196 cm	162 cm	180 cm	2,9 m <sup>2</sup>	6,1 kg
Caravanstore 225	06760A01(X)	236 cm	202 cm	225 cm	4,5 m <sup>2</sup>	7,6 kg
Caravanstore 255	06760B01(X)	266 cm	232 cm	225 cm	5,2 m <sup>2</sup>	8,4 kg
Caravanstore 280	06760C01(X)	288 cm	254 cm	225 cm	5,7 m <sup>2</sup>	9,0 kg
Caravanstore 310	06760D01(X)	318 cm	284 cm	225 cm	6,4 m <sup>2</sup>	10,2 kg
Caravanstore 360	06760E01(X)	369 cm	334 cm	225 cm	7,5 m <sup>2</sup>	11,3 kg
Caravanstore 410 *	06760F01(X)	419 cm	384 cm	225 cm	8,6 m <sup>2</sup>	12,5 kg
Caravanstore 440 **	06760G01(X)	449 cm	414 cm	225 cm	9,3 m <sup>2</sup>	13,0 kg

\*1 tension Rafter Caravanstore in anodized aluminium included.

\*\*1 tension Rafter Caravanstore and 1 Caravanstore Support Leg in anodized aluminium included.

Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean, T=Deluxe Grey.**

## Choosing guide



### Vehicle

Studied for minivan, 4x4, utility vehicle, station-wagon and caravans.



### Operation

Manual opening and closing.



### Position

Studied for wall installation. Adapters are available for wall or roof bars, see page 71.



### Awning enclosure

Optional Privacy Room CS Light (page 44-45), front and side panels Blocker & Side (page 48-49).



### Colours & Materials

Super lightweight anodized aluminium case: Titanium or Deep Black. Multi-layer canopy, in ultra-resistant and waterproof vinyl, cool and cheerful, diffused lighting, exclusive, with bright colours on both sides. Colour: Blue Ocean and Deluxe Grey.



### Technical Features



For more technical information see pages 12-15.

## Innovations



Second guide on the lead bar for the additional Blocker Pro or Sun View.

## Easy installation



## Accessories



Now available Privacy Room CS Light 280 (for F35 Pro 270 Item No. 05815-02-) and 310 (for F35 Pro 300 Item No. 05815-03-). Special installation kit for F35 Pro, height from ground 230-260 cm.,

available on request (Adapter Kit, Item No. 98655-925 see page 44).

## Patents & Certificates

German Utility Models:  
203 07 352.5  
20 2010 008210.2





IMPROVED



**FIAMMA** **F35**  
PRO

FIAMMASTORE



**Compact, sturdy in lightweight anodized aluminium case and manual mechanism**

Fiamma F35 is the practical awning with manual mechanism and telescopic legs integrated into the roller tube. It can be installed on any kind of minivan thanks to a variety of brackets (see page 71) that can be fixed on the wall or on roof bars and rails. The installation and the removal from the roof-rack is very quick thanks to the optional mounting kit which doesn't require drilling.




Description	TITANIUM	DEEP BLACK	Awning length A	Canopy length B	Extension C	Max height from ground D	Shade surface	Weight
F35 PRO 180	06762-01(X)		183 cm	162 cm	180 cm	195 cm	2,9 m <sup>2</sup>	8,5 kg
F35 PRO 220	06762A01(X)		223 cm	202 cm	225 cm	225 cm	4,5 m <sup>2</sup>	10,5 kg
F35 PRO 250	06762B01(X)		253 cm	232 cm	225 cm	225 cm	5,2 m <sup>2</sup>	11,5 kg
F35 PRO 270*	06762C01(X)	NEW 06458C01T	273 cm	254 cm	225 cm	225 cm	5,7 m <sup>2</sup>	13,0 kg
F35 PRO 300*	06762D01(X)		303 cm	288 cm	225 cm	235 cm	6,4 m <sup>2</sup>	14,0 kg

\*Optional : Privacy Room CS Light.

Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean**, **T=Deluxe Grey**.

## Choosing guide



### Vehicle

Specially designed for caravans.



### Operation

Manual opening and closing.  
Compact, lightweight and easy to operate.  
Horizontal and vertical poles slide into the awning roller tube.



### Position

Slides easily into the existing awning rail otherwise rail supplied upon request. Easy to remove. Standard delivered with shock absorbing foam stickers.




### Colours & Materials

Sturdy aluminium roller, telescopic legs and central Rafter in anodized aluminium. Multi-layer canopy, water proof and UV resistant, colour Pearl Grey.

### Technical Features

The frontal roller tube in sturdy aluminium is composed by two pieces that are connected together by an aluminium joint for a very quick installation. Transport is very easy because once dismantled, the awning takes up very little space. For more about Fiammastore see page 12-15.

## Easy installation



Once disassembled, the awning takes up very little space, so the transport is very easy. Standard delivered with the transportation bag. The legs slide into the roller tube and the canopy is rolled up quickly.

## Accessories



Optional available:  
- Rafter Caravanstore  
- Blocker (front panel)  
- Shade

## Patents & Certificates

German Utility Model:  
203 07 352.5  
20 2010 008210.2  
20 2011 000 580.1








## Sunstore, the simplified and very cheap awning for caravans, that takes up very little space

The ultra light awning for caravans can be easily dismantled and takes up very little space when travelling.

Simplified version of the Caravanstore: dismantled, the frontal tube is divided in two pieces and easy to put back inside the caravan.

The installation is very quick: insert the fabric into the rail of the caravan and fix the frontal tube, made of light but sturdy anodized aluminium, directly on the fabric.

Complete with two legs, that you can put back inside the roller tube and with a central tension rafter, all telescopic and made of anodized aluminium. Thanks to the fastening clips, you can quickly roll the awning up on the wall of the vehicle, it takes up very little space and sticks out only 7 cm. The awning must be taken off before travelling.



Description	Item No.	Awning and canopy length A	Extension B	Length C disassembled awning	Shade surface	Weight
Sunstore 260	06276C01P	248 cm	225 cm	150 cm	5,3 m <sup>2</sup>	6,6 kg
Sunstore 290	06276D01P	278 cm	225 cm	150 cm	6 m <sup>2</sup>	7,3 kg
Sunstore 340	06276E01P	328 cm	225 cm	175 cm	7 m <sup>2</sup>	8,5 kg

# ENCLOSURES



Fiamma has a wide range of enclosures for all the needs; awnings completed with enclosures (Fiamma ZIP and Caravanstore ZIP); Privacy Room enclosures that transform your Fiamma awning into a comfortable living area; front and side panels that you can buy separately to compose your space as you like. Fiamma's range of products are ideal for any kind of recreational vehicles, from big motorhomes to mini vans.

## Windows



Fiamma ZIP, Caravanstore ZIP and Privacy Room are equipped with elegant Crystal windows that can be rolled up, complete with mosquito net and blue curtains.

**We have increased the height of the velcro layer so as to simplify the closing of the awnings.** Light versions are provided with roller blind on the side panels instead of the Crystal windows.



## Structure

### Fast Clip




**The Fast Clip is the fixing structure standard delivered in Fiamma Privacy Rooms.**

The Fast Clip CS version is especially designed for Fiamma Privacy Room CS Light.

The Fast Clip works with the principle of the profiles hinged with the spring system Quick Lock fastened in the Sandwich way, it is made in anodized aluminium. The side panels of the Privacy are quickly and easily joined with the fabric of the awning.



### Rapid Set



Fiamma ZIP and Caravanstore ZIP are standard delivered with the aluminium poles Rapid Set.

This fixing structure is composed by a horizontal rafter to be inserted in the side panels and by a telescopic vertical rafter next to the wall of the vehicle to increase the stability.

### Kit Magic Privacy



Optional structure ideal to increase the stability of the Privacy Room in case of wind.

Available both for the front panel and for the side panels. Composed by one or more Magicrafter and Door Pole according to the length of the Privacy.





# ENCLOSURES



**FIAMMA** **ZIP**


**CARAVANSTORE** **ZIP**

**PRIVACY** **ROOM**

**PRIVACY** **ROOM** **Light**


**PRIVACY** **ROOM** **CS** **Light**

With Fiamma you can choose the most suitable enclosure for your vehicle and for your needs

	ENCLOSURE FEATURES	Winch Awnings			Manual Awnings	
		FIAMMA ZIP	PRIVACY ROOM	PRIVACY ROOM LIGHT	CARAVANSTORE ZIP	PRIVACY ROOM CS LIGHT
Fabric	Vinyl fabric	•	•		•	
	Polyester fabric			•		•
Windows	Front window Crystal with transparent opening and mosquito net	•	•	•	•	•
	Side window Crystal with transparent opening and mosquito net	•	•		•	
	Side window with roller blind and mosquito net			•		•
Structure	Rapid Set Awning F45 - 250cm extension	•				
	Rapid Set CS ZIP				•	
	Fast Clip		•	•		
	Fast Clip CS					•
	Poles Light 2 pcs. (vertical Poles for Side)	•	•	•	•	•
	Door Pole	•/•	•/•	•	•	•
	Kit Magic Privacy - Wind support 	•	•		•	
Bag	Mega Bag	•	•		•	
	Mega Bag Light			•		•
Curtains	Curtains Kit Ocean 6 pcs.	•	•		•	
	Curtains Kit Ocean 2 pcs.			•		•
	Skirting	•	•	•	•	•

• Standard    • Optional    •/• Standard for models 450/500/550 - optional for all others

## Choosing guide



### Vehicle

Perfect for any vehicle from large motorhomes to vans.

### Awning

Fiamma ZIP is based on F45 awnings. Canopy has a ZIP system allowing a fast installation. For more info about F45 see pages 16-19.

**FIAMMA F45**

**FIAMMA F45**

NEW



### Windows

Front and side panels are composed of openable Crystal windows equipped with mosquito net. High velcro layer for a safe closing of the window.

NEW



### Structure

Aluminium Rapid Set poles, tension Rafter. Optional available the anti wind support Magic Privacy for a perfect stability of the enclosure.

### Colours & Materials

Enclosure with vinyl fabric white and grey. Awning with case in Polar White and canopy in Deluxe Grey or Blue Ocean.

### Front Panel


Front panels are interchangeable. It means door and window can either be mounted on the left hand side or on the right hand side.

300 cm

350 cm

400 cm

450 cm



## Easy installation



## Standard delivered with

- The awning (based on F45 S/L), Installation brackets (Kit AS)
- 1 front panel with door and window with mosquito net
- 2 side panels with windows with mosquito net
- Rapid Set aluminium tension poles
- Central tension rafter (p.54)
- Vehicle skirting (p.52)
- Curtains for the three windows
- Storage bag Mega Bag (p.60)

## Accessories

NEW



New side panel with door (page 37). More accessories see pages 50-61.

## Patents & Certificates

German Patent 197 25 892  
German Utility Model 202008002026.3  
European Design Patent 991062





IMPROVED


**FIAMMA** **ZIP**®

FIAMMASTORE




**The only automatic awning complete with front and side panels and ZIP fasteners.**


Easy and strong ZIP combination of awning and enclosure for the most perfect fit. The innovative Fiamma ZIP system joins the side panels to the fabric of the awning with two special sturdy zippers. The awning is transformed into a completely enclosed room in a few minutes.




ZIP S



ZIP L



**B** MEDIUM 225-250 cm  
LARGE 251-280 cm


Description	Item No.	Awning length A	Height B	Extension C	Shade surface	Weight
ZIP S 300 Medium *	05720B02(X)	306 cm	225-250 cm	250 cm	7,1 m <sup>2</sup>	42,4 kg
ZIP S 300 Large *	05720B03(X)	306 cm	251-280 cm	250 cm	7,1 m <sup>2</sup>	42,6 kg
ZIP S 350 Medium *	05720C02(X)	356 cm	225-250 cm	250 cm	8,3 m <sup>2</sup>	46,3 kg
ZIP S 350 Large *	05720C03(X)	356 cm	251-280 cm	250 cm	8,3 m <sup>2</sup>	46,5 kg
ZIP L 400 Medium *	05720D02(X)	406 cm	225-250 cm	250 cm	9,6 m <sup>2</sup>	58,4 kg
ZIP L 400 Large *	05720D03(X)	406 cm	251-280 cm	250 cm	9,6 m <sup>2</sup>	58,6 kg
ZIP L 450 Medium **	05720E02(X)	456 cm	225-250 cm	250 cm	10,1 m <sup>2</sup>	62,4 kg
ZIP L 450 Large **	05720E03(X)	456 cm	251-280 cm	250 cm	10,1 m <sup>2</sup>	62,6 kg
 Side Door Panel right - ZIP Medium	06770C01-		225-250 cm	250 cm		4,1 kg
 Side Door Panel right - ZIP Large	06770D01-		251-280 cm	250 cm		4,7 kg

Specify the fabric colour you want in your order by replacing (X) with: **T= Deluxe Grey, N=Blue Ocean**

\* 1 Rafter included.\*\* 1 Rafter and 1 Door Pole included

# CARAVANSTORE ZIP®

## Choosing guide



### Vehicle

Perfect for caravans and small motorhomes.

### Awning

Caravanstore ZIP is based on Fiamma Caravanstore. Canopy has a ZIP system allowing a fast installation. For more info about Carvanstore see pages 28-29.

**CARAVANSTORE FIAMMA**



**NEW**

### Windows

Front and side panels are composed of openable Crystal windows equipped with mosquito net. High velcro layer for a safe closing of the window.



**NEW**

### Structure

Rapid Set CS, Caravanstore Support Leg (from 3,60m length) and Rafter Caravanstore (for 4,40m length). Optional available the anti wind support Magic Privacy for a perfect stability of the enclosure.



### Colours & Materials

Enclosure with vinyl fabric white and grey. Awning with bag in Polar White and canopy in Deluxe Grey or Blue Ocean.

### Front Panel

Front panels are interchangeable. It means door and window can either be mounted on the left hand side or on the right hand side.


280 cm

310 cm

360 cm

410 cm

440 cm



## Easy installation



## Standard delivered with

- The awning (Caravanstore type)
- 1 front panel with door and window with mosquito net
- 2 side panels with windows with mosquito net
- Rapid Set CS installation kit
- Curtains Kit for the 3 windows
- Storage bag Mega Bag (p.60)

## Accessories



**NEW**

New side panel with door (page 39).  
More accessories see pages 50-61.

## Patents & Certificates

German Patent 197 26 712  
European Design Patent 991062





IMPROVED

CARAVANSTORE ZIP®

FIAMMASTORE





**The complete solution : manual awning and enclosure, complete with windproof and waterproof zip fasteners**

The Caravanstore ZIP comes complete with the awning and the enclosure.

The innovative Caravanstore ZIP system joins the side panels to the awning's fabric with two special sturdy zips.

In a few instants the awning can be transformed into a complete enclosure, doubling your living space.




Description	Item No.	Awning length A	Height from ground B	Extension C	Canopy length D	Shade surface	Weight
Caravanstore ZIP 280	05715C01(X)	288 cm	240-260 cm	225 cm	254 cm	5,6 m <sup>2</sup>	24,2 kg
Caravanstore ZIP 310	05715D01(X)	318 cm	240-260 cm	225 cm	284 cm	6,3 m <sup>2</sup>	26,1 kg
Caravanstore ZIP 360*	05715E01(X)	369 cm	240-260 cm	225 cm	334 cm	7,4 m <sup>2</sup>	28,8 kg
Caravanstore ZIP 410*	05715F01(X)	419 cm	240-260 cm	225 cm	384 cm	8,5 m <sup>2</sup>	31,9 kg
Caravanstore ZIP 440**	05715G01(X)	449 cm	240-260 cm	225 cm	414 cm	9,9 m <sup>2</sup>	34,5 kg
NEW Side Door Panel right	06770-01-		240-260 cm	225 cm			3,7 kg

\* Caravanstore Support Leg included. \*\* Rafter Caravanstore and Caravanstore Support Leg included.  
Specify the fabric colour you want in your order by replacing (X) with: **N=Blue Ocean, T=Deluxe Grey.**

# PRIVACY<sup>®</sup> ROOM

## Choosing guide



### Vehicle

Perfect for any vehicle from large motorhomes to vans

### Awning

Privacy Room is designed for F45 S and F45 L awnings. F65 S and F65 L only if installed on Fiat Ducato after 06/2006. It also fit perfectly on Omnistor 5002, 5003, 4900 and Tristor<sup>2</sup>.

**FIAMMA F45S**

**FIAMMA F45L**

**FIAMMA F65S**

**FIAMMA F65L**



### Windows

Front and side panels are composed of openable Crystal windows equipped with mosquito net. High velcro layer for a safe closing of the window.



### Structure

Fast Clip, for a quick and easy installation. The system works with the principle of the two profiles hinged with the spring-system Quick Lock and fastened in the Sandwich way. Made of anodized aluminium. Optional available the anti wind support Magic Privacy for a perfect stability of the enclosure.




### Colours & Materials

UV resistant, waterproof and washable vinyl fabric, colour: white and grey.

### Front Panel

Front panels are interchangeable. It means door and window can either be mounted on the left hand side or on the right hand side.



## Versions for F65 S / F65 L



The Privacy Room for Ducato High Roof and for Caravan are produced in the standard 3.20 m F65 S awning. Additional zip panels of 20, 50 and 80 cm length are available to enlarge the front panel of the Privacy Room so as to fit F65 S awnings 3.40, 3.70 and 4.00 m length.

## Standard delivered with

- 1 front panel with door and window with mosquito net
- 2 side panels with windows with mosquito net
- Fast Clip installation kit
- Support Poles
- Curtain Kit Ocean for all windows
- Mega Bag (page 60)

## Accessories



New side panel with door (page 41).  
More accessories see pages 80-61.



## Patents & Certificates

German Utility Models: 20 2005 008 237.6 -  
20 2010008 352.4  
European Design Patent 991062





IMPROVED


# PRIVACY<sup>®</sup> ROOM

FIAMMASTORE



## Easy and safe to install: it doubles your living space !

The Fiamma Privacy Room is the only enclosure that allows full aeration on all windows. With the Privacy Room you can transform your awning into a comfortable living area. The side panels are quickly put together with the exclusive patented Fast Clip that combines the canopy with the side walls. No other fixing system is as stable as the Fiamma Fast Clip. A protective sponge is fitted, vertically, on the back part of the side panels along the support pole to guarantee a close fit. The front panel is inserted in the front rail of the awning and with zipper joined to the side panels.



B	VAN	180-220 cm
	MEDIUM	225-250 cm
	LARGE	251-280 cm

Privacy Room F45 S / F45 L	Item-No.	Awning length A	Height from ground B	Extension C	Weight
Privacy Room 260 VWT5 Van	05920-18-	260 cm	180-220 cm	200 cm	23,7 kg
Front Panel 40 VWT5	06138H01-	30 cm **	180-220 cm		0,90 kg
Privacy Room 300 Medium	05920-04-	300 cm	225-250 cm	250 cm	24,4 kg
Privacy Room 350 Medium	05920-05-	350 cm	225-250 cm	250 cm	24,9 kg
Privacy Room 400 Medium	05920-06-	400 cm	225-250 cm	250 cm	25,4 kg
Privacy Room 450 Medium	05920-07-	450 cm *	225-250 cm	250 cm	25,9 kg
Privacy Room 300 Large	05920-08-	300 cm	251-280 cm	250 cm	24,7 kg
Privacy Room 350 Large	05920-09-	350 cm	251-280 cm	250 cm	25,2 kg
Privacy Room 400 Large	05920-10-	400 cm	251-280 cm	250 cm	25,7 kg
Privacy Room 450 Large	05920-11-	450 cm *	251-280 cm	250 cm	26,2 kg
Privacy Room 500 Large	05920-12-	500 cm *	251-280 cm	250 cm	26,7 kg
Privacy Room 550 Large	05920-13-	550 cm *	251-280 cm	250 cm	27,2 kg
Side Door Panel right - Medium	06770A01-	/	225-250 cm	250 cm	3,9 kg
Side Door Panel right - Large	06770B01-	/	251-280 cm	250 cm	4,5 kg

Privacy Room F65 S / F65 L	Item-No.	Awning length A	Height from ground B	Extension C	Weight
Privacy Room 320 Ducato (after 06/06)	05925-02-	320 cm	245 cm	250 cm	23,2 kg
Privacy Room 320 Caravan	06676-01-	320 cm	245 cm	250 cm	23,2 kg
Front Panel 20	06138F01-	20 cm	245 cm	/	0,7 kg
Front Panel 50	06138-01-	50 cm	245 cm	/	1,1 kg
Front Panel 80	06138G01-	80 cm	245 cm	/	1,4 kg

The installation kit for the F45 S, the F45 Ti, the F45 Ti L and F45 L is standard delivered. For the F45 Ti 250 and 300 please use the Kit Adapter included.

\* 1 Door Pole (see page 56), frontal vertical telescopic pole standard delivered.

\*\* The Privacy-Room for VWT5 is produced in the standard measure for F45 S 260 (suitable for F45 S 250 too). Additional zip panel 30 cm (Item No. 06138H01-) wide is available to enlarge the front panel of the Privacy-Room 260 VW T5 Van to fit the awning F45 S 300 VW T5 long wheel (see page 20).

# **PRIVACY** ROOM *Light*

## Choosing guide

### Vehicle



Perfect for any vehicle from large motorhomes to vans.

### Awning

Privacy Room Light is ideal for F45 S awnings. It also fit perfectly on Omnistor 5002, 5003, 4900 and Tristor<sup>2</sup>.

**FIAMMA F45S**

### Windows



One openable Crystal window equipped with mosquito net and two side windows equipped with roller blind and mosquito screen.

### Structure



Fast Clip Light is outfitted with lever hooks for easy and quick installation.

### Colours & Materials



Made of durable weather resistant grey polyester.


### Front Panel

Front panel is interchangeable. This means that door and window can either be mounted on the left hand side or on the right hand side.

**300 cm**

**350 cm**

**400 cm**



## Standard delivered with

- 1 front panel with openable window and mosquito net
- 2 side panels provided with roller blind and mosquito screens
- Fast Clip Light installation kit
- Elastic ropes with quick hooks
- Curtain Kit Ocean for the front window
- Mega Bag Light (page 60)

## Accessories



Optional available the Kit Poles Light (2 pcs.) Item-No. 06020-01- granting a safe fixing (pag 56). For other accessories see pages 50-61.

## Patents & Certificates

German Utility Model 20 2010 008 352.4,  
European Design Patent 991062





## The light and compact Fiamma enclosure for your holidays on the move


The light version of the Privacy Room enclosure.

Made of durable weather resistant grey polyester that once folded takes up little space.

The two side panels are provided with roller blind and mosquito screens for good ventilation.

The front panel slides in the guide of the front bar and thanks to the auto-lubricant zippers fastens easily to the lateral panels.

The side panels stick to the wall of the vehicle with the standard delivered elastic ropes, provided with quick hooks.



**B** MEDIUM 225-250 cm  
LARGE 251-280 cm

Privacy Room Light F45 S	Item No.	Awning Length A	Height from ground B	Extension C	Weight
Privacy Room Light 300 Medium	06097A01-	300 cm	225-250 cm	250 cm	14,4 kg
Privacy Room Light 350 Medium	06097A02-	350 cm	225-250 cm	250 cm	14,9 kg
Privacy Room Light 400 Medium	06097A03-	400 cm	225-250 cm	250 cm	15,4 kg
Privacy Room Light 300 Large	06097B01-	300 cm	251-280 cm	250 cm	14,7 kg
Privacy Room Light 350 Large	06097B02-	350 cm	251-280 cm	250 cm	15,2 kg
Privacy Room Light 400 Large	06097B03-	400 cm	251-280 cm	250 cm	15,7 kg

# PRIVACY ROOM Light

## Choosing guide

### Vehicle



Specially designed for caravans, trailers, pop-ups, and small campers.

### Awning

Privacy Room CS Light is ideal for Caravanstore awning and now also on F35 Pro awning (height from ground 230-260 cm.) with Adapter kit, optional available.

**CARAVANSSTORE** 

### Windows



One openable Crystal window equipped with mosquito net and two side windows equipped with roller blind and mosquito screen.

### Structure



Fast Clip CS, the aluminium profiles with internal easy clamps, composed of two pieces that ensure secure fastening.


### Colours & Materials



Made of durable weather resistant grey polyester.

### Front Panel

Front panels are interchangeable. It means door and window can either be mounted on the left hand side or on the right hand side.



## Easy installation



## Standard delivered with

- 1 front panel with opening window and mosquito net
- 2 side panels provided with roller blind and mosquito screens
- Fast Clip CS installation kit
- Pegs and elastic Kit
- Curtain Kit Ocean for the front window
- Mega Bag Light, page 60

## Accessories



Optional available the Kit Poles Light (2 pcs.) Item-No. 06020-01- granting a safe fixing (pag 56). The Adapter Kit for F35 Pro allows the installation of the Privacy Room CS Light to the F35 Pro awning 270 and 300. For other accessories see pages 50-61.



Model	Item No.
Adapter Kit for F35 Pro	98655-925

## Patents & Certificates

German Utility Model:  
20 2010 008 352.4,  
20 2011 052 388.8






## The compact enclosure for your Caravanstore, light in weight and lighter in price

Easy installation.

The side panels are provided with big openable windows equipped with mosquito nets.


The front panel, with openable window and mosquito screen, slides in the front rail of the roller tube and thanks to the auto-lubricant zippers it's easy to fasten the lateral panels.

Standard delivered with the Fast Clip CS aluminium profiles with internal easy clamps, composed of two pieces that ensure secure fastening.



Privacy Room CS Light	Item No.	Awning length A	Height from ground B	Extension C	Weight
Privacy Room CS Light 280	05815-02-	288 cm	240 - 260	225 cm	11,6 kg
Privacy Room CS Light 310	05815-03-	318 cm	240 - 260	225 cm	11,8 kg
Privacy Room CS Light 360	05815-04-	369 cm	240 - 260	225 cm	12,3 kg
Privacy Room CS Light 410	05815-05-	419 cm	240 - 260	225 cm	12,8 kg
Privacy Room CS Light 440	05815-06-	449 cm	240 - 260	225 cm	13,3 kg

# BLOCKER & SIDE F45 - F65




## BLOCKER PRO

Front panel equipped with one large full light Crystal window and vinyl extension to the floor.

Made of rot-proof vinyl, washable fabric with UV protection.

Standard delivered with:

- elastic hooks
- pegs.




## BLOCKER

Convenient front panel that protects you from sun light and rain and gives you more privacy.

Standard delivered with:

- ropes and pegs.




## SUN VIEW XL

Convenient front panel made with translucent light filtering material, blocks about 80% of the light.

Can be rolled up thanks to the useful fixing clips.

Standard delivered with:

- ropes and pegs.



IMPROVED

## SIDE W PRO

Convenient side panel with a large full light Crystal window and vinyl extension to the floor. Made of rot-proof vinyl, washable fabric with UV protection.

Simple to install.

Standard delivered with:

- telescopic tension rafter
- elastic hooks and pegs.


Also available the new version "Side W Pro Shade" equipped with roller blind.

## SUN VIEW SIDE

Convenient side panel for Fiamma F45 awnings. Made with translucent light filtering material, blocks about 80% of the light. 140 cm high. Easy to fix.

Standard delivered with:

- telescopic tension rafter
- ropes and pegs.





# BLOCKER & SIDE F45 - F65



## Front and side panels for winch awnings

Combining a Blocker Pro with 2 Side W Pro you can easily create your Privacy, doubling the space at an inexpensive price.

Different models available to satisfy any need.

Front panels are suitable for all the awnings also of other brands with the guide in the front bar.

The Side panels can be installed on either side of the awning (suitable for awnings from 3.00m long) and also on other awning brands with optional kit Side.


Description	Item No.	Length A	Awning length B	Height from ground C	Weight
Blocker Pro 250	97960-02-	± 235 cm	260 cm	225÷280 cm	2,7 kg
Blocker Pro 260	97960-03-	± 247 cm	260 cm	225÷280 cm	2,8 kg
Blocker Pro 300	97960-06-	± 285 cm	300 cm	225÷280 cm	3,2 kg
Blocker Pro 350	97960-08-	± 335 cm	350 cm	225÷280 cm	3,8 kg
Blocker Pro 400	97960-10-	± 385 cm	400 cm	225÷280 cm	4,5 kg
Blocker Pro 450	97960-14-	± 435 cm	450 cm	225÷280 cm	5,0 kg
Blocker Pro 260 VW T5**	97960-13-	± 245 cm	260 cm	180÷190 cm	2,7 kg
Blocker 300	97960-20-	± 285 cm	300 cm	-	2,6 kg
Blocker 350	97960-22-	± 335 cm	350 cm	-	2,9 kg
Blocker 400	97960-24-	± 385 cm	400 cm	-	3,3 kg
Sun View XL 300	97952-045	± 285 cm	300 cm	-	2,1 kg
Sun View XL 350	97952-050	± 335 cm	350 cm	-	2,3 kg
Sun View XL 400	97952-052	± 385 cm	400 cm	-	2,5 kg
Sun View XL 450	97952-053	± 435 cm	450 cm	-	2,7 kg
Side W Pro F45 *	97961-10-	230 cm	-	225÷280 cm	4,2 kg
Side W Pro XXL F45 *	97961-003	230 cm	-	280÷330 cm	4,5 kg
Side W Pro F45 VW T5 **	97961-11-	190 cm	-	225÷330 cm	3,4 kg
Side W Pro F65 S / F65 L Ducato *	97961-002	230 cm	-	225÷280 cm	4,2 kg
Side W Pro F45 SHADE right	97961-005	230 cm	-	225÷280 cm	5,3 kg
Side W Pro F45 SHADE left	97961-004	230 cm	-	225÷280 cm	5,3 kg
Sun View Side F45 *	97961-05-	233 cm	-	220÷260 cm	1,4 kg
Kit Side F65 S / F65 L	98655-073	The Kit Sides allow installation of Side W Pro and the Sun View Side on different awning			0,1 kg
Kit Side Omnistor 5002/5003	98655-311				0,1 kg
Kit Side Tristor	98655-079				0,1 kg
Kit Side Omnistor 4900/Tristor <sup>2</sup>	98655-927				0,1 kg

\* Suitable also for **F65 S / F65 L** (from 3.20m long), **5002/5003/4900** and **Tristor/ Tristor<sup>2</sup>** awnings with optional kit Side.

\*\* The versions Blocker Pro (Item No. 97960-13-) and Side W Pro for VW T5 (Item No. 97961-11-) are also suitable for Omnistor 5102 awning.



# BLOCKER & SIDE CARAVANSTORE - F35 PRO




## BLOCKER PRO

Front panel is equipped with one large full light Crystal window and vinyl extension to the floor. Gives you more privacy and protection against the wind. Made of anti-rot vinyl, washable fabric with UV protection.

Standard delivered with:

- elastic hooks
- pegs.




## BLOCKER

Convenient front panel to protect you from sun light and rain and to give you more privacy.

Standard delivered with:

- ropes
- pegs.




## SUN VIEW XL

Convenient front panel made with translucent light filtering material, blocks about 80% of the light. Can be rolled up thanks to the useful fixing clips.

Standard delivered with:

- ropes and pegs.




## SIDE W PRO

Convenient side panel made of anti-rot vinyl, washable fabric with UV protection. Equipped with one large full light Crystal window and grey extension to the ground. Simple to install.

Standard delivered with:

- Aluminium telescopic rafter
- Elastic hooks and pegs.



## SIDE W

Convenient side panel made of anti-rot vinyl, washable fabric with UV protection, with one large full light Crystal window. Simple to install.

Standard delivered with:

- Aluminium telescopic rafter
- Elastic hooks and pegs.



# BLOCKER & SIDE CARAVANSTORE - F35 PRO



## Front and side panels for manual awnings

Combining a Blocker Pro with 2 Side W Pro you can easily create your Privacy, doubling the space at a inexpensive price. Different models available to satisfy any need, gives you more privacy and protection against the wind.

Front panels can be installed on all Caravanstore, F35 Pro and Sunstore awnings and also on all awnings of other brands with the guide in the front bar.

The Side panels can be installed on either side of the awning.

Description	Item No.	Length A	Awning length B	Height from ground C	Weight
Blocker Pro 255	97960-02-	± 235 cm	255 cm	225÷280 cm	2,7 kg
Blocker Pro 280	97960-04-	± 255 cm	280 cm	225÷280 cm	3,0 kg
Blocker Pro 310	97960-06-	± 285 cm	310 cm	225÷280 cm	3,2 kg
Blocker Pro 360	97960-08-	± 335 cm	360 cm	225÷280 cm	3,8 kg
Blocker Pro 410	97960-10-	± 385 cm	410 cm	225÷280 cm	4,5 kg
Blocker Pro 440	97960-12-	± 415 cm	440 cm	225÷280 cm	4,9 kg
Blocker 310	97960-20-	± 285 cm	310 cm	-	2,6 kg
Blocker 360	97960-22-	± 335 cm	360 cm	-	2,9 kg
Blocker 410	97960-24-	± 385 cm	410 cm	-	3,3 kg
Sun View XL 310	97952-045	± 285 cm	310 cm	-	2,1 kg
Sun View XL 360	97952-050	± 335 cm	360 cm	-	2,3 kg
Sun View XL 410	97952-052	± 385 cm	410 cm	-	2,5 kg
Side W Pro Caravanstore	97961-03-	210 cm	-	250 cm	4,5 kg
Side W Pro F35 Pro VW T5	97961-001	210 cm	-	180÷200 cm	4,2 kg
Side W Caravanstore	97961-01-	210 cm	-	250 cm	3,9 kg
Shade Deluxe Grey	98655-103	410 cm	-	-	0,7 kg
Shade Blue Ocean	98655-104	410 cm	-	-	0,7 kg

## SHADE



Shade valence to protect from sun and rain extending the shade surface. It can be left attached when the awning is closed. Colours: Deluxe Grey and Blue Ocean (the tone could lightly change).

It is 410cm long and 28cm high and can be easily adjusted to the length of your awning.

# MOTOR KIT 12V



IMPROVED



## Motor Kit for Fiamma F45 S, F45 L, F65 S and F65 L

### Exclusive:

Only Fiamma offers you the optional Motor Kit 12V that can be installed on your awning even after mounting.

The Motor Kit also allows manual opening and closing in override mode. The standard Motor Kit extends the total length of the awning of about 13cm; while the integrated Motor Kit doesn't increase the total length of the awning.



The motors for Awnings F45 S Left are only suitable for awnings with the winch on the left side.

## The original awning with the 12V tubular Motor Kit

Fiamma Motor Kit 12V can be installed on your awning F65 S, without extending the total length of your awning.

The integrated Motor Kit can be easily installed by taking out the cap with the manual winch. If the engine stops working (for example due to lack of current), the new patented version is complete with integrated manual emergency operable in one minute. Control System standard delivered.

European Patent 1887160  
German Utility Model 20 2006 012 081.5  
German Utility Model 20 2011 051 106.5  
German Utility Model 20 2012 101 199.9



Description	Item No.	Weight
Motor Kit F45 S Polar White	06275-01-	2,6 kg
Motor Kit F45 S Titanium	06275-01T	2,6 kg
Motor Kit F45 L Polar White	06535-01-	2,6 kg
Motor Kit F45 L Titanium	06535-01T	2,6 kg
Motor Kit F65 S Polar White	06536-01-	2,6 kg
Motor Kit F65 S Titanium	06536-01T	2,6 kg
Motor Kit F65 L Polar White	05725-01-	2,6 kg
Motor Kit F65 L Titanium	05725-01T	2,6 kg
Motor Kit F65 S Integrated	05823-01-	1,1 kg

Left version of F45 S and Right version of F65 L available on request.



# PATIO-MAT



*Improved version of Patio-Mat with straps for easy transport*



*With bands for pegs and the elegant border along the perimeter*



*Patio-Bag optional*



German Utility Model 20 2010 008 355.9

Description	Item No.	Dimensions	Awning Length	Surface	Weight
Patio-Mat 290	05913-01-	2,9 x 2,5 m	300-310	7,25 m <sup>2</sup>	3,2 kg
Patio-Mat 340	05914-01-	3,4 x 2,5 m	350-360	8,50 m <sup>2</sup>	3,5 kg
Patio-Mat 390	05915-01-	3,9 x 2,5 m	400-410	9,75 m <sup>2</sup>	3,8 kg
Patio-Mat 440	05788-01-	4,4 x 2,5 m	400-440	11,25 m <sup>2</sup>	4,2 kg
Patio-Bag	05726-01-	90 x 35 x 16 cm			0,2 kg

# SKIRTING



## Protection against wind and rain that eliminates draft

Suitable for all Fiamma Privacy Rooms and can easily be shortened.

Available in four versions:

- Motorhome (L: 550cm, H: 60cm),
- Caravan (L: 450cm, H: 60cm),
- VW T5 (L: 250cm, H: 42h cm),
- Ducato (L: 397cm, H: 55h cm).

The Ducato version is suitable for the following wheel base:

- 3450 (Length of the vehicle 5416mm.),
- 4035 (Length of the vehicle 5998mm.),
- 4035 (Length of the vehicle 6363mm.).

The Caravan version slides into the standard rail of the vehicle.

The Motorhomes and Caravan versions are standard delivered with installation kit including snap fasteners and the skirting protection for the wheel gaps.

The Ducato and VW T5 versions are standard delivered with fixing elastic straps, wheel cover and magnets.

## Protection for rear doors of Ducato and VW T5

Special version of protection against wind and rain for the rear doors of Fiat Ducato and VW T5.

Description	Item No.	Weight
Skirting Motorhome	98655-090	1,7 kg
Skirting Caravan	98655-084	1,2 kg
Skirting VW T5	98655-387	0,7 kg
Skirting Ducato	98655-405	1,4 kg
Rear Skirting Ducato	06469-01-	2,5 kg
Rear Skirting VW T5	06538-01-	1,1 kg



# REAR DOOR COVER



## Enclosure for the rear doors of Fiat Ducato, Citroën Jumper, Peugeot Boxer and Mercedes Sprinter high roof after 06/2006

Quick to install, supplied with side panels and front enclosure that can be rolled up to grant more privacy. The upper rafter and rail keep the fabric tight. The double rail is attached to the water gutter of the Ducato, the aluminium rafter blocks the opening of the two rear doors, keeping the fabric tight. The door can be rolled up.

Standard delivered with:

- double rail,
- awning with side and front panels,
- rafter to increase stability,
- kit of tension elastic ropes.



## Innovative enclosure for the rear door of VW T5

Quick installation both on standard rear doors and on rear doors with Carry-Bike installed (with no bikes). Side elastic belts tighten the awning on the rear door.

Standard delivered with:

- complete enclosure for the rear of the vehicle with an openable door that can be rolled up or extended. Equipped with mosquito screen,
- set of floor poles,
- kit of tension elastic ropes,
- pegs.

Optional set of aluminium poles (Kit Poles) to extend the door as an additional canopy. Optional rear Skirting available for both models Ducato and VW T5 (see page 52).



*Kit Poles, optional available, to increase the shade surface of your Rear Door*

Description	Item No.	Weight
Rear Door Cover Ducato	06357-01-	3,3 kg
Rear Door Cover VW T5	06539-01-	9,8 kg
Kit Poles	06537-01-	0,7 kg

# RAFTER



Rafter in aluminium to keep the fabric in tension and eliminates water pooling and noisy flapping caused by wind. Easy to install without damaging the awning. Standard delivered with special wall clips for a handy storage inside the vehicle. Complete with rubber ends so it can be installed on other awning brands.

## RAFTER

Adjustable length: 142-265 cm.  
Suitable for extensions up to 250cm.  
and for length up to 550 cm.

## RAFTER PRO

The Rafter Pro is made of two sturdy anodized aluminium telescopic bars. Ideal for awnings with extension up to 250cm, it is adjustable in length from 144 to 265cm. Limit usage at high temperatures as it may affect the fabric tension.



## RAFTER CARAVANSTORE

Tension rafter to strengthen your manual awning.  
Standard delivered with:

- Caravanstore 410 e 440
- Caravanstore ZIP 440,
- Side, Side W and Side W Pro Caravanstore.

Optional for:

- Caravanstore: 255 to 360 cm.
- F35 Pro: 250 to 300 cm.



German Utility Model: 297 17 092  
German Utility Model: 20 2005 002 553.4

Description	Item No.	Weight
Rafter	98655-087	0,8 kg
Rafter Pro	03616A01-	0,3 kg
Rafter Caravanstore	03888-01-	0,6 kg



# MAGICRAFTER



## MAGICRAFTER® PRO


Comes complete with two special brackets to fix in the knuckles of the arms in order to keep the fabric in tension.

Easy to install.

When not in use it takes up little space.

Limit usage at high temperatures.


For awnings from 350 to 450 cm.



## MAGICRAFTER®

It is easily installed by hooking the ends onto the awning arms, while keeping them tight to avoid bending.

For awnings from 250 to 400 cm.



Description	Item No.	Weight
Magicrafter Pro	98655-847	0,8 kg
Magicrafter	98655-716	0,8 kg

German Utility Model 20 2009 005 082.3

# POLES

NEW



Door Pole



Kit Poles Light

## KIT MAGIC PRIVACY

Optional structure ideal to increase the stability of the panels of the Privacy Room in case of wind. Available both for the frontal panel and for the side panels. Composed by one or more Magicrafter and Door Pole according to the length of the Privacy.

Kit Magic Privacy Front for Privacy 260, 280, 300, 310, 350, 360 and 450. For other lengths see schedule below.


## CARAVANSTORE SUPPORT LEG

Reinforced legs developed to be fixed to the front roller of the Caravanstore to increase resistance and solidity of the structure.

Standard delivered with:

- Caravanstore 440
- Caravanstore ZIP 360 to 440

Optional for all other lengths.




## DOOR POLE

Vertical telescopic pole in anodized aluminium for the front panel allowing increased stability when the door is kept open.

Standard delivered with:

- Privacy-Room/ZIP from 450.

Optional for Privacy Room Light, Privacy Room CS Light and Caravanstore ZIP.



## KIT POLES LIGHT

Vertical support poles to increase stability of Privacy Room to the vehicle wall. Optional for Privacy Room Light and Privacy Room CS Light.

Description	Item No.	Weight
Kit Magic Privacy Front 260-360/450	06856-01-	2,0 kg
Kit Magic Privacy Front 400/410/440	06856-02-	2,7 kg
Kit Magic Privacy Front 500/550	06856-03-	3,0 kg
Kit Magic Privacy Side	06856-04-	1,1 kg
Caravanstore Support Leg	03732C01-	1,7 kg
Door Pole	05161-02-	0,8 kg
Kit Poles Light	06020-01-	2,0 kg



## TIE DOWN



### TIE DOWN

Useful strap to hold the awning firmly anchored to the ground in light wind. It fits crank awnings up to 600cm in length.

Composed of:

- 11m of adjustable band, in black or yellow
- 2 stakes
- 1 tension spring.



*Tie Down black*

### TIE DOWN S

Strap kit allowing a solid anchoring of the awning to the ground. Fits into the awning guide (of F45, F35 or Caravanstore) or the side clip of the Privacy-Room.

Composed of:

- 2 adjustable bands (300 cm), in black or yellow
- 2 stakes and 2 tension springs
- 2 frontal hooks (for F45 or Caravanstore).

The version "Tie Down S Caravanstore" fits into the leg of the Caravanstore / F35 Pro awning.




*Tie Down S yellow*

Description	Item No.	Weight
Tie Down Yellow	98655-128	1,2 kg
Tie Down Black	98655-129	1,2 kg
Tie Down S Yellow	98655-567	1,2 kg
Tie Down S Black	98655-133	1,2 kg
Tie Down S Caravanstore Black	98655-638	1,2 kg



# KIT AWNING



## KIT AWNING PEGS

System of highly resistant screw pegs ideal for awnings, enclosures and mats. Sturdy and easy to use.

Made of tough plastic UV resistant material.

You can screw them in the ground manually by using the standard delivered proper key, or connecting them to an electrical screwdriver. They are lighter than the standard metallic screws, higher resistance thanks to the new spiral design. Ideal for soft and sandy grounds. Easier to extract by unscrewing them.

Kit composed by:

- 8 Awning Peg stakes (A), 20 cm long
- 8 Awning Peg S stakes (B) 14 cm long
- 8 hooks (C)
- 1 handle
- 2 Awning Plates
- 1 comfortable and resistant bag with zip fastener
- 2 steel hooks.



## KIT AWNING PLATE

Ideal for fixing front legs to the ground, in order to increase the resistance in case of strong wind. Made with extra strong plastic. It is suitable for all types of Fiamma and Omnistor awning legs.

Delivered with ground pegs.

Colour: grey.

Dimensions: 20x20 cm.

Kit includes 2 pieces.



German Utility Model 20 2010 005 571.7  
German Design Appl. 40 2010 004 000.7


Description	Item No.	Weight
Kit Awning Pegs	98655-880	0,6 kg
Kit Awning Plate	98655-724	0,3 kg



# RAIN GUARD




Convenient rubber guard to seal the space between the awning and the vehicle wall to prevent water from infiltrating.  
Can be installed without removing the awning.




## RAIN GUARD LOWER

For awnings F45S with suspended installation spaced from the wall.  
Installation in the special guide of the case. Sold by the meter.




## RAIN GUARD S

For awnings installed with standard AS 120 brackets on flat walls.  
Sold by the meter.




## RAIN GUARD M

For awnings, mounted with adapter spaced out from the wall (up to 4cm) or on curved walls.  
Sold by the meter.



## RAIN GUARD L

For awnings, mounted with adapter spaced out from the wall (up to 9cm) or on curved walls.  
Sold by the meter.



## KIT RAIN GUARD F65 S • F65 L

For roof awnings F65 S and F65 L. Covers the whole space between the roof and the awning.  
Length: 400cm.  
Made of strong EPDM.

Description	Item No.	Weight / m
Rain Guard Lower	06299-01-	0,35 kg
Rain Guard S	03910-01-	0,25 kg
Rain Guard M	03477-01-	0,25 kg
Rain Guard L	04629-01-	0,30 kg
Kit Rain Guard F65 S / F65 L	98655-020	1,00 kg

# AWNING ACCESSORIES



## KIT AWNING HANGERS

Kit composed of 6 hooks to insert in the lead bar profile.  
Ideal for hanging light objects.  
Suitable for other brands of awnings with 7 mm slots.



Design Model 402 07 150.6



## SPOILER S

The Spoiler offers protection against damage and noise by reducing wind resistance and improving the aesthetics of the vehicle.  
Easy to adapt to all brands of awnings. It can be attached both right or left. It is made of ABS PLUS with coextruded UV protection.  
We recommend only SIKA 225 for wall fastening.  
Colour: White (Polar White).  
Dimensions: 16x15,5h cm.



Large strong bag, suitable for transporting goods in the storage compartment.

## MEGA BAG

Dimension: L:140xW:27xH:40cm.  
Colour: black/red.

## MEGA BAG LIGHT

Dimension: L:140xW:25xH:25cm.  
Colour: black/red.

Description	Item No.	Weight
Kit Awning Hangers	98655-743	0,8 kg
Mega Bag	03856D01-	1,2 kg
Mega Bag Light	06052-01A	0,5 kg
Spoiler S	05150-01A	0,1 kg



# AWNING ACCESSORIES






## CRANK HANDLE

Crank handle in light aluminium, available in 3 versions:

**Short:** ideal for Minivans (standard delivered with F45 S 190).

**Standard:** ideal for all Motorhomes, easy to shorten (standard delivered with F45 S up to 400).

**Telescopic:** telescopic crank handle with fixed handle, ideal for high motorhomes and roof awnings (standard delivered with F45 L, F65 L and F65 S).



*All Fiamma awnings are standard delivered with clips for handle storage inside the motorhome*

## KIT REPAIR PLUS

It is no longer necessary to replace the fabric of the awning if it gets cut.

With the Kit Repair Plus from Fiamma the DIY repair is very quick. Kit includes 3 transparent PVC strips that can be cut to size.



Description	Item No.	Weight
Crank Handle Short	01756B01A	0,3 kg
Crank Handle Standard	04660-01-	0,4 kg
Crank Handle Telescopic	03878C01-	0,7 kg
Kit Repair Plus	98655-466	0,1 kg

# ADAPTERS

## F45 S - F45 L - ZIP

### ADAPTER AS 300

1 pc. 300cm bracket  
98655-503

### ADAPTER AS 350

1 pc. 350cm bracket  
98655-504

### ADAPTER AS 400

1 pc. 400cm bracket  
98655-505



### ADAPTER AS 450

1 pc. 450cm bracket  
98655-928

F45



### KIT AS 120

Standard for awnings  
from 250 to 400cm

2 pcs. 12cm brackets  
1 pc. 8cm bracket  
98655-391

### KIT AS 400


Standard for awnings  
from 450 to 500cm

2 pcs. 40cm brackets  
1 pc. 12cm bracket  
98655-390

### KIT AS 400 L

Standard for awnings  
550cm long

4 pcs. 40cm brackets  
98655-393




### KIT S 120

1 pc. 12cm bracket  
98655-392




### KIT S 400

1 pc. 40cm  
bracket  
98655-381




### RAIL

1 pc. 300cm Rail  
02361-01A  
1 pc. 400cm Rail  
02361-01C



### KIT AUTO


2 pcs. 8cm brackets  
98655-310



### KIT MULTI

The only modular bracket  
fitted to compensate the  
curved roof of the minivan.

Renault Master 98  
Fiat Ducato  
Citroën Jumper  
Peugeot Boxer



1 pc. 8cm bracket  
98655-011

German Utility Model:  
20 2004 - 018 159.2



# ADAPTERS

## F45 S - F45 L - ZIP

### ADAPTER B

02096-01-




### ADAPTER C

02097-01-









### ADAPTER T

02437-01-



### ADAPTER U



02437A01-



### ADAPTER D


1 pc. 8cm bracket  
98655-021

1 pc. 12cm  
bracket  
98655-022




### KIT ROOF ADAPTER

3 pcs. 8cm brackets  
98655-316



### KIT WALL ADAPTER


3 pcs. 8cm brackets  
98655-318



### ADAPTER ARCA


1 pc. 400cm bracket  
98655-852

1 pc. 450cm bracket  
98655-853



### KIT BÜSTNER


2 pcs. 12cm brackets  
1 pc. 8cm bracket  
98655-749



### KIT CHALLENGER - CHAUSSON

*Eden Allegro*

2 pcs. 8cm brackets  
1 pc. 40cm bracket  
98655-258




### KIT DETHLEFFS GLOBEBUS

3 pcs. 12cm brackets  
98655-730


# ADAPTERS

## F45 S - F45 L - ZIP




### ADAPTER EURA MOBIL KARMANN

1 pc. 350cm bracket  
98655-764  
1 pc. 400cm bracket  
98655-765  
1 pc. 450cm bracket  
98655-766



### KIT FLEURETTE


1 pc. 8cm bracket  
2 pcs. 12cm brackets  
98655-082



### ADAPTER HYMER EXSIS

*Before 2005*


1 pc. 300cm bracket  
98655-688



### ADAPTER HYMER S-E KLASSE

*Hymermobile S,  
Klasse 650, 740, 820,  
Esterel after 2007*


1 pc. 350cm bracket  
98655-248  
1 pc. 400cm bracket  
98655-249  
1 pc. 450cm bracket  
98655-250  
1 pc. 500cm bracket  
98655-251



### ADAPTER HYMER VAN/B2

*Hymermobile B,  
Classic B, Klasse, Starline*


1 pc. 350cm bracket  
98655-244  
1 pc. 400cm bracket  
98655-245  
1 pc. 450cm bracket  
98655-246  
KIT 2 pcs. 8 cm brackets  
2 pcs. 35 cm brackets  
98655-243



### ADAPTER HYMERCAMP


*Hymercamp Swing, Starline,  
Hobby Van, Caravan Hobby 09*

1 pc. 300cm bracket  
98655-277  
1 pc. 350cm bracket  
98655-276  
1 pc. 400cm bracket  
98655-274  
1 pc. 450cm bracket  
98655-275  
1 pc. 500cm bracket  
98655-273  
KIT 3 pcs. 12cm brackets  
98655-278




### KIT HYMER S

Pls. order:  
3 pcs. 8cm brackets  
02097-01- (1 pc.)  
3 pcs. 8cm brackets  
02437A01- (1 pc.)



### ADAPTER KNAUS C LINER

1 pc. 300cm bracket  
98655-754




### KIT PILOTE EXPLORATEUR

3 pcs. 15cm brackets  
98655-729



# ADAPTERS

## F45 S - F45 L - ZIP




### KIT LAIKA ECOVIP - BÜRNSTNER - HOBBY

3 pcs. 15cm brackets  
1 pc. 12cm bracket  
98655-357


#### ADAPTER LAIKA ECOVIP

1 pc. 390cm bracket  
98655-469




### KIT LAIKA REXOSLINE - ECOVIP 07 - KREOS 09

3 pcs. 15cm brackets  
98655-418




### KIT LAIKA ECOVIP 07

For awnings from 4m  
3 pcs. 15cm brackets  
98655-467



### KIT LAIKA X


3 pcs. 15cm brackets  
98655-761



### ADAPTER RAPIDO


*Fiat 708F, 710F, 740F, Fiat  
Garage 660, 770F, 772F,  
Mercedes 749M, 779M*

1 pc. 350cm bracket  
98655-398  
1 pc. 400cm bracket  
98655-399



### ADAPTER RAPIDO SERIE 6


1 pc. 300cm bracket  
98655-894  
1 pc. 350cm bracket  
98655-895  
1 pc. 400cm bracket  
98655-896



### KIT RAPIDO SERIE 7 - 8


*Fiat 860F, Fiat Garage  
860F-870F 890F*

2 pcs. 8cm brackets  
1 pc. 100cm bracket  
98655-222



### KIT RAPIDO SERIE 9



2 pcs. 8cm brackets  
2 pcs. 12cm brackets  
98655-223



### ADAPTER RAPIDO SERIE 9dF - 9M- 10

*After 2011*

1 pc. 350cm bracket  
98655-916  
1 pc. 400cm bracket  
98655-917  
1 pc. 450cm bracket  
98655-918



### KIT VOYAGEUR

Pls. order:  
3 pcs. 8cm brackets  
02097-01- (1 pc.)  
3 pcs. 8cm brackets  
02437A01- (1 pc.)

# ADAPTERS


## F45 S - F45 L - ZIP



### ADAPTER WINGAMM OASI


After 2006

- 1 pc. 230cm bracket  
98655-929
- 1 pc. 300cm bracket  
98655-930
- 1 pc. 350cm bracket  
98655-931




### KIT BAILEY PEGASUS

- 3 pcs. 15cm brackets  
98655-879



### KIT CARAVAN


- 3 pcs. 13cm brackets  
98655-252



### KIT ROOF RAIL


Min. 2 Kits  
to install a awning

- 1 pc. 12cm bracket  
98655-770



### KIT FIBERGLASS ROOF


- 2 pcs. 40cm brackets  
98655-744



### KIT FIAT DUCATO CITROËN JUMPER PEUGEOT BOXER High Roof

Before 06/2006


- 2 pcs. 8cm brackets  
98655-680



### KIT FIAT DUCATO CITROËN JUMPER PEUGEOT BOXER High Roof


After 06/2006

- 2 pcs. 8cm brackets  
98655-755




### KIT ERIBA TOURING

- 3 pcs. 8cm brackets  
98655-283



### KIT HIGH ROOF ADAPTER WESTFALIA


- 2 pcs. 12cm brackets  
98655-317



### KIT FIAT DUCATO with ROOF RACK

After 06/2006


- 3 pcs. 12cm brackets  
98655-485



### KIT FIAT DUCATO RENAULT MASTER

Iveco 35C13 City (Fiat New Daily)  
Renault Master after March 1998  
Ducato after 1984


- 2 pcs. 14cm brackets  
98655-286





# ADAPTERS


## F45 S - F45 L - ZIP



NEW

### KIT FIAT DUCATO H2 ROOF RAIL

3 pcs. 12cm brackets  
98655-625




### KIT HYMER CAR 302

2 pcs. 12cm brackets


To be used only with awning  
F45 S 260 Titanium, fabric  
Deluxe Grey (Item No.  
06290F01T).

This awning is sold complete with  
the installation kit.  
For further information,  
please consult your dealer.




### KIT MERCEDES SPRINTER H3 SPRINTER H3 WESTFALIA VW CRAFTER H3

3 pcs. 8cm brackets  
98655-591



### KIT RENAULT TRAFIC OPEL VIVARO NISSAN PRIMASTAR


2 pcs. 16cm brackets  
98655-854



### KIT VW T3

After 1980

2 pcs. 8cm brackets  
98655-035




### KIT VAN

For awnings up to  
3.50 m long

2 pcs. 8cm brackets  
98655-017


Both A and B  
brackets are  
standard delivered  
with  
the kit.



### KIT MERCEDES VITO

Before 2004


2 pcs. 14cm brackets  
98655-284



### KIT RENAULT MASTER H2 OPEL MOVANO H2 NISSAN INTERSTAR H2


After 1998

3 pcs. 8cm brackets  
98655-681



### KIT FORD TRANSIT High Roof

2 pcs. 40cm brackets  
98655-741




### KIT VW T4 VW T4 Lift Roof

2 pcs. 14cm brackets  
98655-292

# ADAPTERS

## F45 S - F45 L - ZIP



### KIT BRANDRUP VW T4


2 pcs. 8cm brackets  
98655-470



NEW

### KIT VW T5 Transporter Multivan


2 pcs. 21.5cm brackets  
98655-647  
UK version  
98655-648



NEW

### KIT BRANDRUP VW T5


2 pcs. 12cm brackets  
98655-627



### KIT MULTIRAIL REIMO VW T5


2 pcs. 12cm brackets  
98655-590

## F65 S - F65 L




### KIT STANDARD

3 pcs. 20cm brackets  
98655-855




### KIT ARCA

2 pcs. 20cm brackets  
98655-873




### KIT AUTOCRUISE

3 pcs. 15cm brackets  
98655-420




### ADAPTER CARTAGHO CHIC

1 pc. 400cm bracket  
98655-736  
1 pc. 450cm bracket  
98655-737  
1 pc. 490cm bracket  
98655-738



### KIT GIOTTILINE - FENDT

3 pcs. 15cm brackets  
(for Genetics / Graal)  
98655-725  
(only for Sunny)  
98655-769



NEW

### ADAPTER ELDDIS

1 pc. 370cm bracket  
98655-629  
1 pc. 400cm bracket  
98655-630



# ADAPTERS


## F65 S - F65 L



### KIT LAIKA KREOS 05

After 2005


3 pcs. 15cm brackets  
98655-698



### ADAPTER LAIKA KREOS


Before 2005

1 pc. 370cm bracket  
98655-358  
1 pc. 400cm bracket  
98655-731




### KIT LAIKA REXOSLINE LAIKA KREOS 09

4 pcs. 15cm brackets  
98655-419




### ADAPTER HYMER

1 pc. 290cm bracket  
98655-932  
1 pc. 320cm bracket  
98655-933  
1 pc. 340cm bracket  
98655-934  
1 pc. 370cm bracket  
98655-935  
1 pc. 400cm bracket  
98655-936  
1 pc. 450cm bracket  
98655-937  
1 pc. 490cm bracket  
98655-938




### ADAPTER LMC - TEC

1 pc. 290cm bracket  
98655-773  
1 pc. 340cm bracket  
98655-774  
1 pc. 370cm bracket  
98655-775  
1 pc. 400cm bracket  
98655-776  
1 pc. 450cm bracket  
98655-777




### KIT BAILEY PEGASUS

3 pcs. 25cm brackets  
98655-939




### KIT FIXING-BAR

3 pcs. 20cm brackets  
98655-384




### KIT HOBBY PREMIUM

2 pcs. 30cm brackets  
2 pcs. 50cm brackets  
98655-628




### KIT CARAVAN HOBBY 2009

2 pcs. 50cm brackets  
2 pcs. 30cm brackets  
98655-921




### KIT CARAVAN FENDT BRILLANT

4 pcs. 20cm brackets  
98655-568



# ADAPTERS


## F65 S - F65 L



**KIT FIAT DUCATO  
CITROËN JUMPER  
PEUGEOT BOXER**

*After 1994 Before 06/2006*

3 pcs. 20cm brackets  
98655-373



**KIT FIAT DUCATO  
CITROËN JUMPER  
PEUGEOT BOXER  
High Roof**


*After 1994 Before 06/2006*

2 pcs. 20cm brackets  
98655-693



**KIT IVECO DAILY H2**


2 pc. 15cm bracket  
1 pc. 20cm bracket  
98655-733



**KIT MERCEDES SPRINTER  
with Roof Rail**


*After 06/2006*

2 pcs. 40cm brackets  
1 pc. 12cm bracket  
98655-772



**KIT RENAULT MASTER H2  
OPEL MONAVO H2  
NISSAN INTERSTAR H2**


2 pcs. 29cm brackets  
1 pc. 12cm bracket  
98655-468



**KIT FIAT DUCATO  
CITROËN JUMPER  
PEUGEOT BOXER  
High Roof**

*After 06/2006  
For awnings only up to 370 cm*


2 pcs. 20cm brackets  
1 pc. 12cm bracket  
98655-745



**KIT FIAT DUCATO  
CITROËN JUMPER  
PEUGEOT BOXER  
High Roof Super Long**

*After 06/2006  
Length 6363 mm*

2 pcs. 26cm brackets  
1 pc. 12cm bracket  
98655-904




**KIT MERCEDES SPRINTER  
VW CRAFTER  
High Roof**

*After 2006*

1 pc. 12cm bracket  
1 pc. 53cm bracket  
1 pc. 60cm bracket  
98655-746

UK version  
98655-899




**KIT RENAULT MASTER H2  
OPEL MOVANO H2  
NISSAN NV400 H2**

*After 2010*


1 pc. 12cm bracket  
1 pc. 44cm bracket  
1 pc. 64cm bracket  
98655-881

## F65 Eagle



**ADAPTER STANDARD  
F65 EAGLE 400**

1 pc. 400cm brackets  
98655-969



**ADAPTER MERCEDES  
SPRINTER High Roof  
F65 EAGLE 400**


*After 2006*

1 pc. 400cm brackets  
98655-768




# ADAPTERS

## F35 PRO



### RAIL


1 pc. 300cm Rail  
02361-01A  
1 pc. 400cm Rail  
02361-01C



### KIT MERCEDES VIANO VIANO Marco Polo MERCEDES VITO


*Mercedes Vito after 2004*

2 pcs. 13cm brackets  
98655-887



### KIT RENAULT TRAFIC OPEL VIVARO NISSAN PRIMASTAR


2 pcs. 12cm brackets  
98655-893



### KIT MERCEDES VITO VITO Marco Polo


*Before 2004*

2 pcs. 8cm brackets  
98655-682




### KIT VW T4 LIFT ROOF

2 pcs. 8cm brackets  
98655-111




### KIT VW T3

2 pcs. 8cm brackets  
98655-114



### KIT VW T5 CALIFORNIA


2 pcs. 12cm brackets  
98655-748



### KIT VW T5 MULTIVAN TRANSPORTER

2 pcs. 12cm brackets  
98655-747


For the Transporter version  
the rail is optional:  
contact the VW dealer  
to get the rail.



### KIT STANDARD

*Installation on Roof Rails*

2 pcs. 8cm brackets  
98655-142



### KIT AUTO

*Installation on Roof Rails*

2 pcs. 8cm brackets  
98655-310

## CARAVANSTORE - CARAVANSTORE ZIP



### KIT HOBBY - KNAUS CARAVANSTORE

*Supplementary kit to fix the  
Caravanstore on Hobby caravans,  
2009 production, edition 6.*

98655-034

# CARRY-BIKE®

## **The original bike carrier is only Fiamma:**

The Fiamma bike carriers are manufactured in our factory in Cardano al Campo, in Italy, using the latest technology.

More than forty models available to satisfy any need: bike carriers for motorhome, bike carriers for the rear wall and for the A-frame of the caravan, for minivans, for 4x4, and also for the garage facility.

All Fiamma bike carriers undertake a set of strict tests for quality and strength in order to grant the greatest security: for this reason they are the favourite on the market and gained international awards.









# CARRY-BIKE

## Fiamma Carry-Bike: the original bike carrier!

Carry-Bikes are produced using the latest technologies in our factory in Cardano al Campo, Italy.

## QUALITY



Fiamma Carry-Bike uses highest quality choice anodized aluminium rounded tubes. For even greater resistance and capacity, several Fiamma Carry-Bike models use an improved, extendable rounded frame.

Fiamma Carry-Bikes are manufactured using only long life stainless steel screws.

All Carry-Bike have the double reinforced bike carrier rail and the safety strap Quick-Safe.

Some models standard mount the innovative and exclusive Rail Premium.



## SAFETY



All Fiamma Carry-Bike are rigorously tested in our laboratories before being put on the market, in order to grant the greatest security.

Fiamma Carry-Bike have passed many reliability and security tests, for this reason they are preferred by many OEM manufactures who preinstall them on the walls of their vehicles.

**E-Bikes:** Fiamma suggests using the Carry-Bike Lift for transporting electric bikes. Please contact your local dealer to see if your Electric Bikes are suitable, and that they do not exceed the maximum permitted weight.

We suggest that the installation is carried out by a dealer.

## COLOURS



Range of coloured Bike-Block holders for your Pro/Pro C Carry-Bike.

Red is the standard colour of the Fiamma Carry-Bike, but also the optional versions in grey, blue and black are available upon request.

These versions are made on special request, for availability contact your dealer.





# CARRY-BIKE



## ① BULL SHOCK ABSORBER

Some Fiamma Carry-Bikes are equipped with the Bull Shock Absorber system for the best and most reliable shock and vibration absorption during travel.



German Utility Model: 20 2004 008 369.8  
German Patent: 198 39 919.7-21  
European Patent: 05 011 144.2-2421


## ④ QUICK LOCK

Most Fiamma Carry-Bikes are standard delivered with the Quick-Safe safety straps to safely mount and block the wheels on the bike carrier rail.

Easy release for immediate opening.



## ② EASY POSITION




To improve the ease of carrying multiple bikes at the same time, you can offset the rails on your Fiamma Carry-Bike. All rails are mechanically fixed by means of rust free inox screws to avoid movement.

## ③ ZOOM 4 BIKES

Every Carry-Bike comes standard delivered with two rails. Each symbol indicates the maximum number of rails that can be fitted. Fiamma Carry-Bike fits up to 4 bikes. Carry-Bike Pro has a patented telescopic rail support Zoom-4-Bikes with a thicker rounded tube, reinforced elements in stainless steel and aluminium.



German Patent: 44 27 450.5



## ⑤ RACK HOLDER



Each wall mounted Carry-Bike has the Rack Holder blocking system for more security when not carrying any bikes.



## ⑥ BIKE BLOCK

Fiamma Carry-Bike has the Bike-Block Pro, fixing kit for bicycles, anti-scratches, safer and easier, for all tubes with diam. ranging from 25 to 100mm.

# CARRY-BIKE

	Page	Item No.	Model	Max load	Carry-Bike weight	Standard number of bikes	Max number of bikes
MOTORHOME	78	02093-17-	Carry-Bike PRO	60 kg	8,4 kg	2	4
	78	02093-18-	Carry-Bike PRO C	60 kg	7,9 kg	2	4
	80	02093-87-	Carry-Bike CL	55 kg	5,6 kg	2	3
	80	02093-86-	Carry-Bike UL	55 kg	5,6 kg	2	3
	82	02093A43-	Carry-Bike LIFT 77	60 kg	16,8 kg	2	4
	84	02093-59-	Carry-Bike L80 - Laika	60 kg	7,9 kg	2	4
	84	02093-29-	Carry-Bike PRO C Knaus - Eiffeland	60 kg	8,1 kg	2	4
	84	02093-57-	Carry-Bike Trigano - CI - Roller Team	50 kg	5,2 kg	2	3
	84	02093A64-	Carry-Bike PRO Hymer - Dethleffs	60 kg	8,2 kg	2	4
	84	02093-98-	Carry-Bike Autotrail	40 kg	12 kg	2	2
CARAVAN	86	02093-01A	Carry-Bike Caravan XL A	35 kg	5,3 kg	2	2
	86	02093A91-	Carry-Bike Caravan XL A Pro	50 kg	9 kg	2	3
	86	02093C32-	Carry-Bike Caravan XL A Pro 200	50 kg	7,5 kg	2	2
	88	02093-77-	Carry-Bike Caravan Hobby	50 kg	5,6 kg	2	3
	88	02093-76-	Carry-Bike Caravan Universal	35 kg	7,5 kg	2	2
	88	02093-36-	Carry-Bike Simple Plus 200	35 kg	6,4 kg	2	2
VAN	90	02093-71-	Carry-Bike VW T5	60 kg	8,3 kg	2	4
	90	02093H01-	Carry-Bike VW T4	60 kg	8,3 kg	2	4
	92	02093C01-	Carry-Bike VW T3 - T25	50 kg	6,5 kg	2	3
	92	02093-63-	Carry-Bike VW T2	35 kg	7,0 kg	2	2
	92	02093T01-	Carry-Bike VW T4 D	35 kg	7,7 kg	2	2
	92	02093-79-	Carry-Bike VW T5 D	35 kg	7,7 kg	2	2
	94	02093-65-	Carry-Bike 200 DJ Ducato - before 2006	35 kg	9,0 kg	2	2
	94	02093B89-	Carry-Bike 200 DJ Ducato - after 2006	35 kg	9,0 kg	2	2
	94	02093-93-	Carry-Bike 200 DJ Sprinter - after 2006	35 kg	9,0 kg	2	2
	94	02093A88-	Carry-Bike 200 DJ Master	35 kg	9,0 kg	2	2
	94	02093-15-	Carry-Bike 200 D	35 kg	6,9 kg	2	2
	96	02093-75-	Carry-Bike Viano	50 kg	10 kg	2	3
	96	02093-05-	Carry-Bike Vito	60 kg	8,7 kg	2	4
	96	02093-72-	Carry-Bike Vivaro - Trafic	60 kg	8,7 kg	2	4
	96	02093-60-	Carry-Bike Transit	50 kg	7,1 kg	2	3
	96	02093-74-	Carry-Bike Trafic D	35 kg	7,7 kg	2	2
SUV	99	02093A38-	Carry-Bike Backpack	50 kg	8,0 kg	2	3
GARAGE	100	02093-78-	Garage Plus	60 kg	5,6 kg	2	4
	100	02093-54-	Garage Standard	50 kg	4,8 kg	2	3
	100	04822-04-	Garage Slide Pro Bike	50 kg	9,9 kg	2	2
	102	02095-03-	Carry Moto Pro	200 kg	15,4 kg	-	-
	102	02095-01-	Carry Moto	200 kg	12,2 kg	-	-
	102	02095-04-	Carry Moto S	130 kg	7 kg	-	-



# CARRY-BIKE




Strip	Bike-Block Pro	Model of rail standard delivered	Zoom 4 Bikes	Easy Position	Bull Shock Absorber	Quick Lock	Rack Holder
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 4	Quick	●	●	●	●	2
1	1 2 3 -	Quick		●		●	2
1	1 2 3 -	Quick		●		●	2
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 4	Quick	●	●	●	●	2
1	1 2 3 -	Quick		●		●	1
-	1 2 3 4	Quick	●	●	●	●	2
-	- 2 3 -	Quick	●	●	●	●	2
2	1 - - -	Quick		●		●	-
1	1 2 3 -	Quick		●		●	-
1	1 2 - -	Quick		●		●	-
1	1 2 3 -	Quick		●		●	1
-	1 2 - -	Quick		●		●	1
-	1 2 - -	Quick		●		●	1
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 -	Quick		●		●	1
-	1 2 - -	Quick		●		●	-
-	1 2 - -	Premium		●		●	1
-	1 2 - -	Premium		●		●	1
-	D1 D1 - -	Premium		●		●	1
-	1 2 - -	Premium		●		●	2
-	1 2 - -	Premium		●		●	1
-	1 3 - -	Premium		●		●	2
-	1 2 - -	Premium		●		●	1
-	1 2 3 -	Quick		●		●	1
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 4	Quick	●	●	●	●	2
-	1 2 3 -	Quick		●		●	1
-	1 2 - -	Premium		●		●	-
-	1 2 3 -	Quick		●		●	-
-	1 2 3 4	Quick	●	●		●	-
-	1 2 3 -	Strip		●			-
2	1 - - -	-				●	-
-	-	-					-
-	-	-					-
-	-	-					-

● Standard    ● Optional

# CARRY-BIKE PRO • PRO C


## Dimensions

### PRO



It is the telescopic bike carrier, the longer version of PRO line allows highly adjustable upper structure for better stability. The structure in rounded tube is easily adjustable from 80 to 150cm in height to fit different installation possibilities.

### PRO C



It is the compact and classic bike carrier, the short version of the Pro line is installed under the rear window while still allowing it to open.

## Accessories




Full range of accessories available, from covers to everything else. See pp. 104-113.

## Choosing guide

### Vehicle

Suitable for all types of motorhomes. For special versions see pp. 84-85.



### Position

To be installed on the back wall of your motorhome. Pro C is specially studied to fit below the rear window.



### Capacity

Two bikes carried as standard, up to 4 with extra Rails and Bike-Blocks optional. Max load 60 kg.



### Rails

Two Rail Quick standard delivered which can carry any sort of bike and can also slide horizontally for easy bike positioning.



### Bike-Block

Bike-Block 1 and 3 standard delivered. Bike-Block 2 and 4 optional for extra bikes.



### Technical Features



Carry-Bike structure is made out of aluminium. All screws are stainless steel. For more info about Carry-Bike see pages 74-77.

## Patents & Certificates

German Patents: 44 27 450.5 - 198 39 919  
German Utility Model: 20 2004 008 369





# CARRY-BIKE PRO • PRO C



It is highly recommended by experts in the industry as the strongest bike carrier on the market.

Delivered with patented Zoom-4-Bikes rail support that can carry up to two additional rails. Carries up to 60 Kg.

Delivered with lower fixing kits with elegant Kit Support Bar provided with screws and counter plates for more flexibility of installation.



Description	Pro • Pro N	Pro C • Pro C N
Item No.	02093-17- • 02093-17V	02093-18- • 02093-18V
Vehicle type	motorhome	
Vehicle rear window	no	yes
Bikes carried standard / max	2 / 4	
TÜV	yes	
Bike-Block Pro 1 (04133-01-)	●	
Bike-Block Pro 2 (04133A01-)	●	
Bike-Block Pro 3 (04133B01-)	●	
Bike-Block Pro 4 (04133D01-)	●	
Security Strip (98656-419)	●	
Weight / Max load	7,9 kg / 60 kg	7,2 kg / 60 kg
Rail Quick (98656-097)	● (x2)	
Rail Premium S (98656-656)	●	
Brackets*	included for Pro not included for Pro N	included for Pro C not included for Pro C N


● Standard ● Optional

\* Choose N version if your vehicle has Fiamma original bracket pre-installed on it.

# CARRY-BIKE UL • CL


## Dimensions

### UL



The classic and affordable bike carrier. Adjustable structure from 80 to 150 cm in anodized aluminium.

### CL



The strong, affordable and compact bike carrier. The solid yet light anodized aluminium structure is telescopic and adjustable from 40 to 50 cm. It can also be installed under the motorhome rear window.

## Accessories




Full range of accessories available, from covers to everything else. See pp. 104-113.

## Choosing guide

### Vehicle

Suitable for all types of motorhomes. For special versions see pp. 84-85.



### Position

To be installed on the back wall of your motorhome. CL version is specially studied to fit below the rear window.



### Capacity

Two bikes carried as standard, up to 3 with extra Rail and Bike-Block optional. Max load 55 kg.



### Rails

Two Rail Quick standard delivered which can carry any sort of bike and can also slide horizontally for easy bikes positioning.



### Bike-Block

Bike-Block Pro 3 standard delivered. Bike-Block Pro 2 optional for an extra bike.



### Technical Features



Carry-Bike structure is made out of aluminium. All screws are stainless steel. For more info about Carry-Bike see page 74-77.

## Patents & Certificates

German Patent: 198 39 919  
German Utility Model: 20 2005 012 346.3





# CARRY-BIKE UL • CL

CARRY-BIKE



The affordable bike carrier, standard delivered with reinforced rail support.  
Carries up to 55 Kg.  
Carry-Bike UL and CL have passed reliability and security tests, for this reason they are preferred by many OEM manufactures who preinstall them on the walls of their vehicles.

Description	UL	CL
Item No.	02093-86-	02093-87-
Vehicle type	motorhome	
Vehicle rear window	no	yes
Bikes carried standard / max	2 / 3	
TÜV	yes	
Strip Red (98656-320)	●	
Bike-Block Pro 1 (04133-01-)	●	
Bike-Block Pro 2 (04133A01-)	●	
Bike-Block Pro 3 (04133B01-)	●	
Security Strip (98656-419)	●	
Weight / Max load	5,6 kg / 55 kg	
Rail Quick (98656-097)	● (x2)	
Rail Premium S (98656-656)	●	
Brackets	●	



● Standard    ● Optional

# CARRY-BIKE LIFT 77

## E-Bikes

Ideal for transporting two electric bikes because this model of bike carrier is made of sturdy galvanized aluminium tubes  $\varnothing$  35mm with steel screws. For this reason it is stronger and safer. Thanks to its easy to operate winch mechanism and crank handle, it lifts and lowers the bicycles conveniently and without effort.

## Dimensions



## Accessories




Full range of accessories available, from covers to everything else. See pp. 104-113.

## Choosing guide

### Vehicle

Suitable for all types of motorhomes.



### Position

To be installed on the back wall of your motorhome. Wall fixing points with vertical wheelbase from 68 to 108 cm.



### Capacity

Two bikes carried as standard, up to 4 with extra Rails and Bike-Blocks optional. Max load 60 kg.



### Rails

Two Rail Quick standard delivered which can carry any sort of bike and can also slide horizontally for easy bikes positioning.



### Bike-Block

Bike-Block Pro 1 and 3 standard delivered. Bike-Block Pro 2 and 4 optional for extra bikes.



### Technical Features



Carry-Bike structure is made of of sturdy galvanized aluminium tubes  $\varnothing$  35mm. All screws are stainless steel. For more info about Carry-Bike see pages 74-77.

## Patents & Certificates

German Patent: 198 39 919  
European Patent: 075 58 26





# CARRY-BIKE LIFT 77

CARRY-BIKE



## The only Carry-Bike Lift with security belts that carries up to 4 bikes


This unique Carry-Bike is the only one on the market TÜV approved that enables the winch system to lower as much as 77cm, thereby enabling the bikes to be loaded easily. No accidental unhooking thanks to the Extra-Large safety straps which carry up to 60 Kg. Thanks to its easy to operate winch mechanism and crank handle, it lifts and lowers the bicycles conveniently and without effort. Blue version available on demand.



Description	Lift 77
Item No.	02093A43-
Vehicle type	motorhome
Vehicle rear window	no
Bikes carried standard / max	2 / 4
TÜV	yes
Bike-Block Pro 1 (04133-01-)	●
Bike-Block Pro 2 (04133A01-)	●
Bike-Block Pro 3 (04133B01-)	●
Bike-Block Pro 4 (04133D01-)	●
Security Strip (98656-419)	●
Weight / Max load	16,8 kg / 60 kg
Rail Quick (98656-097)	● (x2)
Rail Premium S (98656-656)	●
Brackets	●


● Standard    ● Optional

# PRO • PRO C • CL SPECIAL EDITIONS




## PRO HYMER - DETHLEFFS

Carry-Bike Pro in blue version, suitable for the Hymer motorhomes with preinstalled upper fixing brackets.




## PRO AUTOTRAIL

Enlarged edition of Carry-Bike Pro for Autotrail motorhome after 2011 with an extra wheel on the back.




## L80 - LAIKA

This Carry-Bike is a Pro C version with 80cm enlarged wheelbase, suitable for Laika motorhomes.




## PRO C KNAUS - EIFELLAND

The upper structure holding the Bike-Blocks has been modified for Knaus campers and Eifelland caravans.




## TRIGANO - CI - ROLLER TEAM

The bike carrier is provided with a fixed structure and height of 39,5 cm. It comes without the upper and lower fixing kit, with wheelbase of 60 cm., that is already installed only on the CI and Roller Team motorhomes.



before 2010



after 2010

## KIT DETHLEFFS

For Dethleffs motorhomes, the upper brackets kit, adjustable to the standard installed brackets, is available on demand. To be used with Carry-Bike Pro Hymer-Dethleffs.

Model	Item No.	Weight
Kit Dethleffs before 2010	98656-640	0,4 kg
Kit Dethleffs after 2010	98656-725	0,5 kg



## PRO • PRO C • CL SPECIAL EDITIONS



### Special models

The special models of the Pro, Pro C and CL line, are developed for specific motorhomes allowing to perfectly adapt to the vehicles of reference.

They have particular characteristics in order to satisfy the peculiarity of some vehicles granting an easy and safe installation.


Model	Pro Hymer Dethleffs	Pro Autotrail	L80	Pro C Knaus - Eiffelland	Trigano - CI Roller Team
Item No.	02093A64-	02093-98-	02093-59-	02093-29-	02093-57-
Based on	Pro	Pro	Pro C	Pro C	CL
Vehicle type	motorhome	motorhome	motorhome	motorhome	motorhome
Vehicle rear window	no	yes	yes	yes	yes
Bikes carried standard / max	2/4	2/2	2/4	2/4	2/3
TÜV	yes				
Strip Red (98656-320)					●
Bike-Block Pro 1 (04133-01-)	●		●	●	●
Bike-Block Pro 2 (04133A01-)	●	●	●	●	●
Bike-Block Pro 3 (04133B01-)	●	●	●	●	●
Bike-Block Pro 4 (04133D01-)	●		●	●	
Security Strip (98656-419)	●	●	●	●	●
Weight / Max load	8,2 kg / 60 kg	12 kg / 40 kg	7,9 kg / 60 kg	8,1 kg / 60 kg	5,2 kg / 50 kg
Rail Quick	● (x2)	● (x2)	● (x2)	● (x2)	● (x2)
Rail Premium S	●	●	●	●	●
Brackets	●	●	●	●	

● Standard    ● Optional

# CARRY-BIKE CARAVAN


## Dimensions

### CARAVAN XL A




Inexpensive and compact. Fits all caravans with standard A-frame, Hobby type with extended frame and new AL-KO frame.

### CARAVAN XL A PRO



Provided with reinforced bar. Carries 2 bikes, but preset to fix the third optional rail.

### CARAVAN XL A PRO 200



Improved: now equipped with the external rail in two pieces to grant maximum possibility of installation and use. Smaller size for short drawbars.

## Accessories



Full range of accessories available, from covers to everything else. See pp. 104-113.

## Choosing guide

### Vehicle

Virtually fits all sort of caravan.



### Position

To be installed on the front part of the caravan on the A-frame.



### Capacity

Two bikes carried as standard, for the model XL A PRO the possibility to add an extra Rail and Bike-Block for the third bike. Max load 35/50 kg.



### Rails

Two Rail Quick standard delivered which can carry any sort of bike and can also slide horizontally for easy bikes positioning.



### Bike-Block

One Bike-Block Pro and one Security Strip standard delivered. Bike-Block optional for the model XL A.



### Technical Features



QUICK LOCK



BIKE HOLDER

Carry-Bike structure is made out of anodized aluminium. All screws are stainless steel. For more info about Carry-Bike see pages 74-77.

## Patents & Certificates

German Patent: 20 2010 000 367.9





# CARRY-BIKE CARAVAN

CARRY-BIKE



## The range of bike carriers for the A-frame of the caravan

Pivots forward allowing access to the storage compartment even with bikes mounted.

Loading the bikes is a simple and safe operation.

Does not require drilling the standard A-frame.


Description	Caravan XL A	Caravan XL A Pro	Caravan XL A Pro 200
Item No.	02093-01A	02093A91-	02093C32-
Vehicle type	caravan	caravan	caravan
Bikes carried standard / max	2 / 2	2 / 3	2 / 2
Strip Red (98656-320)	● (x2)	●	●
Bike-Block Pro 2 (04133A01-)		●	●
Bike-Block Pro 3 (04133B01-)		●	
Weight / Max load	5,3 kg / 35 kg	9 kg / 50 kg	7,5 kg / 50 kg
Rail Quick (98656-097)	● (x2)	●	●
Mini Rail Quick		●	●
Rail Premium S (98656-656)	●	●	●
Brackets	●	●	●

● Standard    ● Optional

# CARRY-BIKE CARAVAN


## Dimensions

### CARAVAN HOBBY




Suitable for mounting on the rear wall of Hobby Caravans, produced after 2003. The special upper brackets are positioned under the rail of the rear window. The lower fixing kit is a central bracket.

### CARAVAN UNIVERSAL



It is fixed to the caravan frame (Bürstner, Chateau etc.). Upper and lower brackets are installed by using self-tapping screws. Telescopic frame. Adjustable from 100 to 180 cm.

### SIMPLE PLUS 200



Suitable for mounting on caravans with weak and curved rear walls. Installed by using the existing walls reinforcement points. Telescopic frame.

## Accessories



Full range of accessories available, from covers to everything else. See pp. 104-113.

## Choosing guide

### Vehicle

Suitable for all types of caravan.



### Position

To be installed on the back wall of your caravan.



### Capacity

Two bikes carried as standard, for the model Caravan Hobby the possibility to add an extra Rail and Bike-Block for the third bike. Max load 35/50 kg.



### Rails

Two Rail Quick standard delivered which can carry any sort of bike and can also slide horizontally for easy bikes positioning.



### Bike-Block

Two Bike-Blocks Pro standard delivered for models Universal and Simple Plus. One Bike-Block Pro for the model Caravan Hobby.



### Technical Features



Carry-Bike structure is made out of anodized aluminium. All screws are stainless steel. For more info about Carry-Bike see pages 74-77.

## Patents & Certificates





# CARRY-BIKE CARAVAN



## The complete range of bike carriers for the rear wall of the caravan

Bike carriers suitable for mounting on the rear wall of the caravans. Special models developed to satisfy any need.


Description	Caravan Hobby	Caravan Universal	Simple Plus 200
Item No.	02093-77-	02093-76-	02093-36-
Vehicle type	caravan	caravan	caravan
Bikes carried standard / max	2 / 3	2 / 2	2 / 2
Strip Black (98656-318)	●		
Bike-Block Pro 1 (04133-01-)		●	●
Bike-Block Pro 2 (04133A01-)	●		●
Bike-Block Pro 3 (04133B01-)	● (blue)	●	
Weight / Max load	5,6 kg / 50 kg	7,5 kg / 35 kg	6,4 kg / 35 kg
Rail Quick (98656-097)	● (x2)	● (x2)	● (x2)
Rail Premium S (98656-656)	●	●	●
Brackets	●	●	●

● Standard    ● Optional

# CARRY-BIKE VW

## Dimensions


### VW T5



### After 07/2003

Bike carrier specially designed for Volkswagen T5 with single rear door. Easy installation with standard delivered brackets, without drilling the vehicle. It can be also installed on the models: VW California and VW Multivan.

### VW T4



### After 1991

Bike carrier specially designed for Volkswagen T4 with single rear door. Easy installation with standard delivered brackets, without drilling the vehicle. It can be also installed on these models: VW California, VW Coach, VW Caravelle and VW Multivan.

## Accessories




Full range of accessories available, from covers to everything else. See pp. 104-113.

## Choosing guide

### Vehicle

Suitable for Volkswagen vehicles, T5 and T4 models.



### Position

To be installed on the back wall of the vehicle with special brackets standard delivered.



### Capacity

Two bikes carried as standard, up to 4 with extra Rails and Bike-Blocks optional. Max load 60 kg.



### Rails

Two Rail Quick standard delivered which can carry any sort of bike and can also slide horizontally for easy bikes positioning.



### Bike-Block

Bike-Block 1 and 3 standard delivered. Bike-Block 2 and 4 optional for extra bikes.



### Technical Features



Carry-Bike structure is made out of anodized aluminium. All screws are stainless steel. For more info about Carry-Bike see pages 74-77.

## Patents & Certificates





# CARRY-BIKE VW

CARRY-BIKE





## Easy installation, without drilling the vehicle

Special models studied to fit the rear door of Volkswagen vehicles.

Description	VW T5	VW T4
Item No.	02093-71-	02093H01-
Vehicle type	Volkswagen van	
Rear double door	no	
Bikes carried standard / max	2 / 4	
TÜV	yes	
Bike-Block Pro 1 (04133-01-)	●	
Bike-Block Pro 2 (04133A01-)	●	
Bike-Block Pro 3 (04133B01-)	●	
Bike-Block Pro 4 (04133D01-)	●	
Security Strip	●	
Weight / Max load	8,3 kg / 60 kg	
Rail Quick (98656-097)	● (x2)	
Rail Premium S (98656-656)	●	
Brackets	●	



● Standard    ● Optional

# CARRY-BIKE VW





## VW T5 D

Bike carrier specially designed for Volkswagen T5 with double rear door. Easy installation with the standard delivered brackets, without drilling the vehicle.





## VW T4 D

Bike carrier specially designed for Volkswagen T4 with double rear door. Easy installation with the standard delivered brackets, without drilling the vehicle.



## VW T3 (T25)

After 1980



## VW T2

Before 1980

## Accessories



Full range of accessories available, from covers to everything else. See pp. 104-113.

## Patents & Certificates





# CARRY-BIKE VW

CARRY-BIKE



## Easy installation without drilling the vehicle

Special models studied to suit the Volkswagen rear doors.

Description	VW T5 D	VW T4 D	VW T3 (T25)	VW T2
Item No.	02093-79-	02093T01-	02093C01-	02093-63-
Vehicle type	Volkswagen van			
Rear double door	yes	yes	no	no
Bikes carried standard / max	2 / 2	2 / 2	2 / 3	2 / 2
Bike-Block Pro 1 (04133-01-)	●	●	●	●
Bike-Block Pro 2 (04133A01-)	●	●	●	●
Bike-Block Pro 3 (04133B01-)			●	
Security Strip	●	●	●	●
Weight / Max load	7,7 kg / 35 kg	7,7 kg / 35 kg	6,5 kg / 50 kg	7,0 kg / 35 kg
Rail Quick (98656-097)			● (x2)	● (x2)
Rail Premium (98656-201)	● (x2)	● (x2)		
Rail Premium S (98656-656)	●	●	●	●
Brackets	●	●	●	●

● Standard    ● Optional


# CARRY-BIKE VAN

IMPROVED

Standard rail support base



Lower rail support base



## 200 DJ Ducato > 06 2006



This version allows the installation of the rail support base in two different positions, one standard and one lower to make it easier to load the bikes. Lower version must be used together with the licence plate holder bar with regulation lights, Licence Plate Carrier (see page 113).

New articulated brackets for a quicker removal of the bike carrier.

- Fiat Ducato after 06/2006


## 200 DJ Ducato < 06 2006

- Fiat Ducato after 2000 and before 06/2006
- Peugeot Boxer after 2000
- Citroën Jumper/Relay after 2000
- Mercedes Sprinter before 06/2006
- Ford Transit after 2000




## 200 DJ Sprinter / Crafter

- Mercedes Sprinter after 06/2006
- Volkswagen Crafter after 06/2006



## 200 DJ Master

- Renault Master after 06/2010



## 200 D

Bike carrier for vans with double rear doors, wheelbase variable from 58 to 62cm to adapt to different rear doors. Upper wall installation brackets only 34mm wide.

- Fiat Ducato and Peugeot J5 before 1999
- Ford Transit (Standard and High Roof)
- Mercedes MB 100
- Peugeot Boxer and Citroën Jumper
- Citroën C25 before 1999
- VW LT (Standard and High Roof)



# CARRY-BIKE VAN



**Designed for vans with double rear doors.  
Easy installation**


Bike carrier for vans with double rear doors.  
No need to drill the vehicle, except for the security screws.  
The rear door can be opened without removing the bicycles.



Model	200 DJ Ducato > 06/2006	200 DJ Ducato < 06/2006	200 DJ Sprinter / Crafter	200 DJ Master	200 D
Item No.	02093B89-	02093-65-	02093-93-	02093A88-	02093-15-
Vehicle type	van	van	van	van	van
Rear double door	yes	yes	yes	yes	yes
Bikes carried standard / max	2/2	2/2	2/2	2/2	2/2
Bike-Block Pro 1 (04133-01-)		●	●	●	●
Bike-Block Pro 2 (04133A01-)		●	●		●
Bike-Block Pro 3 (04133B01-)				●	
Bike-Block Pro D1 (04133E01-)	● (x2)				
Security Strip (98656-419)	●	●	●	●	●
Weight / Max load	9,0 kg / 35 kg	9,0 kg / 35 kg	9,0 kg / 35 kg	9,0 kg / 35 kg	9,0 kg / 35 kg
Rail Premium (98656-201)	● (x2)	● (x2)	● (x2)	● (x2)	● (x2)
Rail Premium S	●	●	●	●	●
Fixing-Bar (98656-474)	●	●	●	●	
Brackets					●


● Standard    ● Optional

# CARRY-BIKE VAN




## MERCEDES VIANO

For Mercedes Viano with single rear door, also suitable for Mercedes Vito after 2004. Supplied with one lighting board wired to 13 pin plug.




## MERCEDES VITO

For Mercedes Vito with single rear door. Before 2004. On Mercedes Vito after 2004 install the model Mercedes Viano.




## OPEL VIVARO / RENAULT TRAFIC

For Opel Vivaro and Renault Trafic with single rear door. The use of plate for carrying licence plate with control lighting is suggested (page 113).



## FORD TRANSIT

Bike carrier suitable for all Ford Transit models after 2000 with rear door.



## RENAULT TRAFIC D

For Renault Trafic D and Opel Vivaro with double rear doors. The use of plate for carrying licence plate with control lighting is suggested (page 113).



# CARRY-BIKE VAN

## CARRY-BIKE



### Easy installation without drilling the vehicle

Bike carrier models specially studied to specific Vans.  
Easy installation and safe fixing to the rear door with the standard delivered brackets, without drilling the vehicle.


Model	Mercedes Viano	Mercedes Vito	Opel Vivaro Renault Trafic	Ford Transit	Renault Trafic D
Item No.	02093-75-	02093-05-	02093-72-	02093-60-	02093-74-
Vehicle type	van	van	van	van	van
Rear double door	no	no	no	no	yes
Bikes carried standard / max	2/3	2/4	2/4	2/3	2/2
Bike-Block Pro 1 (04133-01-)	●	●	●	●	●
Bike-Block Pro 2 (04133A01-)	●	●	●	●	●
Bike-Block Pro 3 (04133B01-)	●	●	●	●	
Bike-Block Pro 4 (04133C01-)		●	●		
Security Strip	●	●	●	●	●
Weight / Max load	10,0 kg / 50 kg	8,7 kg / 60 kg	8,7 kg / 60 kg	7,1 kg / 50 kg	7,7 kg / 35 kg
Rail Quick (98656-097)	● (x2)	● (x2)	● (x2)	● (x2)	
Rail Premium (98656-201)	● (x2)	●	●	●	● (x2)
Rail Premium S	●	●	●	●	●
Brackets	●	●	●	●	●

● Standard    ● Optional





# CARRY-BIKE SUV



## BACKPACK


The Carry-Bike with universal straps is easily installed on all minivans. Be careful not to cover the lights and licence plate. Not suitable for fiberglass rear doors. No tools are required for the installation, 6 superior Heavy Duty Quick Lock straps secure the bike carrier to the vehicle. Sturdy anodized aluminium tubes. Inox steel screws. Consult your dealer to verify correct installation.

Description	Backpack
Item No.	02093A38-
Vehicle type	SUV
Bikes carried standard / max	2 / 3
Bike-Block Pro 1 Black (04133-01A)	●
Bike-Block Pro 2 Black (04133A01A)	●
Bike-Block Pro 3 Black (04133B01A)	●
Security Strip	●
Weight / Max load	8,0 kg / 50 kg
Rail Quick C Black (98656-369)	● (x2)
Brackets	●

● Standard    ● Optional



# CARRY-BIKE GARAGE




## GARAGE PLUS

Bike carrier for motorhomes with garage facility. Comes complete with lower brackets to fasten the unit to the floor of the vehicle.

Lower section can be folded up when not in use giving more floor space if required. Carries up to 4 bikes.

Standard delivered with:

- 2 Rail Quick
- 2 Bike-Block Pro Red (1 and 3)
- 1 Rack Holder.



## GARAGE STANDARD


Bike carrier with lower section fastened to the floor and Bike-Block fixed to the wall or to the roof.

Carries up to 3 bikes.

Can be folded up when not in use giving more floor space if required.

Standard delivered with:

- Upper section including
- 2 Bike-Block Pro Red (1 and 3).
- Lower section including
- folded structure
- 2 Rail Strip.



## GARAGE SLIDE PRO BIKE

Improved version with wider loading surface. Multi-use sliding system to install in the garage facility or storage compartment boxes of the motorhome. Only 7,5 cm high, adjustable in height from min. 8 cm to max 12 cm. Patented slide system.

The lower rail is screwed into place, while the upper rail slides onto the track system thanks to self-lubricating steel bearings nylon covered, mounted with ball-bearings.



Equipped with safe hook for both positions, closed and open.

Standard delivered with:

- complete Carry-Bike structure
- 2 Strip
- 4 Sliding wedges Premium S
- 2 Protection Pads.

for transporting two bikes.

Easy installation with the supplied kit.





# CARRY-BIKE GARAGE

CARRY-BIKE




## Bikes safe in the garage facility

Different models of bike carriers to install in the garage facility of your motorhome, in order to transport your bikes in a safe place.  
More models available according to the numbers of bikes you wish to transport and the dimensions of your garage.

Description	Garage Plus	Garage Standard	Garage Slide Pro Bike
Item No.	02093-78-	02093-54-	04822-04-
Vehicle type	motorhome	motorhome	motorhome
Bikes carried standard / max	2 / 4	2 / 3	2 / 2
Strip (98656-320)			● (x2)
Bike-Block Pro 1 (04133-01-)	●	●	
Bike-Block Pro 2 (04133A01-)	●	●	
Bike-Block Pro 3 (04133B01-)	●	●	
Bike-Block Pro 4 (04133D01-)	●		
Security Strip	●		
Weight / Max load	5,6 kg / 60 kg	4,8 kg / 50 kg	9,9 kg / 50 kg
Rail Strip (98656-095)		● (x2)	
Rail Quick (98656-097)	● (x2)	●	
Rail Premium S (98656-656)	●	●	
Brackets	●	●	●


● Standard    ● Optional

# CARRY-MOTO



## CARRY-MOTO


Motorbike-carrier in galvanized aluminium consisting of a rail (length: 202cm, internal width: 14cm) and a chute (length: 180cm) which easily slides in, to connect with the rail to facilitate the loading of the motorbike. Supplied with 2 sturdy straps to fix the motorbike while travelling. It carries up to 200 Kg.



## CARRY-MOTO PRO


Carry-Moto system in galvanized aluminium composed by 2 telescopic rails. It can be easily fixed inside the garage thanks to the fixing feet adjustable in height from 8 cm to 11 cm. Consists of a rail fixed on the floor of the garage (180 cm long and 15 cm wide) and a chute which easily slides inside the fixed rail (155 cm length). The rail is supplied with 2 straps to fix the motorbike while travelling. It can carry up to 200 Kg.

German Utility Model 202007011756.6




## CARRY-RAMP

Motorbike ramp in galvanized aluminium that can be installed on the door of your motorhome or on the floor of the garage facility. Once the fixed plate is installed on the floor the ramp can be easily hooked and unhooked. The rail can reach a length of 175 cm through the telescopic slide. Internal width 15cm. Carries up to 130 kg. With 2 pieces of Carry-Ramp you can create a system of ramps for loading scooters and wheelchairs on your vehicle. The 2 ramps hold up to 130 kg, do not load wheelchairs when occupied.



## MOTO WHEEL CHOCK

The wheel chock for your motorbike, the ideal complement for the Carry-Ramp. Made of black anodized steel. Its tapered design enables to stabilize the wheels up to 165 mm (Front) and 150 mm (Rear). **Front version:** easy to assemble and to remove thanks to its 4 screw's anchor holes. Complete with a kit for fixing to wood floors and two click strips. **Rear version:** easy to assemble and to remove thanks to its quick removable knobs. With rails for the fixing to the floor.



Description	Item No.	Weight
Moto Wheel Chock Front	05781-01-	2,4 kg
Moto Wheel Chock Rear	05800-01-	2,8 kg



# CARRY-MOTO



CARRY-MOTO

## The range of moto carrier for the garage facility of your motorhome

Different moto-carrier systems, ideal to be installed in the motorhomes with garage facility.

Some models are suitable for minivans or for the door of the motorhome.

We suggest to verify always the usable height of your garage before purchasing the product.











Description	Carry-Moto	Carry-Moto Pro	Carry-Ramp
Item No.	02095-01-	02095-03-	02095-04-
Vehicle type	motorhome • van	motorhome • van	motorhome • van
Telescopic		●	●
Ramp angle	variable	variable	fixed 25°
Wheel chock front	●	●	●
Wheel chock rear			●
Fastening straps	●	●	●
Weight / Max load	12,2 kg / 200 kg	15,4 kg / 200 kg	7 kg / 130 kg
Wheel width max	14 cm	16 cm	15 cm

● Standard    ● Optional

Two pieces together of Carry-Ramp to load Quads, wheelchairs or scooters

# RAIL



## RAIL PREMIUM

Rail with increased structure complete with sliding wedges and incorporated Quick strap to easily fasten the wheels of the bike. Suitable for most bike wheel diameters. Ideal for installation on the motorhome garage floor.  
Two models available:  
- Rail Premium  
- Rail Premium E-Bike for electrical bikes.

## RAIL PREMIUM S

Rail with increased structure that runs along the Carry-Bike rail support, the wheelbase among the bikes is adjustable in both ways, enabling you to easily and perfectly place your bikes. The structure is fixed by solid bolts, easy to adjust, that do not require drilling the tube.

## KIT PREMIUM S

Allows to convert Rail Quick and Rail Premium into Rail Premium S. You simply have to unmount standard hooks and replace them with hooks Premium S. Now rails can slide vertically and horizontally to be adapted to the dimensions of different bikes.

## RAIL QUICK

The traditional and sturdy rail with a reinforced base with 2 standard sliding straps Quick-Safe. Easy to install on the Carry-Bike thanks to the pre-drilled holes on the rail support base.

## RAIL STRIP

The sturdy rail with a reinforced base with 2 standard sliding straps. Easy to install on the Carry-Bike thanks to the pre-drilled holes on the rail support base.

## RAIL QUICK C

Telescopic rail can be adjusted to the desired extension, supplied with 2 Quick-Safe straps. Ideal to limit rail overhang. It can be easily installed on almost all bike carriers.





## Rails for transporting and fixing any kind of bike

Different types of rails available for transporting any kind of bike. They are easily installed on bike carriers of any brand and fit the most diameters of wheels on the market.

For **electric bikes** Fiamma created the Rail Premium E-Bike.

In accordance with the capacity of the Carry-Bike, a maximum of 2 E-bike rails can be used, each can carry up to 30 kg.

We suggest you place the Rails Premium E-Bike near the wall of the vehicle and you remove the batteries of electric bikes so as to limit the weight on the wall.


Fiamma suggests using the Carry-Bike Lift for transporting electric bikes. Please contact your local dealer to see if your Electric Bikes are suitable, and that they do not exceed the maximum permitted weight.

We also suggest that the installation is carried out by a dealer.

Description	Item No.	Hooking type	Left-Right sliding	Back-Forward sliding	Length	Note	Weight
Rail Premium	98656-201	Premium Quick	●	●	128 cm		1,3 kg
Rail Premium E-Bike	98656-657	Premium Quick	●	●	139 cm		1,9 kg
Rail Premium S	98656-656	Premium Quick	●	●	128 cm		1,7 kg
Kit Premium S	98656-681					To convert Rail Premium in Rail Premium S	0,3 kg
Rail Quick 128 Red	98656-097	Quick Safe	●		128 cm		1,0 kg
Rail Quick 140 Red	98656-438	Quick Safe	●		140 cm	Only for Carry-Bike L80	1,3 kg
Rail Quick 200 Red	98656-439	Quick Safe	●		200 cm	Only for Carry-Bike L80	1,7 kg
Rail Strip Red	98656-095	Strip	●		128 cm		1,0 kg
Rail Quick C Red	98656-368	Quick Safe	●		101-167 cm		1,2 kg
Rail Quick C Black	98656-369	Quick Safe	●		90-150 cm	Only for Carry-Bike Backpack	1,2 kg


● Standard    ● Optional

# BIKE-BLOCK PRO



German Design 499 07 731.8

## BIKE FRAME ADAPTER



Frame adapter for easy fitting to Bike-Block of bikes with non-standard frames, ladies' bikes and BMX's.

## The strongest, quickest and safest blocking system for bikes with new design

The Quick front clamp with its large non-scratch base fits round and oval bike tubes with diameters from 25mm to 100mm.

Suitable for all Carry-Bike models.

Bike-Block Pro D with articulated arm to cover all the medium sized Bike-Blocks.



### BIKE-BLOCK PRO 1

min 12.5 cm - max 17 cm




### BIKE-BLOCK PRO 2

min 24 cm - max 28 cm



### BIKE-BLOCK PRO 3

min 38,5 cm - max 42 cm



### BIKE-BLOCK PRO 4

min 54 cm - max 57 cm




### BIKE-BLOCK PRO D1

min 10 cm - max 44,5 cm



### BIKE-BLOCK PRO D2

min 16 cm - max 63 cm



Description	Item No.	Weight
Bike-Block Pro 1	04133-01-	0,2 kg
Bike-Block Pro 2	04133A01-	0,3 kg
Bike-Block Pro 3	04133B01-	0,4 kg
Bike-Block Pro 4	04133C01-	0,5 kg
Bike-Block Pro D1	04133E01-	0,6 kg
Bike-Block Pro D2	04133F01-	0,7 kg
Bike Frame Adapter	06602-01-	0,5 kg



# LOCKING SYSTEMS



## QUICK-SAFE

Sliding safety lock system.  
Can be installed only on original Carry-Bike reinforced rails. It grants a quick and safe blocking of the wheel to the rail.  
Easy release for quick opening.  
1 piece per packaging.



## STRIP

Kit of 2 original Strips with stainless steel buckle.  
Fits most bike carrier brands.  
Length 39 cm. Width 1,3 cm.




## SECURITY STRIP

Original Strip, 200cm long, with stainless steel buckle.  
Fits most bike carrier brands.  
Width 1,3 cm.



## CABLE-LOCK

Handy anti-theft cable made of black plastic-coated steel with incorporated padlock.  
Standard delivered with 2 keys.  
Length 250 cm.



Description	Item No.	Weight
Quick-Safe	98656-386	0,1 kg
Strip Red	98656-320	0,1 kg
Strip Black	98656-318	0,1 kg
Security Strip	98656-419	0,1 kg
Cable-Lock	98656-338	1,0 kg



# SIGNAL



## ALU SIGNAL

Rear signal plate for protruding loads, easily fits to motorcaravans, vans and 4-wheel drive vehicles. Made of lightweight aluminium. Dimensions: 50x50 cm.

**Compulsory in Italy**  
Italian Ministry LL.PP  
has approved Fiamma  
Alu-Signal according to  
Sait D.M. N°937-29-03-94

## PLASTIC SIGNAL


Available also in lightweight plastic material with 4 reflectors. Dimensions: 50x50 cm.




Description	Item No.	Weight
Alu Signal	98782-010	0,7 kg
Plastic Signal	98782-005	0,2 kg



# BIKE COVER



2-3



4

Bike cover in lightweight, water-proof and reinforced polyester material.



## BIKE COVER S :

it adapts to any load size thanks to its adjustable straps. Standard delivered with transparent pocket to insert the rear signal plate. Not suitable for bike racks where the bikes are exposed over the top of the roof.

**BIKE COVER PREMIUM S :** same features as the Bike Cover S but with self-lubricating side zippers and velcro, forms a complete enclosure around the bikes. For a correct installation, you must place it before bicycles.

**BIKE COVER CARAVAN :** with K-Way system, special version to cover bikes on Carry-Bike Caravan XL A and XL A PRO.



A



B



C

Description	Item No.	Bikes covered	Vehicle type	Closing system	Weight
Bike Cover S (2/3 bikes)	04502E01-	2 /3	Motorhome	Elastic band with hooks (A)	0,9 kg
Bike Cover S (4 bikes)	04502F01-	4	Motorhome	Elastic band with hooks (A)	1,0 kg
Bike Cover Premium S	04502G01-	4	Motorhome	Zippers (B)	0,9 kg
Bike Cover Caravan	04502-01-	2	Caravan	Elastic band with lock (C)	0,8 kg

# ULTRA-BOX<sup>®</sup> CARRY-BIKE



## The most spacious rear boxes for Carry-Bike


The rear boxes for motorcaravans and vans are made with a top quality ABS-PLUS to provide high resistance against impacts and weather conditions as well as protection against violet rays.

They are co-extruded with extra thickness to prevent deterioration and are supplied with stainless steel hinges and aluminium profiles. TÜV approved and supplied with flexible net to secure the transported items.


Standard delivered with brackets for installation on the Carry-Bike. Colour: white.




### ULTRA-BOX 320



### ULTRA-BOX 360



### ULTRA-BOX 500



Description	Item No.	Volume	Weight
Ultra-Box 320	04147-01-	320 l	12 kg
Ultra-Box 360	02801-01-	360 l	14 kg
Ultra-Box 500	04148-01-	500 l	17 kg





# CARGO BACK


## CARGO BACK

Soft luggage bag made in sturdy anti-rip reinforced nylon that can be easily installed on all rear bike carriers. Ideal for transporting chairs and camping or sporting goods. Quick attach and remove system. Water resistant thanks to the nylon YKK zippers. Fixing straps included. Dimensions:  
Open 120x70x35 cm.  
Closed 38x28x10 cm.



## KIT FRAME CARGO BACK

The ideal system to keep your Cargo Back sturdy also when it's not completely full. Made of light anodized aluminium tubes and connection plastic pieces to be assembled together for a solid fastening. This is a removable kit, easy to assemble and to fit inside your Cargo Back. Dimensions:  
Open 119x69x32cm.  
Closed: 69x17x7cm.



Description	Item No.	Volume	Dimensions	Weight
Cargo Back	03856-01-	285 l	120x70x35 cm	1,4 kg
Kit Frame Cargo Back	06106-01-		119x69x32 cm	1,2 kg

# EASY DRY



## Drying rack adaptable to rail supports of most bike carriers

Quick installation on the folding rail support base of Fiamma Carry-Bikes and of bikes carrier of other brands with a tube diameter of 35 mm.

No drilling is required on carry-bikes with wheelbase 60-80 cm.

You have to hook final parts of the Easy Dry to the tube of the rail support and then the drying rack is quickly ready to use.


You can even travel with your Easy Dry fixed on, thanks to its innovative folding structure.

Comes complete with plasticized ropes for hanging clothes and with adjusting handles.

Made of resistant and light tube in anodized aluminium, diam. 22 mm.

Adjustable length from min. 100 to max 120 cm.

Width: closed 37 cm. open 60 cm.



Description	Item No.	Weight
Easy Dry	06306-01 -	1,2 kg




# INSTALLATION AID



## FIXING-BAR CARRY-BIKE



Pair of reinforcement bars (240cm long) to mount the Carry-Bike in case of weak walls.



## KIT SUPPORT BAR

Kit of 2 preforated smart bars in anodized aluminium to fix the Carry-Bike on the walls of the Motorhomes.

Complete with through screws, internal fixing brackets and end caps for more flexibility of installation: the screws can slide over the bar to be adjusted to the different wheel bases.




## LICENCE PLATE CARRIER

Licence plate holder bar in aluminium with regulation lights.

Ideal to be installed on Carry-Bikes with double rear doors, when the rail support covers the lights and the number plate of the vehicle; easy to install on the Carry-Bike's rail support with the standard delivered brackets.

The bar turns 90° to be correctly positioned both on the open and closed rail support.

Complete of 13 poles socket for a rapid connection to the electric installation of the vehicle.



Description	Item No.	Weight
Fixing-Bar Carry-Bike	98656-474	5,5 kg
Kit Support Bar	98656-682	1,2 kg
Licence Plate Carrier	06146-01-	2,4 kg

# QUALITY MOTORHOME PRODUCTS

Roof boxes, ladders, luggage carriers, safety blocks  
and security handles, rooflights, portable toilets ...

... water pumps, tanks, levelling systems, steps,  
organizers, LED lighting systems, motorhome covers  
and much more...







QUALITY MOTORHOME  
PRODUCTS



# ROOFLIGHT



		ROOFLIGHT with FAN		Motor Kit	ROOFLIGHT without FAN		
		TURBO-VENT TURBO-VENT PREMIUM	TURBO 28	TURBO KIT	VENT 40	VENT 28	VENT 50
Characteristics	Dimensions	40x40 cm	28x28 cm		40x40 cm	28x28 cm	50x50 cm
	Feeding Tension	12 Vcc	12 Vcc	12 Vcc	---	---	---
	Absorbed Power	36 W	25 W	4 W	---	---	---
	Min. electric Input	0,3 A / 0,2 A	---	0,2 A	---	---	---
	Max electric Input	3 A	1,9 A	0,33 A	---	---	---
	Max Air Flow	35m³/min	9m³/min	7,2m³/min			
	Fan Diameter	300 mm	180 mm	240 mm	---	---	---
	Permanent Air Flow	80 cm²	50 cm²	---	80 cm²	50 cm²	150 cm²
	Certificates	ABE 19330 E24 10R-030530	E24 10R-030518	---	ABE 19330	---	ABE 19330
	Weight	4,6 kg	2,4 kg	1,3 kg	2,8 kg	2 kg	4,6 kg
Accessories	Thermostat	●					
	Fan Speed	Variable	1	2			
	Rollo-Vent	●			●		●
	Rollo-Vent LED	●			●		
	Spoiler Universal	●	●		●	●	●
	Thermo-Vent 40	●			●		

● Standard    ● Optional





## You can finally install the fan on large size rooflights

Kit to convert the rooflight into fan. Turbo kit 12 Vdc with telescopic hanging system allows the installation on all rooflights from 40x40cm (not Fiamma) to 50x70cm when the vehicle is stationary and the roof light is open.

Composed of a ventilation system with a 24 cm diameter fan and 2 telescopic hangers adjustable from 36 to 48cm.

Complete with:



- one supply cable for lighter,
  - one 12Vdc power supply cable for the motorhome's electric installation allowing the rooflight to function as fan and aspirator.
- Preset to work with batteries (8 batteries of 1,5 V D, not supplied).



Usable also as table or hanging-fan



Constant air ventilation, ideal to keep cool your dog in the garage



Can be installed on:

- Fiamma Vent 50
  - Omni-Vent
  - RemiTop 400
  - Seitz Mini Heki
  - Seitz Midi Heki
- and on other models too.

Turbo-Kit	
Feeding tension:	12 Vcc
Absorbed power	4 W
Min. electric input:	0,20 Amp.
Max electric input:	0,33 Amp.
Max air flow:	7,2 m³/min.
Fan diameter:	240 mm




Polarity inverter:  
from ventilator to aspirator

Description	Item No.	Weight
Turbo-Kit	98683-059	1,3 kg

# VENT • TURBO-VENT


## Design and Colours

**NEW**



### Turbo-Vent Premium

New version of Turbo-Vent Fiamma, all functions can be set in motion by a simple finger-touch. Renewed electronic interface with signal LEDs.



### Turbo-Vent

Classic rooflight with 12V DC variable speed motor.



### Vent





Rooflight without motor equipped with permanent air flow ventilation and mosquito screen.



Colours: outside frame white, inside frame ivory, cover white or crystal.

White versions do not need roller blind. Crystal versions can use the roller blind Rollo Vent 40x40.

## Dimensions






Due to the aerodynamic shape no spoiler is needed

## Technical features

**ABE**  
KBA 19330

**E 24** 10R-030530

Technical features	Turbo-Vent	Turbo-Vent Premium
Feeding tension	12 Vcc	12 Vcc
Absorbed power	36 W	36 W
Min. electric input	0,3 A	0,2 A
Max electric input	3 A	3 A
Max air flow	35 m <sup>3</sup> /min	35 m <sup>3</sup> /min
Fan diameter	300 mm	300 mm
Permanent air flow	80 cm <sup>2</sup>	80 cm <sup>2</sup>



## POLAR CONTROL®

Standard delivered with Thermostat

Fiamma Turbo-Vents are the only ones equipped with Polar Control : it is the thermostat that regulates the ingoing and outgoing air of the fan according to the inside temperature of the Motorhome. The switch changes the rotation direction of the fan.

European patent: 0 691 227  
Utility Models: 20 2004 010 435.0 - 20 2004 013 390.3  
20 2011 051 110.3 Design Model: 402 07 149.2





## The rooflight with excellent performance

Fiamma range of 40 cm rooflights offers high quality and durability. Aerodynamic, thanks to its elegant external profile top, it does not require the use of the Spoiler. During high-speed testing, noise and vibrations were greatly reduced. Thanks to the new outside cover and exclusive patented rubber seal, a watertight system guarantees rain streams down without the possibility of it coming in. ABE approved. Made with high quality UV-ray resistant materials. Interchangeable with the old Fiamma Roof-lights 40x40 and with rooflight from 36x36cm to 42x42cm thanks to the reinforced frame. Supplied with permanent air flow ventilation and mosquito screen.

The Turbo-Vent and Turbo-Vent Premium motorized versions have a big fan with the 12V DC variable speed motor with 10 blades. It changes and refreshes the air inside your vehicle within seconds. The electronic circuit allows a rapid, problem-free, change of rotation. The transparent grating permits maximum air circulation and filtering of light.



## Turbo-Vent Premium: modern design with “Touch” electronic control unit

The new version of Fiamma Turbo-Vent has been given a modern design with advanced finger-touch controls; the state of the art interface is completed by brand new multicolor LED lights. Speed setting and switching now have acceleration ease which helps saving the Turbo-Vent motor and the vehicle control unit.

Model	Item No.	Weight	12V Motor	Polar Control Thermostat	Touch control
Vent White	04328B01-	2,8 kg			
Vent Crystal	04328B01D	2,8 kg			
Turbo-Vent White	03623F01-	4,6 kg	•	•	
Turbo-Vent Crystal	03623F01B	4,6 kg	•	•	
Turbo-Vent Premium White	03623H01-	4,6 kg	•	•	•
Turbo-Vent Premium Crystal	03623H01B	4,6 kg	•	•	•

# TURBO 28 • VENT 28





## Colours

WHITE



CRYSTAL

## Dimensions




Due to the aerodynamic shape no spoiler is needed


## Technical features

E 24 10R-030518

Turbo 28	
Feeding tension	12 Vcc
Absorbed power	25 W
Max electric input	1,9 Amp.
Max air flow	9 m <sup>3</sup> /min.
Fan diameter	180 mm
Permanent air flow	50 cm <sup>2</sup>



Quick installation with Sandwich technology.



Supplied with permanent air flow ventilation and mosquito screen.



# TURBO 28 • VENT 28



## **Ideal for small spaces.**

### **Fresh air for your motorhome's bathroom and kitchen**

28x28cm rooflight, ideal for airing small spaces.

The version Turbo 28 is equipped with fan.

Made with superior quality impact and UV-resistant materials.

Due to an internal installation system, it is not necessary to drill holes in the vehicle. Supplied with permanent air flow ventilation system and mosquito screen.

The external aerodynamic cover guarantees a watertight system.

For installation on roof with depths of max 8.5cm, the optional extension kit (Item No. 98683-112) can be used.



*The fan of Turbo 28  
rooflight*

Description	Item No.	Weight
Vent 28 White	04918-01-	2,1 kg
Vent 28 Crystal	04918-01B	2,1 kg
Turbo 28 White	04919-01-	2,4 kg
Turbo 28 Crystal	04919-01B	2,4 kg

# VENT<sup>®</sup>50




*Standard delivered with roller blind with two rollers, one dark and one with mosquito screen*

## The wide pantograph rooflight

50x50cm rooflight, it opens on all four sides with practical handles. Standard delivered with roller blind with two rollers, one dark and one with mosquito screen. Assures permanent ventilation. Locking anti-theft device on the handles. Rainproof and windproof. ABE approved and made with high quality UV ray-resistant materials. Turbo-Kit can be easily installed like optional (pag. 117).

Colours:  
outside frame white,  
inside frame ivory,  
cover white or crystal



**ABE**  
KBA 19330

Description	Item No.	Weight
Vent 50 White	01668-01-	4,5 kg
Vent 50 Crystal	01668-01D	4,7 kg




# ROOFLIGHT ACCESSORIES



European Design Patent 001742099

## ROLLO VENT 40

Roller blind system suitable for Fiamma 40x40 rooflights.  
Permanent ventilation thanks to its side inlets.  
It's compact thanks to its low profile frame.  
Easy installation without drilling the vehicle: it is fixed to the rooflight frame using the screws (standard delivered).  
Also available the version with LED perimetric lighting system with 9 light points each side (see page 131).



## THERMO VENT 40

Insulated vent shield. Keeps your RV warmer in the winter and cooler in the summer! Suitable for all rooflights 40x40.  
The aluminium surfaces assist by reflecting sunlight and by reducing heatloss.  
Dimensions: L40 x W40 x H0,6 cm.




## SPOILER

Ideal for reducing vibrations and rooflight noise while travelling.  
Made with UV-ray resistant sturdy PVC material.  
Two versions available:

**SPOILER UNIVERSAL** : it can be shortened to adapt itself to the different rooflights with dimensions from 110 cm to 28 cm.  
Can be attached with suitable adhesives (Sika).  
Complete of smart lateral aerodynamic end caps.

**SPOILER 40** : easily installed with the roof vent screws or attached with suitable adhesives (Sika). Designed to fit the non-aerodynamic Fiamma 40x40 and the TF-40 rooflights using the spacers included.



Description	Item No.	Weight
Rollo Vent 40	06310-01-	0,1 kg
Thermo Vent 40	03650A01-	0,1 kg
Spoiler Universal	06289-01-	0,4 kg
Spoiler 40	03585-01-	0,3 kg



#### ① RAFTER LED

The classic central rafter for the fabric, equipped with 36 LED lights.

#### ② AWNING ARMS LED

Two pairs of LED strips for the arms of the awning.

#### ③ KIT AWNING LED

Pair of LED to be fixed on the front bar of the your awning with a click.

#### ④ LED AWNING CASE

A lot of light using the whole length of the awning.

#### ⑤ LED WARNING SOLAR

The multifunctional intermittent signals.

#### ⑥ LED AWNING LIGHT RGB

External LED light available in white or multi-colored (RGB).

#### ⑦ LED AWNING LIGHT GUTTER

Lights for the door of motorhomes and caravans complete with drip moulding.

#### ⑧ LED STEP

Find the entrance step will no longer be a problem.

#### ⑨ LED ROLLO VENT 40

Roller blind during the day, lighting in the night.

#### ⑩ LED GARAGE LIGHT

For storage compartments and garage facilities.

## Accessories

### KIT CABLES GUIDE



### KIT CABLES RAIL



Kit suitable for hiding the electrical cables in the arms of the awning.

**KIT CABLES GUIDE:** Kit of 2 flexible profiles ideal for awnings with arms provided with guide preset for the passing of cables. Each profile is 1225 mm long, diam. 6,5 mm.

**KIT CABLES RAIL:** Kit of 2 compact rails, ideal for all the awnings with arms not preset for the passing of the electrical cables. Dimensions (each rail): L1225xW13xH3mm.

Suitable for:

- Awning Arms LED (x1)
- Kit Awning LED (x2)

Description	Item No.	Weight
Kit Cables Guide	98655-903	0,1 kg
Kit Cable Rail	98655-856	0,1 kg





The range of Fiamma LED allows you to effectively illuminate your motorhome with low consumption.

5 mm Super Bright Led, compact dimensions and big power.

The duration of one led is over 25.000 hours that is the same as 25 years of standard use in a motorhome.

Minimum heat dissipation that means safe use in motorhome and caravan with no danger of overheating.

LED with an elegant colour which provides a wide band illumination, but with low consumption and cost.

You can use it with the comfortable and cheap LED dimmer that allows you to regulate the light intensity according to your needs: high for a nice reading and low for a romantic dinner.

Available the RGB colour version as well to create the best "ambience" in your motorhome depending on the moment of the day and your mood.

Complete with remote control RGB that allows you to select colours and functions.



Product	Page	Applications	Beam of Light	Light Cone Angle	Tono	Lux/1M	N° LED	Feeding tension	LED Colour	Absorbed power	Electric input
Rafter LED	126	Awning	Semidiffuse	60°	7000° k	98	36	12 Vdc	Cold white	3,6 W	0,30 A
Rafter LED Caravanstore	126	Awning	Semidiffuse	60°	7000° k	98	36	12 Vdc	Cold white	3,6 W	0,30 A
Awning Arms LED	127	Awning	Diffuse	120°	5000° k	52	18	12 Vdc	Neutral white	1,8 W	0,40 A
Kit Awning LED	127	Awning	Semidiffuse	60°	7000° k	55	10	12 Vdc	Cold white	2,6 W	0,21 A
LED Awning Case	127	Awning	Diffuse	120°	5000° k	150	150	12 Vdc	Neutral white	12 W	1 A
LED Warning Solar	128	Outdoor	Semidiffuse	60°			6	2,4 Vdc	Intermitt. red	0,03 W	0,012 A
LED Awning Light	129	Outdoor	Semidiffuse	60°	7000° k	160	31	12 Vdc	Cold white	3,1 W	0,33 A
LED Awning Light RGB	129	Outdoor	Diffuse	120°			30	12 Vdc	RGB	7,2 W	0,6 A
LED Awning Light Gutter	130	Door	Semidiffuse	60°	7000° k	160	31	12 Vdc	Cold white	3,1 W	0,33 A
LED Sensor Door Light	130	Door	Semidiffuse	60°	7000° k	160	31	12 Vdc	Cold white	3,1 W	0,33 A
LED Step	130	Door	Diffuse	120°	5000° k	20	6	12 Vdc	Neutral white	1,44 W	0,12 A
LED Garage Light	131	Indoor	Semidiffuse	60°	7000° k	160	31	12 Vdc	Cold white	3,1 W	0,33 A
LED Rollo Vent 40	131	Indoor	Diffuse	120°	5000° k	70	36	12 Vdc	Neutral white	8,64 W	0,72 A


# RAFTER LED



Telescopic Rafter LED with 36 strong and brilliant LED lights made of solid anodized aluminium. The Rafter LED also includes a switch for easy switching on and off. LED lamps of 25 mA grant you an powerful white light in the middle of the awning, without overheating and with low consumption. Isolated for external use. The Rafter LED can be placed in different positions. It is possible to install more than one Rafter LED. Dimensions: variable length (142-265cm).

**RAFTER LED:** suitable for box awnings. Standard delivered with hooks with electric connections to fix on the awning F45 S and F45 L (for F65 S and F65 L available the optional kit, item No. 98655-877): you only have to click into position and the lights come on as if by magic. Besides the electrical connection to the installation of the motorhome where you must drill the vehicle, you can use the 5 m. supply cable with plug for connection to the lighter socket.

**RAFTER LED CARAVANSTORE:** suitable for the manual awnings Caravanstore and F35 Pro. Complete with spring terminal to be easily installed when the awning is open and with 5 m. supply cable with plug for connection to the lighter socket.



*Rafter Led*



*Rafter Led Caravanstore*

Utility Model 20 2009 005 039.4  
Utility Model 20 2011 051 105.7

Description	Item No.	Weight
Rafter LED	98655-850	1,6 kg
Rafter LED Caravanstore	98655-902	1,4 kg



# AWNING LED



German Utility Model 202008011460.8



Utility Model 20 2011 051 085.9

## AWNING ARMS LED



LED lighting system composed by 4 LED light kits mounted on a proper support easily attached to the case awning arms. Its compact dimensions allow to keep it mounted, also during the closing of the awning. Complete with supply cable of 5 mt for a rapid connection. Each group of lights contains 9 LED lights, which are isolated for external use. Low consumption, no heating. Easy mounting. Dimensions of each lights kit: L30xW1,7xH0,7cm.

## KIT AWNING LED

Lighting system to be installed on F45 and F65 awnings. It is composed of two 10 LED lights, low consumption, 12V power supply cable 5m long. Easy joint installation by a simple pressure on the front bar. Also fits previous awning versions.

## LED AWNING CASE



Light LED bar suitable for external use. To be inserted in the proper housing (rail) of the case of the F45 S and F45 L winch awnings. Standard delivered in the length of 2.5 m. (for awnings 3.0 m long) composed of a bar with wiring for the 12 V electrical connection and 4 additional bars. The bars fix by pressure. Available the optional kit of 50 cm. It is possible to travel with the LED installed on the awning case.

Description	Item No.	Weight
Awning Arms LED	98655-849	0,3 kg
Kit Awning LED	98655-471	0,1 kg
LED Awning Case	98655-914	0,3 kg
Kit LED Awning Case 50	98655-915	0,3 kg



LED Awning Case

# LED WARNING SOLAR




*LED Warning Solar on Carry-Bike, you can use it only when the vehicle is not in motion*



*LED Warning Solar installed on step*

Kit of two signal intermittent lights. Ideal to be positioned around the motorhome and the caravan to signal a dangerous area. Each light is provided with a solar panel that recharges the internal batteries during the day: the twilight switches on the 6 red intermittent signal LED for many continuative hours. The internal and rechargeable battery keeps around 500 reloading charged. The lights are provided with standard hooks to be installed in different positions. They can be installed on steps, rails of bike carriers, awnings enclosures, Tie down straps...



*Kit composed of 2 pieces*


Description	Item No.	Weight
LED Warning Solar	98655-885	0,2 kg



# OUTDOOR LED



External LED light for awnings.  
Made of solid painted aluminium.  
It includes 31 LED lights with intense white light that don't heat;  
they are isolated for external use and consume low electric power.  
You can fix it under the case of the awning or above the entrance  
door. It can be also installed inside the vehicle under cabinets.  
Complete with elegant plastic terminals.  
Also available die version of Led Awning Light with RGB LED:  
it consists of 8 colours with 30 RGB Led, and slider dimmer Slide Bar  
RF that allows you to select functions, colours and Dimmer.




RGB RF Controller




Description	Item No.	Weight
LED Awning Light	98655-848	0,4 kg
LED Awning Light RGB	98655-570	0,7 kg

# DOOR LED




## LED AWNING LIGHT GUTTER

Innovative version of the classic Fiamma Led Awning Light: external door light. This version has the terminals and the hollow of the central body with the shape of a drip moulding, ideal to solve the annoying problems of the rain that drips above the door.




## LED SENSOR DOOR LIGHT

External LED light specially made to be installed on the door of your motorhome or caravan. Similar characteristics like LED Awning Light, but complete with movement and light sensors. It lights up only in the dark as soon as a person gets near it and it keeps on for 60 seconds.



## LED STEP

LED low consumption lighting system for the entrance of the motorhome, to increase security and stability of steps and step wells. Made of sturdy anodized aluminium of 50 cm, can be shortened to 23 cm. Complete with 6 12V low consumption LEDs and with wiring for electric connection. The aluminium L profile can be easily fixed on the border of the step with rivets or SIKA putty.



Description	Item No.	Weight
LED Awning Light Gutter	98655-607	0,7 kg
LED Sensor Door Light	98655-884	0,5 kg
LED Step	98655-886	0,2 kg






## LED ROLLO VENT 40

Roller blind system suitable for 40x40 cm rooflights with LED to light up your motorhome.

It is made up of 4 lights, each one with 9 Led, warm white colour and low consumption.

For Rollo Vent 40 features, see page 125.






## LED GARAGE LIGHT

Internal LED light for storage compartments and garage facilities. Similar characteristics like LED Awning Light (pag. 129), but complete with switch.




Description	Item No.	Weight
LED Rollo Vent 40	06310A01-	0,6 kg
LED Garage Light	98655-883	0,4 kg


# AQUA® 8



*Aqua 8 iSensor: reduced consumption !*



*Anti vibration Silent Plate included.*



## A20



### The universal expansion tank.

Ideal addition to the AQUA 8, previous models and all other types of pressure switch pumps (for example Shurflo and Flojet). The expansion tank eliminates the pulsating operation of pressure switch pumps and supplies a constant flow of water in the required quantity.

It extends the life of the pump and boiler and cuts water consumption.

The internal pressurized diaphragm provides a smooth, surge-free flow of water.

The A20 can be dismantled for diaphragm repair and checks. It is precharged at 0.9 bars (13 psi) but it can be charged with the special valve with a normal compressor so it can be adapted to all pressure switch pumps.







## The silent pump!

The only self-priming pump with incorporated filter and anti vibration Silent Plate included. The Aqua 8 pumps water vertically over 3m with no priming.

The stainless steel filter prevents impurities from entering and is easily cleaned so the pump lasts longer.


An automatic pressure switch starts and stops the pump by opening and closing the valve. Non-toxic materials are used for all parts of the pump that come into contact with water. The pump is resistant to limestone deposits and oxidation. It can run dry without damage.

The pump can operate in any position, but we recommend installation by placing the motor on top and the head below to prevent possible damage caused by leaks. Install on a solid surface to reduce noise and vibrations. Easy maintenance: all its components are easily replaceable. Angle and straight connectors for Ø 13mm pipes included. Standard version with Pressure switch intervention to 1.5 Bar for cumulating Truma boilers.

The **Fiamma Aqua 8 iSensor** version has variable speed smart electronic system that controls precisely the water pressure of the motorhome and regulates the motor speed, with no need of pressure switches. The vehicle water system has less pressure, and water consumption is reduced. Silent operation.



Characteristics	Aqua 8 iSensor	Aqua 8 (7 liters)	Aqua 8 (10 liters)	A20
Item. No.	01216C03-	01216C01-	01216B01-	02478-01-
Weight	1,5 kg	1,5 kg	1,5 kg	0,3 kg
Power Supply	12	12	12	
Absorption (A)	1,4	1,4	3,4	
Max. flow (l/min.) at 0 bar	7	7	10	
Noise level (db)	55/60	55/60	65/70	
Pressure switch interv. (Bar)	1,5	1,5	1,5	
Pressure switch interv. (Psi)	21,75	21,75	21,75	




# GREY TANKS



## ROLL-TANK 23 W


Practical and portable 23 litre waste water tank with total discharge cap. Compact size (fits through normal vehicle doors).



*Total discharge cap and no-noise rubber wheels*


## ROLL-TANK 40 W

40 litre waste tank with level indicator and air release valve. Filling and discharging are performed through a Sanitary-Flex drain tube (not included). 45° angle adapter for discharge is included.



## TANK 21 W

21 litre waste tank with air valve and bayonet connection to the Sanitary-Flex drain tube (not included).




Description	Item No.	Weight
Roll-Tank 23 W	02428A01-	2,4 kg
Roll-Tank 40 W	02428-01-	3,9 kg
Tank 21 W	01684-01A	1,8 kg



# BLUE TANKS




*Total discharge cap and no-noise rubber wheels*




## ROLL-TANK 23 F

Convenient portable 23 litre fresh water tank with easy access discharge cap.  
Compact size (fits through normal vehicle doors).  
Supplied with extra cap for immersion pump (not included).



## ROLL-TANK 40 F

Portable 40 litre drinking water roll tank with easy grip handle and two large wheels that make transportation easy even on gravel.  
Made of non-toxic material.  
Easily cleaning wide cap.



## TANK 70

70 litre fresh water tank made of non-toxic material. It can be installed either vertically or horizontally.  
Comes complete with all necessary fittings for installation.  
Water inlet pipe: Ø 38mm  
Water air outlet: Ø13mm.



Description	Item No.	Weight
Roll-Tank 23 F	02428A01A	2,4 kg
Roll-Tank 40 F	02428-01A	3,8 kg
Tank 70	01537-01-	4,4 kg



# TANKS ACCESSORIES



## KIT TANK-FLEX 23 W

Drain kit for waste Tank 23 W composed of:


- 1 cap with level indicator,
- 1 flexible hose Ø 30 mm, it can be extended to 90cm.

Delivered with threaded cap.



## WATER CAP

Locking water cap that complies with European closure system standards. Two colours available: white and black.



## KIT SANITARY FLEX

Flexible hose available in two versions (extendable 75cm and 300cm).

Standard delivered with:

- 2 fittings for the connection to Roll-Tank 40W, Tank 21 W and Quick Connection W
- 2 stainless steel fittings for an additional connection with the valve of your motorhome.



## QUICK CONNECTION W

Extension to turn the threaded connection into a bayonet connection, to easily connect the Sanitary Flex to the Tank 23 W.

Easy to install / dismount.




Description	Item No.	Weight
Kit Tank-Flex 23 W	98659-033	0,2 kg
Kit Sanitary Flex 75	02438-01-	0,2 kg
Kit Sanitary Flex 300	02438A01-	0,8 kg
Quick Connection W	06497-01-	0,2 kg
Water Cap White	94715-010	0,2 kg
Water Cap Black	94715-005	0,2 kg





## POCKET KASSETT

Comfortable kit composed of four individual storage pockets.  
It can be fixed with the standard delivered screws inside the door of Thetford or Dometic Kassett of the vehicle.  
Ideal to storage Super Kem Sachets in powder, disposable hygienic gloves, sanitizing liquid and various material for cleaning.  
Made of UV resistant plastic.




## PORTA KASSETT

Container for an extra spare toilet tank.  
Complete with installation kit.  
Big practical cover facilitates the insertion and extraction of the tank.  
Made in sturdy shock and weatherproof plastic.


**We suggest to fix the tank empty and keep the cap unscrewed.**

Two versions available:



- **Porta-Kassett** for Thetford® Cassette C200 and Dometic CT 3000.
- **Porta-Kassett C250** for Thetford® C250.



Porta-Kassett




Porta-Kassett C250



Description	Item No.	Weight
Pocket Kassett	06339-01-	0,2 kg
Porta Kassett	04778-01-	3,4 kg
Porta Kassett C250	04778A01-	3,7 kg

# LEVEL UP

NEW  
COLOUR



## LEVEL UP

The best-selling level of the range. Ridged surface to grip to the vehicle's tires. Consists of 3 levels. Lightweight and made in rust-proof material, easy to clean and UV-resistant. Consists of:  
- 2 Level Up grey.




## KIT LEVEL UP

Level Up version sold complete with Level Bag. The Level Bag is made of Polyester, it's washable. Easy to carry thanks to its comfortable shoulder belt with velcro. Colour: grey.



German Design Patent 40 206 107.1

NEW  
COLOUR



## KIT LEVEL UP JUMBO

The level with max axle weight. Wider dimensions for a better support which make levelling your motorhome easy. Consists of:  
- 2 Level Up Jumbo grey  
- 1 Level Bag.





# LEVEL UP



**Level your motorhome with the essential Level Up.  
The original version is only from Fiamma!  
Light, strong and anticorrosive.**

Keep your motorcaravan perfectly levelled for improved operation of equipment when parked on uneven ground.  
Will not crack or break like wood. Non-skid finish.  
Solid construction in UV-resistant polyethylene.

	Level Up	Kit Level Up	Kit Level Up Jumbo
Characteristics	Item No.	97901-038	97901-053
	Dimensions	57x20x13 cm	58x24x14 cm
	Levels	3	2
	Max axle weight	5,0 t	8,0 t
	Weight	1,45 kg cad.	1,75 kg cad.
	Colour	grey	grey
Accessories	Chock Level	●	●
	Anti Slip Plate	●	●
	Level Bag	●	●
	Level Bag S		
	Level Plate	●	●

● Standard ● Optional

# LEVEL PRO • LEVEL SYSTEM




Level PRO with Anti Slip plate

NEW  
COLOUR



## LEVEL PRO


Innovative design leveller, ideal for caravans and vehicles with small wheels.  
Solid construction in HD UV-resistant polyethylene.  
Practical self-locking overlap system.  
2 piece package.



German Utility Model 20 004 008 370.1

## LEVEL SYSTEM® MAGNUM


Practical self-locking overlapping system that can raise height.  
Ideal for Motorhomes.  
2 pieces package.



Level System Magnum

## LEVEL SYSTEM® JUMBO

Ideal for twin tyres.  
2 pieces package.



Level System Jumbo

	Level Pro	Level System Magnum	Level System Jumbo
Item No.	97901-011	97901-015	97901-016
Dimensions	43x17x9 cm	50x20x9 cm	60x26x12 cm
Max axle weight	5,0 t	8,0 t	12,0 t
Weight	0,8 kg each	1,3 kg each	2,9 kg each
Overlapping	yes	yes	yes
Colour	grey	yellow	yellow
Characteristics			
Chock Level	●	●	
Anti Slip Plate	●	●	
Level Bag			
Level Bag S	●	●	
Accessories			

● Standard ● Optional

Italian Utility Model 920/0009



# LEVEL ACCESSORIES



## CHOCK LEVEL

Kit of 2 chocks to secure the wheels during long stopovers. Standard delivered with steel hooks to firmly fasten two Chocks when used on Levels. Solid construction in UV-resistant polyethylene.



German Patent 100 10 372.3  
German Utility Model 20 2011 051 101.4

## ANTI SLIP PLATE

Anti-slip plate to block the level system on paved surfaces only. Dim.: 100x160mm. 2 pieces package.



German Patent 20 2004 008 370.1

## LEVEL BAG

Bag available in washable Polyester, easy to carry thanks to its comfortable shoulder belt. Available in two versions, see schedule below.




German Utility Model 20 2010 008 349.4

Model	Item No.	Level Up	Level Up Jumbo	Level Pro	Level System Magnum	Level System Jumbo	Wheel Saver	Weight
Chock Level	97901-037	●		●	●			0,1 kg
Anti Slip Plate	97901-012	●	●	●	●		●	0,1 kg
Level Plate	97901-041	●						0,3 kg
Level Bag	05920A02A	●/●	●					0,2 kg
Level Bag S	05920B02A			●	●		●	0,2 kg

● Standard    ● Optional    ●/● Standard for Kit Level Up

# WHEEL & GRIP



NEW  
COLOUR



NEW  
COLOUR



German Utility Model  
202009004719.9

## GRIP SYSTEM

Anti-skid system with superior traction.


The two grips can be combined into one long piece to position under the motorcaravan's wheels.

Solid construction in UV-resistant polyethylene.

Easy to clean.

Ideal on sand and mud, can be used with Level Up.

2 pieces package.




## WHEEL SAVER

System of cradles that avoid the tires ovalization, suitable for wheels up to 70 cm in diameter.

Ideal in case of long parking and garaging.

It is possible to fix the cradles on the floor of the garage, in order to have a fixed position of parking.

Package of 2 cradles made of resistant plastic material.



Description	Item No.	Weight
Grip System	97901-055	0,4 kg
Wheel Saver	97901-013	0,6 kg




# JACKS & PLATES




## ALU JACKS

Aluminium jack.  
Comes in a package of 4 stacked pieces.  
Made of strong aluminium.  
Adjustable in height from min. 28 cm to max 43 cm.



## PLASTIC JACKS

Plastic UV-resistant jacks.  
Half the weight of Alu Jacks.  
Comes in a package of 4 stacked pieces.  
Adjustable in height from min. 31 cm to max 44 cm.



NEW COLOUR



## PLATES PRO

Kit of 4 anti sinking bases supplied with 4 locks to be fastened to the vehicle's lifting jacks.  
Permanently secured even when travelling.  
Weight: 200 gr. each.



## PLATES

For the feet of the caravan Kit of 4 reinforced anti-sinking plates.  
Dimensions: Ø 20cm.

NEW COLOUR



*Ideal for soft ground and to help to support the weight of the vehicle*

Description	Item No.	Weight	Max load each	Colour
Alu Jacks	00680-01-	0,9 kg each	1000 kg	Aluminium
Plastic Jacks	00680C01G	0,8 kg each	750 kg	Grey
Plates Pro	97901-057	0,2 kg each		Grey
Plates	97901-056	0,2 kg. each		Grey

# STEP




Original Version




## STEP

The classic step for the motorhome and caravan, made of UV-resistant HD Polythylene for more stability and strength.  
Non-skid surface.  
Supporting surface: 42x28 cm.



## STEP MAGNUM


The strongest step for caravans and motorcaravans made of UV-resistant polypropylene for more stability.  
Large non-skid surface.  
Supporting surface: 46x28 cm.



## ALU STEP PRO

Improved version.

Step for caravans and motorhomes in anodized aluminium.  
Innovative system with folding legs for easy storage.  
Large anti-skid surface.



German Utility Models: 20 2011 051 122.7  
203 13 445.1

Description	Item No.	Colour	Weight	Max capacity
Step	02950-01-	grey	1,0 kg	150 kg
Step Magnum	04630-01-	grey	1,3 kg	200 kg
Alu Step Pro	04316-01-	Aluminium	2,9 kg	200 kg



# STEP ACCESSORIES



## CLEAN STEP

Doormat suitable on electric or manual steps of your motorhome or caravan.

Keeps your vehicle clean, leaving out sand and mud.

Supplied with springs.


Made of durable plastic material.

Can be adapted to steps size min 38x40 cm to max 45x40 cm by means of the holes, to be fixed it with provided springs.

Flexible: H40 W:38-45 cm.



## Clean Step installation





## STEP-MAT

Covering for the surface of Fiamma Steps.

Made of soft and flexible anti-skid UV resistant rubber.

Easy to position on the step thanks to the pressure joint, increasing its reliability.

Ideal for frequent use of Step.




Description	Item No.	Colour	Weight
Clean Step Green	04593-01-	green	0,2 kg
Clean Step Black	04593-01A	black	0,2 kg
Step-Mat	06373-01-	black	0,4 kg
Step-Mat Magnum	06374-01-	black	0,5 kg

German Utility Model 20 2010 008 351.6




## The superior roof boxes for your motorhome and motorcaravan with completely reinforced aluminium structure and watertight foam seal


The classic roof-boxes made of superior quality ABS-PLUS highly resistant to impacts and weather conditions, with high-thickness UV protection to prevent deterioration of quality. Complete with installation brackets and rust-proof stainless steel hinges.




Ultra-Box 2



Ultra-Box 3



Completely reinforced aluminium structure **(A)** and watertight foam seal **(B)**



Kit of 6 fixing brackets standard delivered for Ultra-Box 3  
4 brackets for Ultra-Box Top 2



Description	Item No.	Volume	Weight
Ultra-Box 2	02084-01-	400 l	13 kg
Ultra-Box 3	02085-01-	520 l	17 kg






## PACK WASTE

Folding dustbin, easy to use and to place.  
You can hang it with the standard delivered hooks, but you can position more hooks wherever you want to use it.  
Closed takes up little space, open it is roomy, it uses 35 l plastic bags (not included).  
Cover and bottom made of sturdy grey plastic material.  
Container in strong resin polyester fabric, waterproof and UV resistant.  
Standard delivered with:  
- 2 hooks that can be dismantled  
- 2 Fix Organizer.



Utility Model 20 2011 051 096.4



## CARRY-DOG

Folding dog house for your pets comfort.  
Made of strong resin polyester.  
Large side windows with mosquito net, which can be rolled up to grant maximum ventilation. Front panel with opening zip.  
Can be used inside your motorhome, garage or Privacy.  
When closed takes very little space and is standard delivered with sensible carry-bag, carpet and eyelets to fasten it to the ground.  
Dim.: Open 75x49x55h cm.  
Close 78x55x3cm.



Description	Item No.	Weight
Pack Waste	06584-01-	1,7 kg
Carry-Dog	06437-01-	2,8 kg

# ORGANIZER

**PACK AWAY**



**PACK ORGANIZER L**



**PACK ORGANIZER S**



**PACK ORGANIZER SEAT**



**PACK ORGANIZER SHOES**




**PACK ORGANIZER TOILETRY**



**PACK 610 S**



**FIX ORGANIZER**



**Triple Fixing**

Pack Away, Pack Organizer L, Pack Organizer S and Pack Organizer Shoes can be fixed in three different ways:

- A) using the rail
- B) using the eyelets (screws not standard delivered)
- C) with Fix Organizer (optional).



Fixing using the eyelets (on the right) and the rail (on the left)





# ORGANIZER



## The complete range of folding containers

Fiamma organizers optimize the space inside the vehicle increasing the order and the loading capacity and providing a practical advantage for the whole family.



Made of strong resin polyester UV resistant, so as to be used also out of the vehicle.

When closed they take up very little space.

Most of them can be fixed in three different ways (triple fixing, see details on the left) to adapt themselves to different positions and different situations.



Description	Item No.	Weight	Dimensions	Number of pockets	Triple Fixing	Function
Pack Away	06341-01-	1,6 kg	96x56x20 cm	1	●	For big objects (max 10 kg) in the garage of the motorhome
Pack Organizer L	05931A01-	0,5 kg	88x39 cm	6	●	For little objects inside the vehicle or the garage
Pack Organizer S	05931-01-	0,4 kg	50x84 cm	11	●	For little objects inside the vehicle or the garage
Pack Organizer Seat	06105-01-	0,3 kg	43x66x2 cm	3		For little objects to hang up on the rear part of the seats of your vehicle
Pack Organizer Shoes	06103-01-	1,1 kg	84x54x2 cm	10	●	Container for shoes to be fixed inside the vehicle or the garage
Pack Organizer Toiletry	06104-01-	0,6 kg	30x37x11 cm 30x118x11 cm	10		Container for bathroom fittings
Pack 610 S	05921-02-	1,7 kg	60x36x31 cm 9x33x31 cm	5		Multipurpose folding bag that can be used with Fiamma Garage System
Fix Organizer	98655-163	0,1 kg	5,5x3x1 cm			

# SAFE DOOR



## SAFE DOOR


It is easily installed to the vehicle wall with bolts and internal counterbrackets.




## SAFE DOOR FRAME

Installation on the side frame of the door or garage compartment with self-tapping screws.

Attention: easier installation thanks to its reduced thickness.




German Utility Model 20 2010 000 432.2



## SAFE DOOR MAGNUM

Length extended to 20cm in order to cover the locks of the camper doors. Installed on the wall with 4 bolts and internal counterbrackets.



## SAFE DOOR MAGNUM FRAME

Installed on the inside profile of the door with two self-threading screws. Length extended to 20cm in order to cover the locks of the camper doors.



# SAFE DOOR



*Frame Version  
for the side frame of the door*

Safety block for motorhome and caravan doors.  
It works as an anti-theft device as it is made of sturdy anodized aluminium without plastic parts.  
The version "3" works with the **One Key System**: it is composed of three pieces of Safe Door / Safe Door Frame using the same key.




Description	Item No.	Weight	Colour	Door side frame	One Key System
Safe Door White	04688-01-	0,6 kg	white		
Safe Door 3 White	04688-02-	1,7 kg	white		•
Safe Door 3 Grey	04688-02G	1,7 kg	grey		•
Safe Door Frame White	04688A01-	0,5 kg	white	•	
Safe Door Frame 3 White	04688A02-	1,5 kg	white	•	•
Safe Door Frame 3 Grey	04688A02G	1,5 kg	grey	•	•
Safe Door Magnum	05348-01-	0,6 kg	white		
Safe Door Magnum Frame	05348A01-	0,6 kg	white	•	

# SAFE DOOR ACCESSORIES




## KIT SAFE DOOR FRAME VAN

Kit to allow the Safe Door Frame to be installed to the sliding doors of the following minivans: Fiat Ducato, Mercedes Sprinter, Citroën Jumper and Peugeot Boxer before 2006. Easy wall installation with rivets included.



## SPACER KIT SAFE DOOR


Spacer to be combined with Safe Door to reduce the gap between motorhome wall and Safe Door. Fits only on Safe Door after 2007 and on Safe Door Magnum after 2010. Kit composed of one aluminium plate and 3 plastic spacers 2mm each.





## KIT SAFE DOOR DD

Kit composed of steel brackets to allow the Safe Door to be installed on the double doors of the following minivans: Fiat Ducato, Citroën Jumper, Peugeot Boxer (Item No. 98656-491), Mercedes Sprinter and Renault Trafic after 06/2006 and Ford Transit after 2009.

Easy door installation with screws and rivets included.



German Utility Model 20 2009 000 484.8



Description	Item No.	Weight	Safe Door	Safe Door Frame	Safe Door Magnum
Kit Safe Door Frame Van	98656-495	0,1 kg		•	
Spacer Kit SD White	98656-498	0,1 kg	•	•	
Spacer Kit SD Grey	98656-499	0,1 kg	•	•	
Kit Safe Door DD Sprinter	98656-497	0,3 kg	•		•
Kit Safe Door DD Ducato	98656-491	0,3 kg	•		•
Kit Safe Door DD Traffic	98656-492	0,3 kg	•		•
Kit Safe Door DD Transit	98656-678	0,3 kg	•		•





## SECURITY 31 - SECURITY 46


Security handle made of solid painted aluminium with 30mm diam. and 2mm thickness.

While travelling it takes up little space when folded against the wall.

It also serves as a useful handle to make entering and exiting the vehicle easier.

It adapts to all doors opening both to the right or to the left.

Complete with key lock and safety release handle, installation brackets, screws and internal counterbrackets.



## SECURITY 46 PRO


Version of Security for applications where a strong structure is required. Delivered with Kit Security Lock that offers major safety and strength thanks to a third fastening point on the door.

## KIT SECURITY LOCK


Optional safety lock kit for security 31 and Security 46 to be installed on the door of the Motorhome. Comes complete with keys and inside brackets.




Description	Item No.	Weight	Colour
Security 31 White	03513-01-	1,1 kg	white
Security 31 Grey	03513-01G	1,1 kg	grey
Security 46 White	03513A01-	1,2 kg	white
Security 46 Grey	03513A01G	1,2 kg	grey
Security 46 Pro White	03513-04-	1,7 kg	white
Kit Security Lock	98656-433	0,5 kg	white




# SAFE DOOR GUARDIAN




*Ducato - after 09/2009*




*Transit - after 06/2006*




*Master - after 06/2010*




*Ducato - before 09/2009*



*Transit - before 06/2006*



*Sprinter - after 06/2006*



## SAFE DOOR GUARDIAN

Security block created to be placed on the inside of the door or the garage of the motorhome or caravan and to secure the front doors of the vehicle.

Excellent protection against theft as it is made of strong aluminium, without any plastic parts. It is installed instead of the standard plastic security blocks, in the same position and using the same fixing holes. 2 pieces package.

Description	Item No.	Weight
Safe Door Guardian	05388-01-	0,3 kg
Spacer Kit Guardian	98656-496	0,1 kg
Safe Door Guardian Ducato after 09/2009	05388-07-	0,4 kg
Safe Door Guardian Ducato before 09/2009	05388-04-	0,4 kg
Safe Door Guardian Transit after 06/2006	05388-05-	0,4 kg
Safe Door Guardian Transit before 06/2006	05388-03-	0,4 kg
Safe Door Guardian Master after 06/2010	05388-08-	0,4 kg
Safe Door Guardian Sprinter after 06/2006	05388-06-	0,5 kg



# DUO-SAFE PRO




## DUO-SAFE PRO

Strong security bar allows blocking front doors from the inside. Quick and ready to use. Universal model thanks to the telescopic frame and Quick Lock hooks provided, to adapt to the most vehicles' cabins.

Tested on:

- Fiat Ducato, Citroën Jumper, Peugeot Boxer and Renault Master before 06/2006.
- Mercedes Sprinter, Fiat Ducato, Renault Master and Ford Transit after 06/2006.

Also suitable for Iveco Daily's cabin. Antitheft warning label visible from the outside to prevent thefts.



German Design Patent 407 04 984.3

Description	Item No.	Weight
Duo-Safe Pro	05411-02-	1 kg




## SPACER KIT GUARDIAN

Optional spacers to align Guardian to the walls. Package includes 10 spacers 1mm each.

# GARAGE SYSTEM




## Universal system to organize your garage facility




### GARAGE SYSTEM STANDARD

The standard module is a single stand with three shelves to position the optional folding boxes in order to put all the goods of the camper away tidily. They are adjustable in height and the section bars can be shortened in case of rear steps or narrow and curved spaces.



*It fits all the dimensions and needs of the garage facility*



### GARAGE SYSTEM UPGRADE

The upgrade module is used to enlarge the standard module with a second shelf. It can be used with the Garage System Standard.

### GARAGE BOX

Set of three folding boxes suitable for the shelves of the Garage System. Open they are very roomy, closed take up little space.




Supplementary Kit Garage Wall Brackets for installation to the wall or to the Garage-Bars (Item No. 98655-480) for garage facility with adjustable roof height.



NEW

### GARAGE SYSTEM SUPPORT

Set of two lower and one side bars of aluminum, to be used as an additional support for the Garage System Standard / Upgrade to grant a stronger fixing, ideal for Pack 610 S (Item No. 05921-02 -).



Description	Item No.	Weight
Garage System Standard	98655-907	5,7 kg
Garage System Upgrade	98655-908	3,9 kg
Garage System Support	98655-772	0,9 kg
Garage Box (3 pcs.)	98655-909	5,6 kg
Kit Garage Wall Brackets	06667-01-	0,1 kg



# GARAGE BARS




German Utility Model 20 2011 051 099.9


## GARAGE BARS

Your problem of securing items in the garage is solved.


The Garage Bars are 2 bars in anodized aluminium that can be fixed to the garage walls or floor. Any version is composed of two bars, the standard one (Garage Bars) is standard delivered with 5 Kit eye (10 pcs. of sliding hooks), Premium and Corner versions are complete with 4 Kit Eye Premium/Corner (8 pcs.). Fixing screws and end caps are standard delivered.



Garage Bars Premium



Garage Bars Corner



Garage Bars



Kit Eye



Kit Eye Premium/Corner


## KIT SQUARE PLATES

Stainless steel hooks to be applied to the floor or the walls of the garage for tying straps, elastic cords and ropes. Dim.: 3.5x3x2cm.



Description	Item No.	Weight
Garage-Bars Premium 200	98655-609	4,8 kg
Garage-Bars Premium 60	98655-608	2,2 kg
Garage-Bars Corner	98655-906	4,8 kg
Kit Eye Premium/Corner (2 pcs.)	98656-735	0,1 kg
Garage-Bars	98655-480	3,1 kg
Kit Eye (2 pcs.)	98656-494	0,1 kg
Kit Square Plates (4 pcs.)	98656-485	0,1 kg

# GARAGE ACCESSORIES



NEW

## GARAGE SLIDE PRO SKI

Sliding ski rack for the garage of your motorhome composed by:

- 1 ABS high quality case
- 2 aluminium slide guides that you can slide out up to 100 cm

The lower rail is screwed into place, adjustable in height from 0 to 4 cm, the case slides easily even when fully loaded thanks to the nylon-coated steel wheels. Dimensions: 200x47x14,4 cm.



## GARAGE PACK

Multi-purpose kit to quickly and economically arrange the garage facility of your motorhome. Simple and flexible modular system.

Consists of:

- 2 aluminium bars 63 cm
- 1 aluminium bar 198 cm
- 2 reinforced rails
- 2 galvanized rings
- 1 strip 200 cm.




## GARAGE CARRY-RAIL

The clothes rack ideal for the storage compartment of motorhomes.

Made up of a sturdy but light tubular rail in anodized aluminium 22mm of diameter supported by 2 ceiling fixings.


Please verify the solidity of the ceiling before applying the product. Ideal for hanging clothes and various items.



Description	Item No.	Weight
Garage Slide Pro Ski	06722-01-	11,0 kg
Garage Pack	98655-910	4,0 kg
Garage Carry-Rail	06112-01-	0,5 kg



# GARAGE ACCESSORIES



## CARGO STRAP


Strong fixing system to block or stop objects like: small tables, chairs, spare wheel, etc into car boot or garage of your motorhome. Simply mount the strong ABS wall tracks with the proper screw, set the related hooks and position the rubber bands in order to tension them according to the objects you have to fix. Holds up to 20 Kg.

Cargo strap is composed by:  
2 ABS tracks, 4 hooks, 2 rubber band  
and 24 fixing screws.

For heavy or bulky objects  
we suggest to add the Kit Cargo  
Accessory composed by 4  
supplementary hooks and 2 rubber  
band.



Kit Cargo Accessory



Cargo Strap


## LUGGAGE BAR

Solid telescopic bar ideal for fastening your  
objects into the garage facility of your vehicle  
while travelling.

Easy to regulate using the handy lever hooking.  
Rubber covered terminals to assure a steady grip  
without marking the walls of the vehicle.  
Made of sturdy and light anodized aluminium  
tubes.

Easy to shorten to a minimum length of 20cm.  
and extensible until 170 cm. in order to  
adapt itself to the various sizes of the storage compartment  
boxes of the motorhome.

Dimensions closed: 93x8x6 cm.




Description	Item No.	Weight
Cargo Strap	05677-01-	0,5 kg
Kit Cargo Accessory	98656-510	0,1 kg
Luggage Bar	05411-03-	0,7 kg

# DELUXE


**DELUXE 8**





**DELUXE 5D**



**DELUXE 6**



**DELUXE DJ**



## SAFE LADDER

Sturdy anti-theft safety plate for your motorcaravan ladder.  
Suitable for single and double steps.  
Standard delivered with Locks and key.  
Dimensions: 23x78 cm.



*Double step*



*Single step*



# DELUXE



## High quality aluminium ladders

Sturdy and lightweight high quality exterior ladders.  
30mm diameter and 2mm thick tubes in anodized aluminium.  
Inside width: 24cm. Total step width: 31cm.  
Non-skid steps.

Ladders Deluxe 8 and 5D can be folded up while travelling.

Ladder DJ is supplied with Fixing Bars for easy and quick installation on the rear door. It can be combined with Carry-Bike 200 DJ (pp. 94-95). It can be installed on the following vehicles: Fiat Ducato, Citroën Jumper, Peugeot Boxer and Ford Transit with double rear doors.

Aluminium  
Quality



Description	Item No.	Weight	Number of steps	Folding
Deluxe 8	02426-02-	5,5 kg	8	●
Deluxe 5D	02426-08-	4,9 kg	10	●
Deluxe 6	02426-06-	3,3 kg	6	
Deluxe DJ	02426-09-	6,5 kg	6	
Safe Ladder	98656-480	1,3 kg		

# DELUXE



## High quality aluminium ladders for mansards and sleeping berths

Aluminium ladders with 15° inclination for the inside of luton overcab models of motorcaravan or caravans with bunks.  
Inside width: 24cm.  
Total step width: 31cm.  
Handy nylon hooks to hold in position.  
Available with 4 or 5 steps.



Aluminium  
Quality

Description	Item No.	Weight
Deluxe 4B	02426-12-	2,4 kg
Deluxe 5B	02426-13-	2,6 kg



# CARRY-KAYAK UNIVERSAL




## Ideal to carry canoes, kayaks and surfboards on your vehicle

Kit of 2 support brackets to easily transport canoes, kayaks and surfboards.

Compact but easy to load thanks to its inclined figure.

Made of folding anodized aluminium tubes, standard delivered with soft coverings and with fixing strap.

Ideal to be easily fixed on Fiamma Roof Rail with Fixing-Bar rails, suitable for some models of luggage-carrier of cars as well.




Aluminium  
Quality

Description	Item No.	Weight
Carry-Kayak Universal	06305-01-	4,2 kg


## ROOF RAIL

Luggage carrier system comprises 2 perimetric bars easy to install on motorhomes and caravans. The aluminium anodized tubes are suitable for a quick hook up of the optional Fixing Bar Rail (Item No. 98655-075). Easy to shorten.



## ROOF RAIL PRO

Luggage rack consisting of 3 or 4 bars and relative curved pieces. Pieces are made in anodized or painted aluminium for maximum weather resistance. It can be used with Fixing-Bar Rail. Roof Rail Pro 3: standard delivered with 3 bars, 2 terminals and 2 curved pieces and 6 fixing brackets. Roof Rail Pro 4: standard delivered with 4 bars, 4 curved pieces and 10 fixing brackets.



Roof Rail Pro 3




Roof Rail Pro 4

## FIXING-BAR RAIL


Aluminium carry-all bar easy to shorten. It can be easily used with Roof Rail and Roof Rail Pro without drilling the vehicle.

Package includes 2 bars, each with 2 fixing terminals in aluminium pressure die-casting and 2 rubber spacers.



## FIXING-BAR PRO L

The aluminium fixing bar can be shortened to the required length. To be placed on the Motorhome or Caravan roof. Ideal for supporting system for solar panels or roof boxes. The kit includes: 1 bar, 2 white end caps and 1 rubber spacer.



German Patents: 19731898.3 - 29722816.1

## ROOF RAIL DUCATO


Luggage carrier system specially designed for Ducato after 06/2006 for both long or short wheelbase.

Also available the version for Ducato Maxi XL after 06/2006.

Easy installation without drilling the vehicle, thanks to the preinstalled fixing system on the roof of Ducato. Standard delivered with 4 Fixing-Bar Rail.

It is possible to install the roof awning F65 S, on the right side only on high roof vehicles (H2), using the standard delivered brackets.


Optional available kits for the Roof Rail Ducato.



## KIT ROOF RAIL DUCATO

Set of accessories for Roof Rail Ducato. All the Covers comes in grey colour.

### Kit Roof Rail D Cover Right



### Kit Roof Rail D Cover Left

### Kit Roof Rail D Extra (x2)

### NEW Kit Roof Rail D Extra Cover (x1)





*Solid terminals of Roof Rail and Roof Rail Pro are built in aluminium pressure die-casting*



(1) Roof Rail supporting brackets  
(2) Fixing-Bar Rail terminal


Everything you need to make the most of the roof of your motorhome.  
Various systems of roof racks to suit different needs and types of vehicles.  
Also available the Ducato version with kits of bracket covers.  
All models are suitable for Fixing-Bar roofs with maximum width of 240 cm. For smaller roofs simply cut the aluminium bars.  
Colour: grey.



Description	Item No.	Weight
Roof Rail	05516-01-	4,7 kg
Roof Rail Pro 3	05516-02-	5,0 kg
Roof Rail Pro 4	05516-03-	6,4 kg
Fixing-Bar Rail	98655-075	3,4 kg
Fixing-Bar Pro L	98655-295	1,5 kg
Roof Rail Ducato	05808-01-	12,0 kg
Roof Rail Ducato Maxi XL	05808-02-	13,5 kg
Kit Roof Rail Ducato Cover Left	98658-067	0,2 kg
Kit Roof Rail Ducato Cover Right	98658-068	0,3 kg
Kit Roof Rail Ducato Extra	98658-066	1,0 kg
Kit Roof Rail Ducato Extra Cover	98658-080	0,1 kg

Aluminium  
Quality

# BI-POT®



Sturdy piston pump guarantees 3 directions powerful rinsing jets.

Comfortable and wide seat for adults and children.

Scratch-resistant tank built in only one piece without seams for even more strength.

Sliding watertight valve with anti-odour seal.

Large and handy charge and discharge openings with semi-transparent lid for better level control.




Easy to clean, the sturdy tanks are one-piece mouldings. 100% watertight.

German Utility Model 202 12 999  
Design Patent M9209391


## BI-POT 30

### SMALL




## BI-POT 34

### MEDIUM



## BI-POT 39

### LARGE







# BI-POT®

QUALITY MOTORHOME  
PRO



Strong Fiamma portable toilet, available in 3 models of different dimensions.

Fiamma Bi-Pot is a simple, strong self-contained fresh water flush portable toilet.

A very simple system that is both strong and easy to clean.

Compact, it can be completely dismantled, including the valve, for thorough and total cleaning.

Sturdy and solid handle for easy transportation.

Large waste cap: no drainpipe, emptying is easy and hygienic, no clogging.

Each tank is electronically tested for a perfect seal.

Handy side clips to connect the upper and lower tanks.



**Solid and practical**  
piston pump that guarantees three directions powerful rinse jets. It can be completely dismantled.



**Easy hooking**  
The only one with sturdy side hooks in stainless steel !



**External Air valve**  
Completely external for easy maintenance.



**Sturdy collecting tank**  
Seam-free one-piece construction. Absolutely no possibility of leaks.

Description	Item No.	Upper tank	Lower tank	Weight	Dimensions	Colour
Bi-Pot 30	01356-01-	10 l	11 l	3,9 kg	43,5x34,5x30h cm	grey
Bi-Pot 34	01354-01-	15 l	13 l	4,3 kg	43,5x36x34h cm	grey
Bi-Pot 39	01355-01-	15 l	20 l	4,4 kg	43,5x36x39,2h cm	grey

# KEM



*Transparent level indicator,  
makes dosage easy*



**Phosphate and  
Formaldehyde free.  
Not irritant.  
In accordance with  
EC 648-2004 regulation**

## SUPER KEM BLUE

### The most powerful detergent for fixed and portable toilets

Practical 2 L bottle with convenient transparent level indicator for easy dosage.

The only detergent with security seal for your safety.

Concentrated double-action formula that continues working wherever you go and in any weather condition.

Disintegrating, deodorizing, sanitizing, pleasantly scented fluid (pine essence) containing anti-freeze for temperatures up to -20°C.

Eliminates bad odours.

90% biodegradable.

Essential for Kasset and portable toilets.

Keeps the tank clean.



## SUPER KEM SACHETS

Version of powder in sachets for daily use, individually packed in protective packaging.

Once opened the Super Kem sachet single-dose, place the powder in the lower tank and it will dissolve quickly in the water with a fresh and pleasant scent of pine oil.

In case of normal use, one dose is enough for max 4/5 days.

One container contains 15 sachets of Super Kem Sachets 30gr each.



Description	Item No.	Weight
Super Kem Blue	97310-022	2,0 kg
Super Kem Sachets	97310-023	0,5 kg





## SOFT 6

### It won't clog up tanks or waste valves

Special 2-layered soft toilet paper.

Ideal for fixed and portable toilets thanks to its dissolving formula.

Stronger and softer tissue dissolves quickly in water.

300 sheets per roll. 6 roll pack.



## TOILET BRUSH PRO



## TOILET BRUSH



**Toilet Brush Pro:** toilet brush holder designed specially for motorhome bathrooms. Compact, it takes up very little space in the corner of the bathroom. The big bristle brush cleans efficiently without scratching. Colour: White.

**Toilet Brush:** standard delivered with velcro to be fixed to the inside Bi-Pot cover. Colour: White.

## SUPER RINSE

### For portable or fixed toilet fresh water tanks

Scented anti-mildew bactericide for chemical toilet fresh water tanks. Effective against algae. Powerful rinsing capacity.

Cleans and protects the bowl. Available in 1L bottle.

In accordance with European 648-2004 regulation.



## BIDET



**Bidet Universal:** for all Bi-Pot® types; also adapts to Thetford® Porta Potti®, Cassette 1, 2, 3, and 4.

**Bidet 200:** for swivelling Thetford® Cassette 200, C250 and Dometic CT3000.

Italian Patent: 1154807

Description	Item No.	Weight
Soft 6	97312-010	0,7 kg
Super Rinse	97310-080	1,1 kg
Toilet Brush Pro	98659-035	0,2 kg
Toilet Brush	98659-025	0,1 kg
Bidet Universal	03483-01-	0,3 kg
Bidet 200	03483A01-	0,3 kg

## MISCELLANEOUS




### DISPENSER

Elegant - Practical - Useful  
0.20L refillable liquid dispenser  
(100 doses).  
Ideal for soap or shampoo.  
With transparent container.  
Practical heavy duty push-button  
pump. Dimensions: 15x8x5,5 cm.




### POCKET M

Multipurpose pocket made of scratch resistant plastic, easy to install with the provided screws.




### POCKET L

Multipurpose pocket made of scratch resistant plastic, easy to install with the provided screws.



### POCKET XL

Practical storing pocket that can be easily installed on the vehicle doors or walls with screws included.  
Made of scratch resistant ABS.



Description	Item No.	Colour	Weight
Pocket M	03177-01-	white	0,1 kg
Pocket L	03178-01-	white	0,1 kg
Pocket XL	03284-01-	grey	0,3 kg
Dispenser	04777-01-		0,2 kg



## MISCELLANEOUS




### MOSKITO NET

Protect your family from insects.  
Mosquito screen for motorhome door consisting of 2 overlapping panels.  
The bottom of each panel stays taut.  
Easy to install by sliding into wall track provided.  
Adjustable height.  
H: 230cm. W: 35cm.



### OMNI STOP

An innovative and simple accessory, ideal to keep plates and items in place as you travel.  
Easy to lock and unlock.  
Securing bar made of anodized aluminium 25cm. high.  
Support handle in sturdy plastic 20cm. long.



Description	Item No.	Weight
Mosquito Net	03508-01-	0,5 kg
Omni Stop	04912-01-	0,1 kg

## MISCELLANEOUS



### TABLE LEGS

#### Improved range of modular table legs, ideal to build dismountable and revolving tables

Leg (A) made of sturdy and anodized aluminium, dimension: 70 cm, reducible.

Provided with two joint plastic caps.


Conic (C) and recessed (D) connections are made of aluminium, supplied with self-threading fixing screws, optional available the Adapter (F) for wall installation of the Tube Pro when not in use. Great stability.

Easy to assemble and disassemble.

The recessed connection in reduced dimensions is flush with the floor: special plastic cap (E) to cover the hole available on request.

Reinforced and more stable tripod (B) to carry the table outside. It's standard delivered with anti-closing device.

Made of UV resistant plastic material.



German Utility Model 20 2010 008 348.6



### WINDOW SHADE


#### Modern system of blind for the bathroom window of caravans and motorhome

The compact and modern designed container is made of aluminium white lacquered, supplied pre-mounted with terminal caps.

It's easy to install on the inside window and takes very little space.

In order to open it, just pull the handle and the blind unrolls on the spring-roll till it covers the window. Light doesn't filter through the blind. It is made of white vinyl inside while outside it is provided with silver finishing which reflects heat in Summer and isolates in Winter.

The canopy is 50 cm. wide and 70cm long.



Description	Item No.	Weight
Tube Pro (A)	06375-01-	0,7 kg
Tripod Pro (B)	06362-01-	1,0 kg
Conic Connection (C)	C5063-01-	0,2 kg
Recessed Connection (D)	C0331-01-	0,1 kg
Cap (E)	02411-01B	0,1 kg
Adapter Tube Pro (F)	98655-605	0,1 kg
Window Shade	06405-01-	0,4 kg





## DRIP STOP

The Drip-Stop gutter eliminates black streaks on your RV, it is made in wide-base flexible polyvinyl. Adhesive acrylic foam of superior quality and adherence is reinforced with aluminium strips that guarantee long life and hold over time.

Easy to install, UV-ray proof. Colour white.  
Available in 3 lengths: 75, 300 and 1000 cm.




## MUD FLAP

Couple of mudflaps suitable for an easy and comfortable installation. Made in sturdy but flexible foam rubber material, standard delivered with a painted steel bracket for installation.

**MUD FLAP FRONT:** suitable for mounting behind the front wheels of the Ducato (after 2006).


**MUD FLAP REAR:** installation on the rear panel of most motorhomes. You can use more mudguards at the same time so as to create a continuous wall at the end of the motorhome.



Mud Flap Front

Mud Flap Rear

Description	Item No.	Weight
Drip Stop 75	03922-01-	0,2 kg
Drip Stop 300	03922A01-	0,8 kg
Drip Stop 1000	03922D01-	2,5 kg
Mud Flap Front	06606-01-	1,2 kg
Mud Flap Rear	06607-01-	1,2 kg



Traditional  
mudflaps

Fiamma  
mudflaps

# COVER



## COVER TOP

Sturdy and hard wearing cover made with UV resistant and heavy duty vinyl to protect the motorhome from dirt and sun.  
Easy to tighten using ropes or elastic cords (not included).  
Reinforced corners and tie down grommets.  
One size only.  
Dimensions: 8.5x5.2 m.



## COVER PREMIUM

The Fiamma Cover Premium is ideal to protect from sun, UV-rays, dust, pollution and dirt.  
Made of strong and light breathable fabric that prevents humidity.  
It maintains a cool temperature inside the vehicle and it is hand washable.

Available in two versions:

**M : for motorhome up to 7,1 m. long**

Dimensions: m 7,16 x 2,59 x 2,74h

**L : for motorhome up to 8 m.**

Dimensions: m 8,08 x 2,59 x 2,74h



*Velcro to fix side panels when they are completely opened*



*Metal eyelet to better fix the Cover Premium*



*4 plastic buckles to fix the lower part of the Cover Premium*



*3 practical zippers allow a quick entrance into the vehicle*

Description	Item No.	Weight
Cover Top	04932-01-	6,0 kg
Cover Premium M (up to 7,1 m)	05601-01-	10,0 kg
Cover Premium L (up to 8 m)	05602-01-	11,0 kg



## MISCELLANEOUS

**THERMOGLAS XXL DUCATO**

**Ideal for winter use to completely cover the engine compartment.**

Made of insulated material, suitable for low temperatures.

Composed by 2 detachable parts.

The upper part covers the 3 glasses of the cabin; it is possible to uncover the windshield without unmounting the Thermoglas.

The lower part, which can be attached with Velcro, covers completely the engine compartment.

Suitable for Fiat Ducato after 06/2006.

**COVERGLAS XL DUCATO**

**Blocks out the sun and protects from UV rays, gives privacy and keeps the windshield clean.** Outside waterproof blind system to cover all the glasses of your vehicle cabine, extended to cover bonnet air intakes as well. Made in two-layered durable material for excellent insulation from heat and cold. Easily installed: no drilling required; the cabin doors are used to support and secure the shade. This practical mounting system is secured on the inside. Useful against theft. Excellent for summer use. **Suitable for Fiat Ducato after 06/2006.**

**THERMO WALL DUCATO CABIN**

Comfortable and useful thermal panel to put between the cabin and the motorhome of chassis Fiat Ducato (after 2006) to grant more privacy and heat insulation.

Made in five-layered sturdy insulated material, with the upper part in velcro and two central zip-fasteners for the door.

Dimensions: 182x150h cm.

IMPROVED



Description	Item No.	Weight
Thermoglas Ducato	06344A01-	3,5 kg
Coverglas XL Ducato	06344-01-	11,0 kg
Thermo Wall Ducato Cabin	06585A01-	1,8 kg

**Q - Do you have Fiamma dealers in my area?**

A - To find the nearest Fiamma dealer, visit our web page "points of sales" on [fiamma.com](http://fiamma.com) site.

**Q - Can I purchase Fiamma accessories directly from Fiamma?**

A - No, you can't buy directly from Fiamma. However you can easily place an order to your nearest Fiamma dealer (have a click on Fiamma "points of sale" on our web site [fiamma.com](http://fiamma.com)).

**Q - Can I purchase Fiamma spare-parts directly from Fiamma?**

A - To buy Fiamma spare parts please address your request to your reliable dealer. In case you cannot get the spare part you need or if you don't find dealers in your area/country, Fiamma, exceptionally gives you the possibility to buy through our web-site directly from our warehouse the spare parts of the best selling spare-parts catalogue under the "Service" section.

**Q - Can I bring my products to Fiamma to get them repaired?**

A - No, we don't have a public service point.

**Q - How long does Fiamma warranty last and how does it work?**

A - The warranty on Fiamma products lasts 2 years. Apply to your dealer with the product and the relevant invoice/receipt.

**Q - What information must I provide to the service point to order spare parts?**

A - The model of the product and its serial number (for awnings and Carry-Bikes), moreover a copy of the relevant proof of purchase if the product is under warranty.

**Q - Where is the S/N (Serial Number) of the awning?**

A - The S/N of the awnings is in the internal side of the leadbar; so you have to open the awning to read it.

**Q - What awning can I install on my vehicle?**

A - The choice of the awning depends on several factors: type of vehicle (motorhome, caravan, van), type of structure and other factors. Our catalogue provides useful information to understand which is the suitable product for you. For a specific information we always recommend that you consult your dealer.

**Q - What is the difference between F45 and F65?**

A - The fundamental difference between these two models is that F45 is suitable for installation on the wall of the vehicle while the F65 on the roof of the vehicle. The choice must be made according to the shape of the vehicle; anyway where it's possible (when the wall of the motorhome is flat and with no windows, etc.) is always better to choose an F45.

**Q - What is the difference between the F45 awning and F35 Pro awning?**

A - The F45 (like the F65) awning is the top of our line, high technology, with automatic opening using the proper crank handle. The F35 Pro awning has a smaller case, is less expensive and lighter. The opening/closing operation is manual, rolling in and out the fabric by hand.

**Q - Are the installation adapters standard delivered with my awning?**

A - A standard set of adapters (Kit AS 120 or Kit AS 400 or Kit AS 400 L) is delivered with every F45 S and F45 L awning. We have also many other adapter kits specially designed for specific vehicles. The F45 Eagle awnings are delivered with all length AS bracket. The Caravanstore and the F35 Pro can be installed in the caravan awning rail where possible, otherwise we offer you to order separately specific adapters. The Fiamma F65 awnings are always supplied without adapters as the mounting system is different depending on what type of vehicle you have, so you have to order the installation brackets separately.

**Q - Can I equip my Fiamma awning with a 12V motor afterwards?**

A - Only the F45 S, F45 L and F65 / F65 S can be equipped with a 12V motor afterwards. Caravanstore and F35 Pro can not be motorized. Fiamma ZIP can receive the motor kit even if not suggested.

**Q - Do Fiamma awnings always include a central rafter?**

A - Not always. All F45 and F65 awnings from 4.00m long are standard delivered with central tension rafter with the exception of the Eagle versions. One Rafter Caravanstore (Item No. 03888-01-) is standard included in the Caravanstore 4.10m and 1 Rafter + 1 Caravanstore Support Leg in Caravanstore 4.40m.

In all other awning lengths the Rafter must be required as optional accessory.

**Q - Does my awning have support legs?**

A - Yes. Support legs are included in all our awnings from the 2.00m on. They are attached permanently to the awning and fold up inside the case when the awning is closed. Our Eagle awnings are self supporting and do not include support legs.

**Q - What is the difference between fixing the support legs on the floor or on wall (using the appropriate brackets supplied as standard)?**

A - It's always necessary the use of the legs for all awnings. The only exceptions are the Eagle models, which, not having the legs, are equipped with reinforced arms and structure. Fixing the legs to the ground, with the proper pegs, or on the wall of the vehicle with the suitable brackets, offers in both cases excellent guarantees.

**Q - For the Fiamma ZIP and Caravanstore ZIP can I buy the awning and the closure separately?**

A - No, ZIP versions are sold only complete. However, in special cases, you can require only the awning or only the complete closure (frontal + side panels) by replacing the complete closure of a damaged product.

**Q - What can be used to clean my awning fabric?**

A - The best way to clean is to use clean water and a cloth or a soft brush. If it is very dirty, add some degreasing detergent to the water. Make sure to rinse carefully any remaining detergent on the fabric.

**Q - How far can I extend the awning?**

A - You can unroll the awning stopping at any distance you prefer. When the awning is fully extended, the fabric can sag lightly, just roll it back in about one turn to put it in tension again.

**Q - Can I use my awning to protect me from the rain?**

A - The awning is meant to shelter you from the sun and moderate rain. Therefore, we recommend you to close the awning in case of strong wind, heavy rain or snow. For moderate rain use the central rafter and lower one leg to allow water running off. Water pooling can stretch the fabric causing faulty closing. Be careful because the fabrics with this kind of problem are not covered by warranty.

**Q - Can I drive when my Caravanstore is mounted?**

A - For small and longer distances, you can leave the Caravanstore mounted on the vehicle. Please consider that the vibrations can make the awning beat against the wall of the vehicle, causing noise.

**Q - On which awnings can the Privacy Room be installed?**

A - Privacy Room is designed for F45 S and F45 L awnings. F65S and F65 only if installed on Fiat Ducato after 06/2006 and on Caravan. The Privacy Room cannot be fitted on models produced before the F45 Elegance. The Kit Privacy O (which is standard delivered with the Privacy Room) allows the installation of the Privacy Room on Omnistor 5002, 5003, 4900 and Tristor<sup>2</sup> awnings too.

**Q - Can I install the Privacy Room for F45 on a motorhome with an F65 mounted?**

A - Normally no, but there are some rare cases in which it is possible.

**Q - Is the Privacy Room a tent awning?**

A - No, the Privacy Room is not a tent and it needs to be mounted on an awning. The Privacy Room offers you extra space and also the possibility to sleep when the weather is nice. Please note that the Privacy Room is not a permanent tent and needs, in case of storm and wind, to be closed completely like the awning.



# FREQUENTLY ASKED QUESTIONS

## **Q - Can the Privacy Room be used in Winter on the snow?**

A - No, it is certainly not suitable. Even a thin layer of snow causes a heavy weight on the awning. This can lead to serious damage.

## **Q - Is the installation kit standard delivered with the Privacy Room?**

A - Yes, the installation system is standard delivered with the Privacy Room (panels+aluminium structure), together with the Curtains Kit Ocean and the Mega Bag (Large strong bag, suitable for transporting goods in the storage compartment or the Privacy during travelling).

## **Q - Is there a side or frontal panel that I can use on my awning?**

A - Yes, as an alternative to the enclosures (Privacy Room), Fiamma offers frontal (Blocker) and side panels (Side) in different versions and lengths.

## **Q - Can I mount Side and Blocker panels on my awning?**

A - There are many models for winch awnings (F45, F65) and for manual awnings (Caravanstore, F35 Pro).

## **Q - Which Carry-Bike can I install on my vehicle?**

A - The choice of the Carry-Bike depends on the type of vehicle (motorhome, caravan, van) and on its structure. You can find a wide range of information on this catalogue. For further information and for a professional support, we suggest you to consult your dealer.

## **Q - Is the rear wall of my vehicle strong enough to install a Carry-Bike?**

A - Most of the vehicles don't show any problem in mounting a Fiamma Carry-Bike, but we suggest you to contact the dealer or the manufacturer of your vehicle in order to locate the most suitable installation points on the back of your vehicle (as they differ depending on the manufacturer).

## **Q - Can I carry electric Bikes on the Carry-Bike?**

A - Carry-Bike Lift 77 and the models for the garage facility are the ideal to transport electric bikes, possibly with the addition of the optional Rail Premium E-Bike.

We suggest you place the Rails Premium E-Bike near the wall of the vehicle and you remove the batteries of electric bikes so as to limit the weight on the wall.

In accordance with the capacity of the Carry-Bike, a maximum of 2 E-bike rails can be used, each can carry up to 30 kg.

## **Q - Can I carry my motorcycle on the Carry-Bike?**

A - Absolutely not. Fiamma Carry-Bikes have been designed for the exclusive transport of bicycles. Even if your motorcycle doesn't exceed the maximum load of the Carry-Bike, this value is calculated as the capacity uniformly distributed on the structure; an excessive weight, like that of a scooter, localized on a single rail, is not allowed.

## **Q - What is the maximum speed I can travel with the carry bike mounted?**

A - With a Fiamma Carry-Bike mounted on the vehicle you can't exceed the maximum speed of 110 km/h (for minivans) and 90 km/h for motorhomes. Even if you are carrying only one bike.

## **Q - The plastic signal for protruding loads (Plastic Signal Item No. 98782-005) can be used in Italy?**

A - Unfortunately Plastic Signal is not approved in Italy and therefore does not meet the requirements of the law in force. The Alu Signal (aluminium) is approved by the Italian Ministry of Transport and is therefore suitable.

## **Q - How can I install an additional rail on my Carry-Bike?**

A - To add a rail on your Carry-Bike is available a video on our Web site [fiamma.com](http://fiamma.com) in the section video installation.

## **Q - In the box of my Garage product I can't find the screws for the fixing to the floor / wall of the garage?**

A - Most of the products for garage facilities, including the Carry-Bike, is supplied without the screws for the fixing on the walls or on the floor of the garage; because their structure (thickness, materials, etc.) varies greatly depending on the model. For more information, please refer to the installation manual attached to the product.

## **Q - The roof of my vehicle has a thickness higher than 5 cm.**

### **Is there a way to install the Turbo-Vent?**

A - Yes, you can install the Turbo-Vent or the Vent thanks to a special extension (code 98683-116). However, the extension is not a cover, and then the portion of the cut roof will be visible through the rooflight.

## **Q - What Ultra-Box should I choose for my Carry-Bike?**

A - All three Ultra-Box for Carry-Bike (320, 360, 500) can be mounted on all Fiamma Carry-Bike apart for the ones with the non-aligned rails, or not centred in the Carry-Bike (VW T5 D, VW T4 D, DJ 200, 200 D, Renault Trafic D). Be careful not to exceed the maximum capacity of the bike carrier, which has to be calculated adding the weight of the Ultra-Box to the weight of its contents.

## **Q - Can I travel with the rooflight open?**

A - No, travelling with the rooflight open may damage it and it's dangerous for other motorists.

## **Q - What is the maximum distance I can have between the pump Aqua 8 and services?**

A - Fiamma pumps can bring the water at distances superior then the ones of any existing recreational vehicle.

## **Q - What is the maximum height Aqua 8 pump can push the water?**

A - Even in this case the Fiamma pumps have performance that exceed the normal height of campers and motorhomes.

## **Q - What is the maximum water temperature for Aqua 8 and 8 iSensor pumps?**

A - The water must be at room temperature. It can't be preheated with other devices.

## **Q - What versions of Safe Door and Security can I install on my vehicle?**

A - There are no special constraints if there is enough space for the product on the external side, and for its bracket (or frames) on the inner side.

## **Q - Fiamma Super Kem and Super Rinse respect the environment?**

A - Of course. Fiamma chemical products don't contain formaldehyde, comply with all national and international regulations respecting the environment.

## A

A20	132-133
Adapters Caravanstore	71
Adapters F35	71
Adapters F45	62-68
Adapters F65	68-70
Alu Jacks	143
Alu Signal	108
Alu Step Pro	144
Anti Slip Plate	141
Aqua 8	132-133
Awning Arms LED	127

## B

Bidet	169
Bike- Block Pro	106
Bike Cover Caravan	109
Bike Cover Premium S	109
Bike Cover S	109
Bi-Pot	166-167
Blocker & Side Caravanstore-F35	48-49
Blocker & Side F45-F65	46-47

## C

Cable-Lock	107
Caravanstore	28-29
Caravanstore Support Leg	56
Caravanstore ZIP	38-39
Cargo Back	111
Cargo Strap	159
Carry-Bike 200 D	94-95
Carry-Bike 200 DJ	94-95
Carry-Bike Autotrail	82-83
Carry-Bike Backpack	99
Carry-Bike Caravan Hobby	88-89
Carry-Bike Caravan Universal	88-89
Carry-Bike Caravan XL A	86-87
Carry-Bike Caravan XL A Pro	86-87
Carry-Bike Caravan XL A Pro 200	86-87
Carry-Bike Ford Transit	96-97
Carry-Bike Garage Plus	100-101
Carry-Bike Garage Standard	100-101
Carry-Bike L80 - Laika	82-83
Carry-Bike Lift 77	82-83
Carry-Bike Mercedes Viano	96-97
Carry-Bike Mercedes Vito	96-97

Carry-Bike Pro / Pro N	78-79
Carry-Bike Pro C / Pro C N	80-81
Carry-Bike Pro C Knaus - Eifelland	82-83
Carry-Bike Pro Hymer - Dethleffs	82-83
Carry-Bike Renault Trafic D	96-97
Carry-Bike Simple Plus 200	88-89
Carry-Bike Trigano - CI - Roller Team	82-83
Carry-Bike Vivaro / Trafic	96-97
Carry-Bike VW T2	92-93
Carry-Bike VW T3 (T25)	92-93
Carry-Bike VW T4	90-91
Carry-Bike VW T4 D	92-93
Carry-Bike VW T5	90-91
Carry-Bike VW T5 D	92-93

Carry-Dog	147
Carry-Kayak Universal	163
Carry-Moto	102-103
Carry-Moto Pro	102-103
Carry-Ramp	102-103
Chock Level	141
Clean Step	145
Cover Premium	174
Cover Top	174
Coverglas	175
Crank Handle	61

## D

Deluxe	160-162
Dispenser	170
Door Pole	56
Drip Stop	173
Duo-Safe Pro	155

## E

Easy Dry	112
----------	-----

## F

F35 Pro	32-33
F45 Eagle	21
F45 L	18-19
F45 S	16-17
F45 S VW T5	20
F65 Eagle	27
F65 L	24-25
F65 S	22-23
Fiamma ZIP	36-37
Fix Organizer	148

Fixing-Bar Carry-Bike	113
Fixing-Bar Pro L	164-165
Fixing-Bar Rail	164-165

## G

Garage Bars	157
Garage Box	156
Garage Carry-Rail	158
Garage Pack	158
Garage Slide Pro Bike	100-101
Garage Slide Pro Ski	158
Garage System	156
Grip System	142

## K

Kit Awning Hangers	60
Kit Awning LED	127
Kit Awning Pegs	58
Kit Awning Plate	58
Kit Cables Guide	124
Kit Cables Rail	124
Kit Dethleffs	82
Kit Frame Cargo Back	111
Kit Garage System	156
Kit Level Up	138-139
Kit Level Up Jumbo	138-139
Kit Magic Privacy	56
Kit Poles Light	56
Kit Premium S	104-105
Kit Repair Plus	61
Kit Roof Rail Ducato	164-165
Kit Safe Door DD	152
Kit Safe Door Frame Van	152
Kit Sanitary Flex	136
Kit Security Lock	153
Kit Support Bar	113
Kit Tank-Flex 23 W	136

## L

LED Awning Case	127
LED Awning Light	129
LED Awning Light Gutter	130
LED Awning Light RGB	129
LED Dimmer	124
LED Garage Light	131
LED Rollo Vent 40	131
LED Sensor Door Light	130



# PRODUCTS ALPHABETIC INDEX

LED Step	130
LED Warning Solar	128
Level Bag	141
Level Plate	141
Level Pro	140
Level System Jumbo	140
Level System Magnum	140
Level Up	138-139
Licence Plate Carrier	113
Luggage Bar	159
<b>M</b>	
Magicrafter	55
Magicrafter Pro	55
Mega Bag / Light	60
Moskito Net	171
Moto Wheel Chock	102-103
Motor Kit	50
Mud Flap Front / Rear	173
<b>O</b>	
Omni Stop	171
<b>P</b>	
Pack 610 S	148
Pack Away	148
Pack Organizer	148
Pack Waste	147
Patio-Mat	51
Plastic Jacks	143
Plastic Signal	108
Plates	143
Plates Pro	143
Pocket Kassett	137
Pocket M / L /XL	170
Porta Kassett	137
Privacy-Room	40-41
Privacy-Room CS Light	44-45
Privacy-Room Light	42-43

<b>Q</b>	
Quick Connection W	136
Quick-Safe	107
<b>R</b>	
Rafter	54
Rafter Caravanstore	54
Rafter LED	126
Rafter LED Caravanstore	126
Rafter Pro	54
Rail Premium	104-105
Rail Premium S	104-105
Rail Quick	104-105
Rail Quick C	104-105
Rail Strip	104-105
Rain Guard	59
Rear Door Cover	53
Rollo Vent 40	123
Roll-Tank	134-135
Roof Rail	164-165
<b>S</b>	
Safe Door	150-151
Safe Door Guardian	154
Security	153
Security Strip	107
Skirting	52
Side Door Panel	36-41
Soft 6	169
Spacer Kit Guardian	155
Spacer Kit Safe Door	152
Spoiler 40	123
Spoiler S	60
Spoiler Universal	123
Step	144
Step Magnum	144
Step-Mat	145
Strip	107

Sunstore	30-31
Super Kem Blue	168
Super Kem Sachets	168
Super Rinse	169
<b>T</b>	
Table Legs	172
Tank	134-135
Thermo Vent 40	123
Thermo Wall Ducato Cabin	175
Thermoglas	175
Tie Down	57
Tie Down S	57
Tie Down Caravanstore	57
Toilet Brush / Pro	169
Turbo 28	120-121
Turbo-Kit	117
Turbo-Vent	118-119
Turbo-Vent Premium	118-119
<b>U</b>	
Ultra Box 2/3	146
Ultra-Box 320-360-500	110
<b>V</b>	
Vent	118-119
Vent 28	120-121
Vent 50	122
<b>W</b>	
Water Cap	136
Wheel Saver	142
Window Shade	172



Special thanks to 'Camping Isolino' in Fondotoce (VB) for kindly hosting the Fiamma 2013 shooting

**Superior Quality Products  
for Motorhomes, Caravans  
and Camper Vans**

**Fiamma SpA - Italy**  
Via San Rocco, 56  
21010 Cardano al Campo (VA)  
Fax +39 0331 263 777